CUMULATIVE AUTHOR AND SUBJECT INDEXES VOLUMES 131–140

Supplied free of charge to the 1977 subscribers of the Journa of Chromatography

ROMATOGRAPHY

JOURNAL ON CHROMATOGRAPHY, ELECTROPHORESIS AND RELATED METHOD

EDITOR, Michael Lederer (Rome)

ASSOCIATE EDITOR, K. Macek (Prague)

EDITORIAL BOARD
W. A. Aue (Halifax)
V. G. Berezkin (Moscow)
A. Bevenue (Honolulu, Hawaii)
P. Boulanger (Lille)
A. A. Boulton (Saskatoon)
G. P. Cartoni (Rome)
K. V. Chmutov (Moscow)
G. Duyckaerts (Liège)
L. Fishbein (Jefferson, Ark.)
A. Frigerio (Milan)
C. W. Gehrke (Columbia, Mo.)
E. Gil-Av (Rehovot)
G. Guiochon (Palaiseau)
I. M. Hais (Hradec Králové)
E. Heftmann (Berkeley, Calif.)
S. Hjertén (Uppsala)
E. C. Horning (Houston, Texas)
C. Horváth (New Haven, Conn.)
J. F. K. Huber (Vienna)
A. T. James (Sharnbrook)
J. Janák (Brno)
K. A. Kraus (Oak Ridge, Tenn.)
E. Lederer (Gif-sur-Yvette)
A. Liberti (Rome)
H. M. McNair (Blacksburg, Va.)
Y. Marcus (Jerusalem)
G. B. Marini-Bettòlo (Rome)
R. Neher (Basel)
G. Nickless (Bristol)
J. Novák (Brno)
N. A. Parris (Wilmington, Del.)
O. Samuelson (Göteborg)
G.-M. Schwab (Munich)
G. Semenza (Zürich)
L. R. Snyder (Tarrytown, N.Y.)
A. Zlatkis (Houston, Texas)

EDITORS, BIBLIOGRAPHY SECTION
K. Macek (Prague), J. Janák (Brno), Z. Deyl (Prague)

EDITOR, BOOK REVIEW SECTION
R. Amos (Abingdon)

EDITOR, NEWS SECTION
J. F. K. Huber (Vienna)

COORD. EDITOR, DATA SECTION
J. Gasparič (Hradec Králové)

MAY 4 8 52 AM '78

UNIVERSITY OF HAWAII
LIBRARY

ELSEVIER SCIENTIFIC PUBLISHING COMPANY
AMSTERDAM

PUBLICATION SCHEDULE FOR 1977

Journal of Chromatography (incorporating *Biomedical Applications* and *Chromatographic Reviews*)
In the course of 1977, also the cumulative indexes for Vols. 121–130 and 131–140 will appear.

MONTH	J	F	M	A	M	J	J	A	S	O	N
Journal of Chromatography	130 131	132/1 132/2 132/3	133/1 133/2	134/1 134/2	135/1 135/2	136/1 136/2 136/3	137/1 137/2	138/1 138/2	139/1 139/2	140/1 140/2 140/3	142 144/1
Biomedical Applications	143/1		143/2		143/3		143/4		143/5		143/6
Chromatographic Reviews				141/1				141/2			

Scope. The *Journal of Chromatography* publishes papers on all aspects of chromatography, phoresis and related methods. Contributions consist mainly of research papers dealing wit matographic theory, instrumental development and their applications. The section *Bio Applications*, which is under separate editorship, deals with the following aspects: developm and applications of chromatographic and electrophoretic techniques related to clinical d (including the publication of normal values); screening and profiling procedures with specia ence to metabolic disorders; results from basic medical research with direct conseque clinical practice; combinations of chromatographic and electrophoretic methods with other p chemical techniques such as mass spectrometry. In *Chromatographic Reviews*, reviews on all of chromatography, electrophoresis and related methods are published.

Submission of Papers. Papers in English, French and German may be submitted, if possible i copies. Manuscripts should be submitted to:
The Editor of *Journal of Chromatography*, P.O. Box 681, Amsterdam, The Netherlands
or to:
The Editor of *Journal of Chromatography, Biomedical Applications*, P.O. Box 681, Amsterda Netherlands.
Reviews are invited or proposed by letter to the Editors and will appear in *Chromatographic* or *Biomedical Applications*. An outline of the proposed review should first be forwarded Editors for preliminary discussion prior to preparation.

Subscription Orders. Subscription orders should be sent to: Elsevier Scientific Publishing Co P.O. Box 211, Amsterdam, The Netherlands. The *Journal of Chromatography*, *Biomedical App* can be subscribed to separately.

Publication. The *Journal of Chromatography* (including *Biomedical Applications* and *Chromato Reviews*) has 15 volumes in 1977. The subscription price for 1977 (Vols. 130–144) is Dfl. plus Dfl. 210.00 (postage) (total *ca.* US$ 744.00). The subscription price for the *Biomedical App* section only (Vol. 143) is Dfl. 110.00 plus Dfl. 14.00 (postage) (total *ca.* US$ 49.60). Journals a matically sent by air mail to the U.S.A. and Canada at no extra costs, and to Japan, Austr New Zealand with a small additional postal charge. Back volumes of the *Journal of Chromat* (Vols. 1 through 129) are available at Dfl. 100.00 (plus postage). Claims for issues not r should be made within three months of publication of the issue. If not, they cannot be ho free of charge.

For further information, see page 3 of cover.

© ELSEVIER SCIENTIFIC PUBLISHING COMPANY — 1977

All rights reserved. No part of this publication may be reproduced, stored in a retrieval sy transmitted in any form or by any means, electronic, mechanical, photocopying, recording o wise, without the prior written permission of the publisher, Elsevier Scientific Publishing Co P.O. Box 330, Amsterdam, The Netherlands.

Submission of an article for publication implies the transfer of the copyright from the autho publisher and is also understood to imply that the article is not being considered for pub elsewhere.

Printed in The Netherlands

JOURNAL OF CHROMATOGRAPHY

Cumulative Author and Subject Indexes

VOLUMES 131–140

Electronic data processing:
Dipl.-Kfm. Karlheinz Wenzel KG
and
ADV-Service Wilfried Meyer GmbH,
Hanau, G.F.R.

© ELSEVIER SCIENTIFIC PUBLISHING COMPANY — 1977

All rights reserved. No part of this publication may be reproduced, stored in a retrieval syste
transmitted in any form or by any means, electronic, mechanical, photocopying, recording or o
wise, without the prior written permission of the publisher, Elsevier Scientific Publishing Com
P.O. Box 330, Amsterdam, The Netherlands.

Submission of an article for publication implies the transfer of the copyright from the author t
publisher and is also understood to imply that the article is not being considered for publi
elsewhere.

Printed in The Netherlands

AUTHOR INDEX

VOLUMES 131–140

The volume number is placed in parentheses before the page number

ıar, A., see Osa, A. (135) 196
S.R., see Johnson, E. (134) 107
.
thetic inorganic ion-exchange materials. Chromatographic separation of alkali al ions using phosphoantimonic(V) acid cation exchanger (134) 507
m, C.V. and Gresham, D.
ultaneous GC analysis for the seven monly used antiepileptic drugs in m (136) 332
umays, A., see Johnson, E. (134) 107
R., see Beckett, A.H. (135) 200
S., see Toba, T. (135) 411
R.F., see Slavin, W. (134) 121
a, R.C., see Villanueva, V.R. (139) 381
ıs, P., Meesschaert, B., Wuyts, W., derhaeghe, H. and Eyssen, H.
ıration of ninhydrin-positive pounds on a single-column amino acid yzer using lithium buffers (140) 103
ıs, P., see Meesschaert, B. (136) 162
ıüller, K.
C analysis of partial glycerides and r technical lipid mixtures (139) 61
D.M., see Darling, T. (131) 383
J., see Darling, T. (131) 383
G., Bernasconi, M.G., antino, U. and Gill, J.S.
talline insoluble acid salts of ıvalent metals. XXVII. Ion exchange of ılent cations on ionic forms of talline zirconium phosphate with large rlayer distances (132) 477
P.W., Haseman, J.K., Clemmer, T.A. and ett, B.J.
tification of the individual chlorinated biphenyls in a mixture by (136) 147
P., Kikic, I. and Papo, A.
rity of phthalate esters in GC (131) 31
P., Kikic, I., Papo, A. and Torriano, G.
uation of solvent properties. A parison of esters of 2-ethylhexanol 190
der, F., see Uyttendaele, K. (132) 261

Allalouf, D., see Wasserman, L. (136) 342
Allen, C.F., see Rice, L.I. (137) 397
Alumot, E., see Harduf, Z. (139) 215
Amico, V., Oriente, G. and Tringali, C.
Quantitative analysis of protein and non-protein amino acids by GLC (131) 233
Amin, M. and Jakobs, U.
TLC of active compounds from ointments and suppositories followed by direct quantitative analysis by remission (in German) (131) 391
Anbar, M., see Heck, H.d'A. (133) 281
Andary, C., Enjalbert, F., Privat, G. and Mandrou, B.
Assay for amatoxins in *Amanita phalloides* Fries (Basidiomycetes) with direct spectrometric measurements of chromatograms (in French) (132) 525
Anderson, M.M., see Maile, R.J. Jr. (132) 366
Anderson, R., Annette, D. and Jackson, N.
Ion-exchange chromatographic study of amino acid degradation during hydrolysis of avian protein (135) 447
Angelo, H.R. and Christensen, J.M.
GC method for the determination of dextropropoxyphene and nordextropropoxyphene in human plasma, serum and urine (140) 280
Annette, D., see Anderson, R. (135) 447
Ansari, A.A. and Mage, R.G.
Molecular-weight estimation of proteins using Sepharose CL-6B in guanidine hydrochloride (140) 98
Appelqvist, L.-Å., see Nair, B.M. (133) 203
Arendes, J., Zahn, R.K. and Müller, W.E.G.
Separation of naturally occurring adenine nucleosides and nucleotides by anion-exchange chromatography (140) 118
Arpino, P., Moreau, J.-P., Oruezabal, C. and Flieder, F.
GC-MS analysis of tannin hydrolysates from the ink of ancient manuscripts (XIth to XVIth century) (134) 433
Arpino, P., Vidal-Madjar, C., Guiochon, G. and Békássy, S.
Production of citral from geraniol. II. Capillary GC-MS investigation of two different oxidation reactions using a graphite porous-layer open-tubular column with a large coating ratio of polar liquid phase (138) 173
Arrendale, R.F., see Severson, R.F. (139) 269

Arukaevu, H., see Osa, A. (135) 196
Arustamova, L.G., Berezkin, V.G., Rustamov, M.I. and Sultanov, N.T.
Surface-layer sorbents for group analysis of aromatic hydrocarbons in petroleum distillates (140) 319
Arx, E. von, see Von Arx, E. (134) 529
Ashes, J.R. and Haken, J.K.
GC of homologous esters. X. Data prediction properties of a Rohrschneider-type scheme (135) 61
Ashes, J.R. and Haken, J.K.
GC of homologous esters. XI. Use of ester solutes in a Rohrschneider-type scheme for data prediction (135) 67
Ashworth, A.J. and Hooker, D.M.
Mixed solvents in GLC. Activity coefficients for hexane in squalane and dinonyl phthalate mixtures at 303 °K (131) 399
Assandri, A. and Moro, L.
Protein binding of a series of rifamycins to bovine serum albumin as measured by the "two-phase partition" technique (135) 37
Assandri, A. and Semenza, G.
Protein binding of rifampicin to bovine serum albumin as measured by gel filtration (135) 25
Aston, J.W.
Computer processing of fatty acid analysis data (131) 121
Aszalos, A., see Issaq, H.J. (133) 291
Aue, W.A., see Hill, H.H. Jr. (140) 1
Auer, M., see Kolb, B. (134) 65
Augustyniak, J., see Goździcka-Józefiak, A. (131) 91
Aukaty, M.F., Bubenschikova, S.N., Kagrammanova, V.K. and Baratova, L.A.
Use of an amino-silica column for the HPLC analysis of synthetic oligodeoxynucleotides (137) 351
Avigad, G.
Dansyl hydrazine as a fluorimetric reagent for TLC analysis for reducing sugars (139) 343
Axelsen, K.S. and Vogelsang, S.H.
HPLC analysis of gramicidin, a polypeptide antibiotic (140) 174

B

Baaske, D.M., Keiser, J.E. and Smith, R.V.
GC determination of apomorphine in plasma (140) 57
Bach, K. and Haas, H.J.
TLC separation of racemates of some amino acids (in German) (136) 186
Bachman, A. and Vestergaard, P.
Electronic system for chart recorder absorbance output of the multicuvette system for LC (132) 335
Bailey, E., Fenoughty, M. and Richardson
Automated high-resolution GC analysis psychotropic drugs in biological fluids using open-tubular glass capillary colu
I. Determination of nomifensine in hu plasma (131) 347
Bailey, G., Kootstra, A., Stockwell, P. and Gillett, D.
Three-buffer single column analyses o two-buffer amino acid analyzers (133)
Balderstone, P. and Dyke, S.F.
Detection and quantitative analysis of sanguinarine in edible oils (132) 359
Baldesten, A., see Sollenberg, J. (132) 469
Ballschmiter, K., see Heizmann, P. (137) 1
Ballschmiter, K., see Lohmüller, M. (137)
Baloch, A.K., Buckle, K.A. and Edwards,
Separation of carrot carotenoids on Hy Super-Cel-magnesium oxide-calcium s thin layers (139) 149
Balzarini, L., see Righetti, P.G. (134) 279
Baratova, L.A., see Aukaty, M.F. (137) 351
Barchet, R., see Harzer, K. (132) 83
Bardou, L.G., see Kerebel, A. (140) 229
Baron, R.L., see Freudenthal, R.I. (134) 20
Barr, E.W., see Issaq, H.J. (131) 265, (132) (132) 121, (133) 291
Barth, H.G. and Conner, A.Z.
Determination of doxorubicin hydrochloride in pharmaceutical preparations using HPLC (131) 375
Barthelemy, J.-P., see Deleu, R. (134) 483
Bartle, K.D., Elstub, J., Novotny, M. and Robinson, R.J.
Use of a modified Tenax GC column packing for the direct GC analysis of phenols in water at the ppm level (135)
Basedow, A.M., see Haller, W. (132) 387
Bašnák, I., see Štrop, P. (138) 47
Bassham, J.A., see Platt, S.G. (133) 396
Baumgarten, E., Weinstrauch, F. and Höffkes, H.
Adsorption isotherms of hydrocarbons γ-alumina (138) 347
Baxter, J.S., see Vogt, C.R. (136) 221
Bazán, N.G., see Rodríguez de Turco, E.B (137) 194
Bechgaard, E. and Lund, J.
Determination of (+)-3*R*),(4*S*)-3-[(4-methoxyphenoxy)methyl-1-methyl-4-phenylpiperidine hydrochloride (FG 49 in biological fluids using competition f adsorption to glass (133) 147
Beck, O., Wiesel, F.-A. and Sedvall, G.
Mass fragmentographic determination hydroxytryptamine and 5-hydroxyindo acetic acid in brain tissue using deute internal standards (134) 407
Bečka, J. and Feltl, L.
GC determination of trace amounts of

ocarbons in the atmosphere of
rimental biological containers (131) 179
H., Wilking, G. and Hostettmann, K.
ration of isomeric glycoflavones by
C (136) 174
, A.H. and Achari, R.
ct GLC analysis of N-
oxyamphetamine, a metabolite of
hetamine (135) 200
y, S., see Arpino, P. (138) 173
a, R.P., see Pankova, M.C. (137) 198
A., see Charlwood, B.V. (135) 377
L.Z., see Lin, E.T. (140) 275
lo, P., see Furlanut, M. (140) 270
in, T.V., see Hardman, R. (131) 468
F., see Williams, D.T. (136) 423
, G.A. and Spillane, W.J.
determination of cyclic amines, ketones
alcohols, possible metabolites of sweet
hamates (136) 318
H.B., see Burgett, C.A. (134) 57
uto, J.A., Lu, K. and Loo, T.L.
C analysis of ftorafur and its
abolites in biological fluids (134) 219
see Wasserman, L. (136) 342
D.
ple pulse damper for LC (132) 128
in, V.G., see Arustamova, L.G. (140) 319
H.M. van den, see Van den Berg, J.H.M.
421, (138) 431
G. and McNair, H.M.
arative HPLC separation of high-
ecular-weight isomers (131) 185
e, K., Caissie, G.E. and Mallet, V.N.
of Amberlite XAD-2 resin for the
ntitative recovery of fenitrothion from
er: A preservation technique (139) 386
coni, M.G., see Alberti, G. (132) 477
D.J., see Flanagan, R.J. (131) 131
u, F.L., see Kerebel, A. (140) 229
court, A., Lhoest, G., Roberfroid, M. and
cier, M.
and mass fragmentographic assays of
inogenic polycyclic hydrocarbon
ide hydratase activity (134) 323
R.F., see Sharma, J.P. (134) 441
an, H.C., see Olieman, C. (133) 382
aj, T.R., see Singh, H. (137) 202
I.B., see Burce, G.L. (137) 323
harjee, A. and Bhaumik, A.
lysis of low-boiling isomers of phenols
C (136) 328
ik, A., see Bhattacharjee, A. (136) 328
i, K.K., see Singh, H. (137) 202
i, R., see Harduf, Z. (139) 215
., Cuddeback, R.M. and Kopwillem, A.
arative plasma protein fractionation by
chophoresis in Sephadex columns
437
R.L., see Jain, R.S. (136) 141, (139) 283
, R.H., see Jakovljevic, I.M. (134) 238
, R.H., see Souter, R.W. (140) 245
on, T.D., Blaschke, T.F. and Meffin, P.J.
C analysis of drugs in biological fluids.
IV. Determination of clofibrinic acid (137) 145
Blagrove, R.J. and Frenkel, M.J.
Determination of protein molecular weights in denaturing solvents using glyceryl-CPG (132) 399
Blanchet, G., Picard, J. and Morelis, P.
Synthesis of an N-methylacridinium-Sepharose: its use in the purification of cholinesterases (in French) (135) 477
Blaschke, T.F., see Bjornsson, T.D. (137) 145
Blasius, E. and Klemm, G.
High-voltage paper ionophoresis in temperature gradients and non-aqueous solutions (in German) (135) 323
Blaton, V., see Uyttendaele, K. (132) 261
Bleha, M., see Novák, J. (139) 141
Bloch, J.-C. and Garel, J.-P.
Influence of modified nucleosides in *E. coli* transfer RNA on chromatographic mobilities of transfer RNA (137) 93
Blomberg, L.
Measurement of the average thickness of the film of stationary phase in dynamically coated glass capillary columns for GC (138) 7
Bloomer, K., see Sherma, J. (135) 235
Blum, W. and Richter, W.J.
Parallel flame ionization detection-total ion current recording in capillary GC-chemical ionization MS (132) 249
Blüthmann, H.
Chromatography of histones on hydroxyapatite columns (137) 222
Boček, P., Miedziak, I., Deml, M. and Janák, J.
Use of complex formation equilibria in the analytical isotachophoresis of strong electrolyte ions. Separation of halides and sulphates (137) 83
Boehme, W. and Engelhardt, H.
Moisture control system for non-polar eluents in HPLC. I. Reproducible retentions on alumina (133) 67
Boinon, B., see Le Parlouer, P. (133) 253
Bollet, C., see Chevalier, G. (138) 193
Bombardelli, E., Bonati, A., Gabetta, B., Martinelli, E.M. and Mustich, G.
Identification of anthocyanins by GLC and MS (139) 111
Bonastre, J., see Grenier-Loustalot, M.F. (138) 63
Bonati, A., see Bombardelli, E. (139) 111
Bonner, W.A., see Flores, J.J. (132) 152
Bonner, W.A., see Van Dort, M.A. (133) 210
Boom, J.H. van, see Van Boom, J.H. (131) 169
Borák, J. and Smrž, M.
LC of nucleic acid components and their analogues on hydroxyethyl methacrylate gels (133) 127
Bories, G., see Wal, J.M. (136) 165
Born, H.-J., see Specht, S. (135) 273
Borovanský, J., Hach, P. and Duchoň, J.
Chromatographic separation of melanosomes (134) 230

Borque, L., see Campos, A. (140) 219
Bounine, J.-P., see Thomas, J.-P. (139) 21
Boven, M. van, see Van Boven, M. (134) 415
Bowers, W. and Hawkes, S.
Obstruction factors are not always flow dependent (134) 166
Bowman, R.L., see Ito, Y. (136) 189
Brabander, H.F. de, see De Brabander, H.F. (138) 131
Brater, D.C., see Lin, E.T. (140) 275
Braun, W.H.
Rapid method for the simultaneous determination of 1,4-dioxan and its major metabolite, β-hydroxyethoxyacetic acid, concentrations in plasma and urine (133) 263
Breimer, D.D., see Vermeulen, N.P.E. (137) 333
Brenna, O., see Righetti, P.G. (134) 279, (137) 171
Breter, H.-J., Seibert, G. and Zahn, R.K.
Single-step separation of major and rare ribonucleosides and deoxyribonucleosides by cation-exchange HPLC for the determination of the purity of nucleic acid preparation (140) 251
Breter, H.-J. and Zahn, R.K.
Quantitative determination of metabolites of 6-mercaptopurine in biological materials. II. Advantages of a variable-wavelength HPLC spectrophotometric detector for the determination of 6-thiopurines (137) 61
Brinkman, H.W., see Telling, G.M. (137) 405
Brinkman, U.A.T., see De Jong, G.J. (135) 249
Brinkman, U.A.T., see De Vries, G. (134) 235
Bristow, P.A., Brittain, P.N., Riley, C.M. and Williamson, B.F.
Upward slurry packing of LC columns (131) 57
Brittain, P.N., see Bristow, P.A. (131) 57
Břízová, E., Popl, M. and Čoupek, J.
Use of the sorbent Spheron SE in the analysis of trace amounts of impurities in water (139) 15
Brockman, R.W., see Rose, L.M. (133) 335
Brodie, R.R., see Woodhouse, R.N. (137) 218
Brooks, C.J.W., see Edmonds, C.G. (133) 372
Brooks, M.A., Hackman, M.R., Weinfeld, R.E. and Macasieb, T.
Determination of clorazepate and its major metabolites in blood and urine by electron capture GLC (135) 123
Brown, J.K., see Byrne, J.A. (137) 489
Brown, N.D. and Sleeman, H.K.
Determination of N,N'-trimethylene-bis(pyridinium-4-aldoxime) dibromide by ion-pair HPLC (138) 449
Brown, N.D. and Sleeman, H.K.
An ultramicro HPLC method for assaying ion-pair species of benactyzine (140) 300
Brown, R. and Nickla, H.
Simultaneous separation of pteridines and ommochrome precursors by PC (133) 423
Brown, R.K., Caspers, M.L., Lull, J.M., Vinogradov, S.N., Felgenhauer, K. and Nekic, M.
Carrier ampholyte distribution in isoelectric focusing (131) 223
Brun, A., see Thomas, J.-P. (139) 21
Bruschi, E., see Castello, G. (139) 195
Bryce, T.A. and Burrows, J.L.
GLC determination of 1,3-dihydro-3-phenylspiroisobenzofuran-1,4-piperidin HP 505, in biological fluids using a nitrogen-specific detector (136) 401
Bubenschikova, S.N., see Aukaty, M.F. (13
Buchanan, J.H.
Use of a programmable pocket calculat processing amino acid analysis data (137) 475
Buchele, A., see Winkler, E. (138) 151
Buck, C.A., see Jain, R.S. (136) 141, (139) 2
Buckle, K.A., see Baloch, A.K. (139) 149
Budde, W.L. and Eichelberger, J.W.
Mass spectrometer as a substance-selec detector in chromatography (134) 147
Budna, K.W., see Nachtmann, F. (136) 279
Buffa, M., see Lombard, A. (134) 242
Bührens, K.-G. and Preetz, W.
Separation of halohydroborates of the $B_{10}H_{10-n}X_n^{2-}$ by high-voltage ionophores (in German) (139) 291
Bundgaard, H. and Larsen, C.
Polymerization of penicillins. IV. Separation, isolation and characterizati of ampicillin polymers formed in aquec solution (132) 51
Burce, G.L., Bhat, H.B. and Sokoloski, T.
Quantitative determination of naltrexo and naltrexone prodrugs by electron-capture GLC (137) 323
Burgett, C.A., Smith, D.H. and Bente, H.E
Nitrogen-phosphorus detector and its applications in GC (134) 57
Burkett, L.L., see Wallace, J.E. (138) 111
Burkinshaw, P.M., Morgan, E.D. and Poole, C.F.
Detection of alcohols at the femtogram level as pentafluorophenyldimethylsily ethers (132) 548
Burns, D.T. and Collin, E.J.
Rapid determination of certain alkaloi other than nicotine, in tobacco (133) 37
Burns, D.T., see Hayes, W.P. (139) 395
Burrows, G.D., see Norman, T.R. (134) 524
Burrows, J.L., see Bryce, T.A. (136) 401
Burtseva, T.I., Glebko, L.I. and Ovodov, Y
Direct spectrophotometric TLC for determining malondialdehyde and β-fo pyruvate produced by the periodate oxidation of some deoxy sugars (131) 4
Buryan, P. and Macák, J.
GC separation of phenols on a polyphe ether with six rings. I (139) 69
Buryan, P., Macák, J. and Hrivňák, J.
Separation of monohydric alkylphenol GC. II (137) 425
Bushway, R. and Hanks, A.
Determination of rotenone in pesticide

ulations and the separation of six
noids by reversed-phase HPLC
210
T.H.
ersed-phase HPLC of some common
icides (134) 216
and Land, G.
determination of sulphadiazine and its
or metabolite in human plasma and
e (139) 181
J.A., Brown, J.K., Chaubal, M.G. and
one, M.H.
screening procedure for some drugs
in treatment of arthritis: "arthritic
s" prescribed in Mexico (137) 489
K.M., Kershner, A.S., Maehr, H.,
quez, J.A. and Schaffner, C.P.
aration of gentamicin C-complex into
components by Craig distribution
) 191

, T., see Cashion, P. (136) 159
, T., see Cashion, P.J. (135) 189
, G.E., see Berkane, K. (139) 386
r, K., Edholm, L.-E. and Smith, B.E.F.
ly of retention behaviour of
lphenols in straight- and reversed-
se LC and application to the analysis of
plex phenolic mixtures in conjunction
GC (136) 45
r, K., see Edholm, L.-E. (137) 363
s, A., Borque, L. and Figueruelo, J.E.
erential solvation of
(dimethylsiloxane) and poly(methyl
nacrylate) in benzene-methanol
tures by GPC (140) 219
a-Soler, A.M., see Villanueva, V.R.
) 381
J.R., see Lamar, C. Jr. (137) 471
t, J. van, see Van Cantfort, J. (133) 153
o, G., see Tscherne, R.J. (136) 337
ini, L., see Pantarotto, C. (131) 430,
) 307
ll, T.J. and Carter, M.R.L.
monitoring of the reaction of beryllium
cetate and beryllium oxypropionate in
one solution (140) 93
n, G., Lanouette, M. and Lodge, B.A.
system for the semi-quantitative
ysis of the ratio of α- and β-
droequilin in the diol fraction of
ne estrogen conjugates (135) 523
F.J. di, see Di Carlo, F.J. (132) 45
, N.P., see Clarke, J.F.G. Jr. (134) 397

Carreño, T.G. and Rubi, J.A.M.
GC determination of the heat of adsorption of benzene and its monohalogeno derivatives adsorbed on montmorillonite-pyridinium (in French) (133) 184
Carter, M.R.L., see Cardwell, T.J. (140) 93
Carvalho, R.A.G. de, see De Carvalho, R.A.G. (136) 176
Casagrande, D.J. and Park, K.
Simple GLC technique for the analysis of muramic acid (135) 208
Cashion, P., Notman, H., Sathe, G., Cadger, T. and Tranquilla, T.
Improved synthesis of N^4-anisoyldeoxycytidine using Bio-Rex 5 columns (136) 159
Cashion, P.J., Notman, H.J., Cadger, T. and Sathe, G.M.
Purification of oligodeoxynucleotides on Sephadex G-10 columns (135) 189
Casillo, M., Lederer, M. and Ossicini, L.
Paper electrophoretic study of ion-pair formation. XIII. Survey of the ion-pair forming properties of monovalent inorganic anions (135) 256
Caspers, M.L., see Brown, R.K. (131) 223
Cassaigne, A., see Jensen, H. (132) 556
Castello, G., Bruschi, E. and Ghelli, G.
GC determination of the purity of vitamin K_3 (menadione) (139) 195
Castello, G. and D'Amato, G.
Correlation between the physical properties and structure of alcohols and their GC behaviour on polar and non-polar stationary phases. I. C_1-C_8 straight-chain alcohols (131) 41
Caude, M., see Chevalier, G. (138) 193
Cautreels, W. and Van Cauwenberghe, K.
Fast quantitative analysis of organic compounds in airborne particulate matter by GC with selective MS detection (131) 253
Cauwenberghe, K. van, see Van Cauwenberghe, K. (131) 253
Čech, M., Jelínková, M. and Čoupek, J.
High-pressure chromatography of tobacco mosaic virus on Spheron gels (135) 435
Ćelap, M.B., Malinar, M.J., Sarić, S., Janjić, T.J. and Radivojša, P.N.
Effect of the composition and structure of cobalt(III) complexes on their R_F values obtained by partition PC. I. Effect of the position of nitro groups and the chelate ring size (139) 45
Chan, K. W., see Hill, H.H. Jr. (131) 245
Chang, J.Y. and Creaser, E.H.
Improved chromatographic identification of coloured amino acid thiohydantoins (132) 303
Chang, J.Y. and Creaser, E.H.
Distinction of amino alcohols from amino acids by 4-N,N-dimethylaminoazobenzene-4'-isothiocyanate (135) 245
Chang, J.Y., Creaser, E.H. and Hughes, G.J.
Separation of 4-N,N-

dimethylaminoazobenzene-4'-thiohydantoins of amino acids by TLC on silica gel (140) 125
Chang, S.H., see Schlabach, T.D. (134) 91
Chapman, R.A. and Robinson, J.R.
Simplified method for the determination of residues of carbofuran and its metabolites in crops using GLC-mass fragmentography (140) 209
Charlwood, B.V. and Bell, E.A.
Qualitative and quantitative analysis of common and uncommon amino acids in plant extracts (135) 377
Chasseaud, L.F., see Woodhouse, R.N. (137) 218
Chaubal, M.G., see Byrne, J.A. (137) 489
Chawla, H.M., Chibber, S.S. and Saigal, R.
Separation and identification of some hydroxychalcones and their derivatives (138) 243
Chawla, S.L., see Dang, S.K. (139) 207
Chen, T.M., Hess, G.G. and Sievers, R.E.
Improvements in GC columns formed by *in situ* polymerization (134) 170
Chevalier, G., Rohrbach, P., Bollet, C. and Caude, M.
Identification and quantitation of impurities from benorilate (Salipran) by HPLC (in French) (138) 193
Chhabra, B.R., Gulati, R.S., Dhillon, R.S. and Kalsi, P.S.
Modified TLC method for the detection of phenols (135) 521
Chibber, S.S., see Chawla, H.M. (138) 243
Choudhary, V.R. and Parande, M.G.
GC study of binary diffusion of nitrobenzene and aniline in hydrogen (132) 344
Chovanec, J., see Churáček, J. (139) 85
Christensen, J.M., see Angelo, H.R. (140) 280
Christophersen, A.S., Rasmussen, K.E. and Salvesen, B.
Determination of hydrochlorothiazide in serum by HPLC (132) 91
Chriswell, C.D.
Removal of gas chromatographable organic compounds from water by a spray vaporization technique (132) 537
Chriswell, C.D. and Fritz, J.S.
Selective concentration of amines from aqueous solutions by a gas purging technique (136) 371
Chu, S.-Y. and Sennello, L.T.
GC determination of pemoline in biological fluids using electron capture detection (137) 343
Chung, I.-J., see Hsu, H.-W. (138) 267
Churáček, J., Pechová, H. and Chovanec, J.
Contribution to the standardization of results in PC and TLC (in German) (139) 85
Cima, L., see Furlanut, M. (140) 270
Clare, R.A., see Draffan, G.H. (139) 311
Clark, J., Dewan, R., Locksley, H.D. and Maynard, R.
Pungent compounds. II. Detection and identification of paradols (alkyl 4-hydro 3-methoxyphenethyl ketones) by combi GC-MS (134) 315
Clarke, J.F.G. Jr., Minn, J. and Carlson, N
GC determination of some chloroethyl phthalimide compounds (134) 397
Cleemann, M.
GC determination of propoxyphene and norpropoxyphene in plasma (132) 287
Clemmer, T.A., see Albro, P.W. (136) 147
Coffin, R.D. and Thompson, R.M.
Artifacts in the GC analysis of some su containing amino acids (138) 223
Cohan, S.L., see Pohlmann, J.L.W. (131) 29
Cole, W.J., Parkhouse, J. and Yousef, Y.Y.
Application of the extractive alkylation technique to the pentafluorobenzylatior morphine (a heroin metabolite) and surrogates, with special reference to th quantitative determination of plasma morphine levels using mass fragmentography (136) 409
Colin, H. and Guiochon, G.
Development and use of carbon adsorb in HPLSC. II. Reproducibility of carbor adsorbents and the influence of graphitization on their performance (137) 19
Collin, E.J., see Burns, D.T. (133) 378
Conlon, J.M., see Murphy, R.F. (135) 427
Conner, A.Z., see Barth, H.G. (131) 375
Copin, A., see Deleu, R. (134) 483
Corbett, B.J., see Albro, P.W. (136) 147
Cornwell, E.S., see Navarro, J.G. (138) 423
Cosgrove, B.A. and Gay, I.D.
Simple device for sampling from vacuu systems to gas chromatographs (136) 30
Costantino, U., see Alberti, G. (132) 477
Čoupek, J., Unger, P. and Popl, M.
Properties and use of the sorbent Sphe SDA in GC (133) 91
Čoupek, J., see Břízová, E. (139) 15
Čoupek, J., see Čech, M. (135) 435
Čoupek, J., see Novák, J. (139) 141
Čoupek, J., see Rittich, B. (133) 345
Creaser, E.H., see Chang, J.Y. (132) 303, (135) 245, (140) 125
Cresswell, D.G., see Woodhouse, R.N. (137)
Cridland, J.S. and Weatherley, B.C.
Determination of 2,4-diamino-5-(3,4-dichlorophenyl)-6-methylpyrimidine (B 197U) in human plasma (137) 449
Crozier, A., see Reeve, D.R. (137) 271
Cuddeback, R.M., see Bier, M. (132) 437
Currie, B.L., see Hansen, J.J. (135) 155
Curtis, T.G. and Seitz, W.R.
Chemiluminescence: a new method for detecting fluorescent compounds separ by TLC (134) 343
Curtis, T.G. and Seitz, W.R.
Coupling of chemiluminescence TLC detection to a Vidicon rapid scanning detector (134) 513
Cvjetićanin, D.N., see Cvjetićanin, N.M. (1

nin, N.M. and Cvjetićanin, D.N.
rption of trivalent iron in the ionic
colloidal states on silica gel
egnated with manganese dioxide
77
c, Z.
nalysis of aromatic sulphinylamines. II
177
c, Z. and Małeta, E.
ration of aromatic sulphinylamines by
(132) 168
c, Z. and Małeta, E.
ration of aromatic sulphinylamines by
II (137) 228

s, P., see Van Boven, M. (134) 415
en Caldwell, K., see Porath, J. (133) 180
o, G., see Castello, G. (131) 41
S.K., Grover, P.D. and Chawla, S.L.
matographic analysis of alkali chlorine
gas (139) 207
, T., Albert, J., Russell, P.,
rt, D.M. and Reid, T.W.
id purification of an RNA tumor virus
proteins by high-performance steric
usion chromatography on porous glass
columns (131) 383
ov, V.A., see Semechkin, A.V. (131) 65
, J., Pudil, F. and Seifert, J.
ration of thiamine and its derivatives
Sephadex column (140) 316
D.L., see Draffan, G.H. (139) 311
D.S., see Draffan, G.H. (139) 311
B.A., see Hui, K.S. (132) 131
C.M., see Fenimore, D.C. (140) 9
K.W.M. and Morris, C.J.O.R.
lications of GLC in protein chemistry.
etermination of amide residues in
molar amounts of proteins (136) 361
s, J.V.
te-gel interactions in GPC of small
ecules in organic media (135) 470
bander, H.F. and Verbeke, R.
rmination of thiocyanate in tissues and
fluids of animals by GC with electron-
ure detection (138) 131
valho, R.A.G., see González, C.G.
176
eve, J., Van Cantfort, J. and Gielen, J.
rmination of papaverine in blood
bles by GLC and mass
nentography (133) 153
ote, M., see Uyttendaele, K. (132) 261
, G.J., Kok, W.T. and Brinkman, U.A.T.
of aqueous nitrite solutions in
reversed-phase chromatography and liquid-liquid extraction (135) 249
De Leenheer, A.P. and Nelis, H.J.C.F.
Reversed-phase HPLC of doxycycline (140) 293
De Ligny, C.L., see Gelsema, W.J. (140) 149
De Pascale, A., see Pantarotto, C. (134) 307
De Roode, D., see Vermeulen, N.P.E. (137) 333
De Rooy, J.F.M., see Van Boom, J.H. (131) 169
De Ruwe, H.J.J.M., see Van den Berg, J.H.M. (138) 431
De Silva, J.A.F., see Puglisi, C.V. (136) 391
De Vries, G. and Brinkman, U.A.T.
Use of plastic foil in small-scale TLC (134) 235
Dear, D.J.A., Dillon, A.F. and Freedman, A.N.
Determination of organic compounds in the hydrogen used for cooling large electricity generators (137) 315
Debackere, M., see Delbeke, F.T. (133) 214, (136) 385
Decallonne, J.R., see Rouchaud, J. (139) 376
Deelder, R.S., see Van den Berg, J.H.M. (132) 421, (138) 431
Deguchi, T., Hisanaga, A. and Nagai, H.
Chromatographic behaviour of inorganic anions on a Sephadex G-15 column (133) 173
Dehnen, W., see Mönch, W. (140) 260
Delbeke, F.T. and Debackere, M.
Detection of sympathomimetic central nervous stimulants with special reference to doping. I. Comparative study of a conventional extraction procedure and adsorption chromatography using XAD-2 resin (133) 214
Delbeke, F.T. and Debackere, M.
Detection of sympathomimetic central nervous stimulants with special reference to doping. II. Comparative study of two adsorption chromatography methods using different XAD resins (136) 385
Deleu, R., Barthelemy, J.-P. and Copin, A.
Identification of eleven urea herbicides by TLC and GLC. I. Application to natural waters (in French) (134) 483
Deml, M., see Boček, P. (137) 83
Derks, C.M.
Improvement in the determination of sulphur hexafluoride for use as a blood tracer (133) 428
Desai, B.K., see Nand, S. (133) 359
Desideri, P.G., see Lepri, L. (139) 337
Deur-Šiftar, D., see Švob, V. (135) 85
Dewan, R., see Clark, J. (134) 315
DeWitte, W.J., see Sternson, L.A. (137) 305, (138) 229
Deyl, Z., see Helm, R. (133) 390
Dhillon, R.S., see Chhabra, B.R. (135) 521
Di Carlo, F.J., see Zuleski, F.R. (132) 45
Dilli, S. and Patsalides, E.
Chromatographic separation of isomeric forms of a tetradentate Schiff base derived

from 1,1,1-trifluoro-5,5-dimethylhexane-2,4-dione and 1,2-diaminoethane (134) 477
Dilli, S. and Pillai, D.N.
Relative electron capture response of the 2-chloroethyl derivatives of some barbituric acids and anticonvulsant drugs (137) 111
Dilli, S. and Robards, K.
Comparative GC behaviour and detection limits of 2,6-di-*tert.*-butyl-4-methylphenol, 3-*tert.*-butyl-4-hydroxyanisole (BHA), and the trifluoroacetate of BHA (133) 363
Dilli, S. and Szyszka, J.
GC of the pyrazoline derivative of trimethyl aconitate (132) 148
Dillon, A.F., see Dear, D.J.A. (137) 315
Dimov, N. and Papazova, D.
Qualitative GC analysis and determination of solute properties. Calculation of the retention indices of benzene homologues on squalane (137) 265
Dimov, N., see Papazova, D. (137) 259
Dittmar, K., see Heckers, H. (135) 93
Djokić, S., see Kobrehel, G. (133) 415
Djokić, S., see Lazarevski, T. (132) 309
Djordjević, N.M., see Kopečni, M.M. (139) 1
Dobberstein, R.H., see Wu, F.-F. (140) 65
Dobson, K., see Gupta, R.N. (132) 140
Doerr, R.C. and Fiddler, W.
Photolysis of volatile nitrosamines at the picogram level as an aid to confirmation (140) 284
Doerr, R.C., see Wolfram, J.H. (132) 37
Doly, J. and Petek, F.
Polyacrylamide gradient electrophoresis for protein purification on the milligram scale (137) 69
Doms, E.K.
GC determination of the volatile fatty acids (C_1-C_5) including lactic acid after conversion into their benzyl esters by phenyldiazomethane. Determination of the acids in silages (in German) (140) 29
Donald, A.S.R.
Separation of hexosamines, hexosaminitols and hexosamine-containing di- and trisaccharides on an amino acid analyser (134) 199
Donike, M., Gola, R. and Jaenicke, L.
Determination of indolealkylamines after selective derivatisation (in German) (134) 385
Dort, M.A. van, see Van Dort, M.A. (132) 152, (133) 210
Doury-Berthod, M., Poitrenaud, C. and Tremillon, B.
Ligand-exchange separations of amino acids. I. Distribution equilibria of some amino acids between ammoniacal copper(II) nitrate solutions and phosphonic, carboxylic and iminodiacetic ion exchangers in the copper(II) form (131) 73
Draffan, G.H., Clare, R.A., Davies, D.L., Hawksworth, G., Murray, S. and Davies, D.S.
Quantitative determination of the herb paraquat in human plasma by GC and methods (139) 311
Driscoll, J.N.
Evaluation of a new photoionization detector for organic compounds (134) 4
Drozd, J. and Novák, J.
Quantitative head-space gas analysis b standard additions method. Determinat of hydrophilic solutes in equilibrated g aqueous liquid systems (136) 37
Duchoň, J., see Borovanský, J. (134) 230
Dumkiewicz, W., see Soczewiński, E. (132)
Dusci, L.J. and Hackett, L.P.
GC determination of valproic acid in human plasma (132) 145
Dutton, H.J., see Eskins, K. (135) 217
Dvorchik, B.H., Miller, S.H. and Graham,
GC determination of cocaine in whole blood and plasma using a nitrogen-sensitive flame ionization detector (135)
Dybczyński, R., Polkowska-Motrenko, H. Shabana, R.M.
Influence of temperature and degree o resin crosslinking on the anion exchan phosphate complexes of Ga(III) and In((134) 285
Dyke, S.F., see Balderstone, P. (132) 359
Dzido, T., see Soczewiński, E. (131) 408

E

Eaton, R.F., see Gough, T.A. (137) 293
Ebine, H., see Kiuchi, K. (133) 226
Ecknig, W., see Hopf, S. (139) 249
Edholm, L.-E. and Callmer, K.
LC study of brominated alkylphenols a investigation of product formation in t coulometric bromination of some alkyl substituted phenols (137) 363
Edholm, L.-E., see Callmer, K. (136) 45
Edmonds, C.G., Smith, A.G. and Brooks,
Analysis of sponge sterols as the trimethylsilyl ethers and as the corresponding 5α- and Δ^4-3-ketosteroid using open-tubular GC-MS. Applicatio selective enzymic oxidation (133) 372
Edwards, R.A., see Baloch, A.K. (139) 149
Edwards, W.G. and Wellington, C.A.
Method for improved protein separatio human and animal sera (135) 463
Eekelen, C.A.G. van, see Van Eekelen, C.
(132) 519
Egert, D.
Improved separation of some isomers epimers of the pregnane series by TL with repeated development (135) 481

, J. and Gaucher, G.M.
ntitation of patulin pathway
abolites using GLC (132) 17
n, A.
van Urk-Salkowski reagent: A
sitive and specific chromogenic reagent
silica gel TLC detection and
tification of indole derivatives (132) 267
n, H. and Eksborg, S.
ntitative GC determination of nefopam
lasma (136) 154
n, H., Eksborg, S., Wallin, I.,
lberg, N. and Swanbeck, G.
ermination of 8-methoxypsoralen in
ma by electron capture GC (140) 157
baum, M. and Spannbrucker, N.
id and sensitive method for the
ermination of antipyrine in biological
ds by HPLC (140) 288
berger, J.W., see Budde, W.L. (134) 147
g, S., see Ehrsson, H. (136) 154, (140) 157
on, J.J., see Severson, R.F. (139) 269
J., see Bartle, K.D. (135) 351
lot, P., see Tjaden, U.R. (136) 233
rling, D.C., see Freudenthal, R.I.
) 207
T., Kuwahara, A., Tasai, H. and
gami, T.
dification of quantitative TLC by elution
) 263
G.
estigation of the structure of mycotoxins
their quantitative analysis. IX.
igmatocystins (in German) (136) 182
ardt, H., see Boehme, W. (133) 67
, C.C., see Zinkel, D.F. (136) 245
ert, F., see Andary, C. (132) 525
on, T. and Samuelson, O.
on-exchange chromatography of
rboxylic hydroxy acids (134) 337
., see Schauwecker, P. (136) 63
G.F., Pieterse, C. and Martens, L.J.H.
nparison of drosophila, rat-liver and
-head esterases in detecting residues of
anophosphorus and carbamate
icides in vegetables and fruits (133) 245
, K., Scholfield, C.R. and Dutton, H.J.
LC of plant pigments (135) 217
N.J., see Poole, C.F. (136) 73
rts, F.M., see Verheggen, T.P.E.M.
) 205
J., see König, W.A. (133) 141
, H., see Adriaens, P. (140) 103
, H., see Meesschaert, B. (136) 162

F

Faber, D.B., Kok, R.M. and
Rempt-van Dijk, E.M.
Quantitative GC analysis of flunitrazepam in human serum with electron-capture detection (133) 319
Fagerlund, C., see Hartvig, P. (140) 170
Fairclough, R.J., Rabjohns, M.A. and
Peterson, A.J.
Chromatographic separation of androgens, estrogens and progestogens on hydroxyalkoxypropyl-Sephadex (Lipidex) (133) 412
Farkaš, J., see Štrop, P. (138) 47
Fasco, M.J., Piper, L.J. and Kaminsky, L.S.
Biochemical applications of a quantitative HPLC assay of warfarin and its metabolites (131) 365
Faupel, M., see Von Arx, E. (134) 529
Favretto, L., see Stancher, B. (131) 309
Feinberg, J.I., see Wolfram, J.H. (132) 37
Felgenhauer, K., see Brown, R.K. (131) 223
Fellous, R., Luft, R. and Rabine, J.-P.
Behaviour of ethers. VII. Principle of determination of the polar effect constants (in French) (133) 7
Fellous, R., Luft, R. and Rabine, J.-P.
New σ_c^* polar effect constants scale adapted to chromatography (in French) (136) 5
Fellous, R., Luft, R. and Rabine, J.-P.
Incrementation of polar effect constants in GLC (140) 137
Fellous, R., Luft, R. and Rabine, J.-P.
Application of a Taft-type equation to retention data. Additivity of substituent effects (in French) (140) 143
Fells, I., see Norman, P.W. (132) 533
Feltl, L., see Bečka, J. (131) 179
Fenimore, D.C., Whitford, J. H.,
Davis, C.M. and Zlatkis, A.
Nickel GC columns: An alternative to glass for biological samples (140) 9
Fenoughty, M., see Bailey, E. (131) 347
Fiddler, W., see Doerr, R.C. (140) 284
Fiddler, W., see Wolfram, J.H. (132) 37
Figge, K., Koch, J. and Lubba, H.
Contribution to the GC analysis of organotin stabilizers for polyvinyl chloride (in German) (131) 317
Figueruelo, J.E., see Campos, A. (140) 219
Fini, C., see Floridi, A. (138) 203
Fischesser, G.J. and Seymour, M.D.
Determination of alkyl ethoxylate mixtures by programmed multiple development TLC (135) 165
Fischesser, G.J., see Maile, R.J. Jr. (132) 366
Fisher, A.C. and Stefanovich, V.
Thin-layer electrophoretic separation of the

degradation products of cyclic adenosine-3',5'-monophosphate (137) 240
Flanagan, R.J. and Berry, D.J.
Routine analysis of barbiturates and some other hypnotic drugs in the blood plasma as an aid to the diagnosis of acute poisoning (131) 131
Flanagan, R.J. and Lee, T.D.
Rapid micro-method for the measurement of ethchlorvynol in blood plasma and in urine by GLC (137) 119
Flieder, F., see Arpino, P. (134) 433
Floch, H.H., see Kerebel, A. (140) 229
Flores, J.J., Bonner, W.A. and Van Dort, M.A.
GC resolution of DL-isovaline (132) 152
Floridi, A., Palmerini, C.A. and Fini, C.
Simultaneous analysis of bases, nucleosides and nucleoside mono- and polyphosphates by HPLC (138) 203
Flynn, M.A., see Gerhardt, K.O. (135) 341
Flynn, T.C., see Pape, B.E. (134) 1
Folkers, K., see Hansen, J.J. (135) 155
Forni, G. and Massarani, G.
HPLC determination of colchicine and colchicoside in colchicum (*Colchicum autumnale* L.) seeds on a home-made stationary phase (131) 444
Franc, J. and Pour, J.
Continuous elemental analysis of nitrogen-containing substances by the use of GC (131) 285
Franc, J. and Pour, J.
Identification of substances containing carbon-carbon single bonds by use of reaction GC (131) 291
Fredriksson, S.
Comparison of the buffer capacities of Ampholine and Servalyt carrier ampholyte systems used in isoelectric focusing (135) 441
Freedman, A.N., see Dear, D.J.A. (137) 315
Frei, R.W., see Krummen, K. (132) 27, (132) 429
Frei, R.W., see Schauwecker, P. (136) 63
Frenkel, M.J., see Blagrove, R.J. (132) 399
Freudenthal, R.I., Emmerling, D.C. and Baron, R.L.
Separation of rotenoids by HPLC (134) 207
Frigerio, A., Lanzoni, J., Pantarotto, C., Rossi, E., Rovei, V. and Zanol, M.
Epoxide-diol metabolic pathway of cytenamide in the rat (134) 299
Frigerio, A., see Pantarotto, C. (131) 430, (134) 307
Fritz, J.S., see Chriswell, C.D. (136) 371
Froehlich, P.M. and Ross, G.
Separation and detection of phencyclidine in urine by GC (137) 135
Fujii, T.
Direct aqueous injection GC-MS for analysis of organohalides in water at concentrations below the parts per billion level (139) 297
Fujiki, H. and Zurek, G.
Improved procedure for peptide characterization using TLC and a fluorescamine indicator (140) 129
Fukumura, T., see Kitaoka, Y. (132) 175
Furlanut, M., Cima, L., Benetello, P. and Giusti, P.
GLC determination of dextromethorpha serum and brain (140) 270
Furukawa, H., Mori, Y., Takeuchi, Y. and Ito, K.
Separation of L- and D-amino acids as diastereomeric derivatives by HPLC (136) 428

G

Gabetta, B., see Bombardelli, E. (139) 111
Gage, L.D., see Smith, S.C. (131) 425
Galante, E., see Righetti, P.G. (137) 171
Garel, J.-P., see Bloch, J.-C. (137) 93
Garland, W.A., see Min, B.H. (139) 121
Garle, M. and Petters, I.
GC determination of barbiturates by extractive alkylation and support coate open tubular column separation (140) 1
Gaspar, P., see Laitem, L. (140) 266
Gaucher, G.M., see Ehman, J. (132) 17
Gawdzik, J. and Jaroniec, M.
Determination of the isosteric heat of adsorption by adsorption GC (131) 1
Gawdzik, J., Suprynowicz, Z. and Jaroniec
Studies of chromatographic packings comprising chemically bonded phases obtained from porous glass beads. I. Sorption properties and surface heterogeneity (131) 7
Gawdzik, J., see Suprynowicz, Z. (133) 349
Gay, I.D., see Cosgrove, B.A. (136) 306
Gazda, K., see Soczewiński, E. (131) 408
Gehrke, C.W., see Gerhardt, K.O. (135) 341
Gelsema, W.J., De Ligny, C.L. and Van der Veen, N.G.
Isoelectric focusing as a method for the characterization of ampholytes. II. pH measurements in solvent mixtures usec density-gradient isoelectric focusing (140) 149
Gerber, N., see Lynn, R.K. (131) 329
Gerhardt, K.O., Gehrke, C.W., Rogers, I.T., Flynn, M.A. and Hentges, D.J.
GLC of fecal neutral steroids (135) 341
Ghelli, G., see Castello, G. (139) 195
Ghosh, D., see Guilford, J. (133) 218
Gianazza, E., see Righetti, P.G. (134) 279, (137) 171
Gielen, J., see De Graeve, J. (133) 153
Gielen, W., see Steinbach, H. (139) 191
Gill, J.S., see Alberti, G. (132) 477

D., see Bailey, G. (133) 386
P., see Furlanut, M. (140) 270
J.L., see Lubkowitz, J.A. (133) 37
A.J., see Schneider, H.G. (139) 370
L.I., see Burtseva, T.I. (131) 464
nea, S. and Wagner, G.M.
determination of pemoline in urine
ingestion of therapeutic doses (in
nan) (140) 134
., see Donike, M. (134) 385
g, W.M.
plete separation of iodotyrosine-
nistidine-iodide mixtures on thin-layer
s with a single-solvent system
246
vicz, W., see Soczewiński, E. (131) 408
ez, C.G. and De Carvalho, R.A.G.
hanum tellurate, a new inorganic ion
anger (136) 176
g, K.M., see Schlabach, T.D. (134) 91
W.P., see Lynn, R.K. (131) 329
S., Herényi, B. and Jovánovics, K.
C of Catharanthus alkaloids (139) 203
ni, T.K., see Guha, O.K. (135) 359
T.A., Webb, K.S. and Eaton, R.F.
ple chemiluminescent detector for the
ening of foodstuffs for the presence of
ile nitrosamines (137) 293
ka-Józefiak, A. and Augustyniak, J.
aration of chelating exchangers with a
saccharide network and low cross-
ge (131) 91
J. de, see De Graeve, J. (133) 153
n, K.C., see Vilim, A. (133) 239
n, W.P., see Dvorchik, B.H. (135) 141
kk, T., see Hansen, J.J. (135) 155
, P., see Grenier-Loustalot, M.F.
63
-Loustalot, M.F., Bonastre, J.,
n, M. and Grenier, P.
ence of conformations and structures
etention values of cycloalkanes and
alkanones (in French) (138) 63
n, D., see Abraham, C.V. (136) 332
n, T.C.J., Van Eekelen, C.A.G.,
nm, C. and Tesser, G.I.
oscopic observations on agarose beads.
ydration by solvent exchange as an
native to lyophilization (132) 519
., see Grob, K. Jr. (140) 257
. Jr. and Grob, K.
onics as liquid phases for capillary
(140) 257
ska-Zachwieja, Z., see Soczewiński, E.
182
, D. and Yaphe, W.
ntitative TLC assay for the β-
garotetraose hydrolase of
domonas atlantica (137) 234
M. de, see De Groote, M. (132) 261
. and Martin, B.K.
of methylpentynol carbamate and its
bolite 3-methylpentyne-3,4-diol
267

Grover, P.D., see Dang, S.K. (139) 207
Gruber, K.A., see Radhakrishnan, A.N. (132) 552
Grüning, F., see Tutschek, R. (139) 211
Grushka, E., see Kikta, E.J. Jr. (135) 367
Grushka, E., see Milano, M.J. (133) 352
Gugler, R., see Jensen, C.J. (137) 188
Guha, O.K. and Goswami, T.K.
GC behaviour of some polynuclear hydrocarbons on cadmium chloride columns modified with Carbowaxes (135) 359
Guilford, J., Hickman, E. and Ghosh, D.
Simple and sensitive GLC method for the determination of *o,p'*-DDD in biological fluids (133) 218
Guillemin, C.L. and Martinez, F.
High-speed GC analysis in process control (139) 259
Guillemonat, A., see Siouffi, A.M. (137) 35
Guiochon, G., see Arpino, P. (138) 173
Guiochon, G., see Colin, H. (137) 19
Guiochon, G., see Siouffi, A.M. (137) 35
Gulati, R.S., see Chhabra, B.R. (135) 521
Gupta, R.N., Dobson, K. and Keane, P.M.
GLC determination of primidone in plasma (132) 140
Gustafson, M.E., Nicholas, A.W. and Rosazza, J.P.
HPLC of derivatives and microbial metabolites of withaferin-A (137) 465

H

Haas, H.J., see Bach, K. (136) 186
Habault, F., see Jensen, H. (132) 556
Hach, P., see Borovanský, J. (134) 230
Hack, M.H. and Helmy, F.M.
TLC resolution of molecular species of ethanolamine plasmalogen quantitatively unique to myelin (135) 229
Hackett, L.P., see Dusci, L.J. (132) 145
Hackman, M.R., see Brooks, M.A. (135) 123
Hadžija, O. and Keglević, D.
Simple method for the separation of amino acids, amino sugars and amino alcohols related to the peptidoglycan components on a standard amino acid analyser (138) 458
Haimova, M.A., see Palamareva, M.D. (132) 73
Hais, I.M., see Marklová, E. (131) 205
Haken, J.K., Wainwright, M.S. and Smith, R.J.
Problem of accuracy of mathematical dead-time estimation (133) 1
Haken, J.K., see Ashes, J.R. (135) 61, (135) 67
Haldorsen, K.M.
Vanadium pentoxide in sulphuric acid, a

general chromogenic spray reagent for carbohydrates (134) 467
Haller, W., Basedow, A.M. and König, B. General permeation chromatography equation and its application to tailor-made controlled pore glass columns (132) 387
Hallett, C., see Moore, B. (137) 215
Hamilton, H.E., see Wallace, J.E. (138) 111
Hanks, A., see Bushway, R. (134) 210
Hansen, J.J., Greibrokk, T., Currie, B.L., Johansson, K.N.-G. and Folkers, K. HPLC of peptides (135) 155
Hara, S. Use of TLC systems in HPLC separations. Procedure for systematization and design of the separation process in synthetic chemistry (137) 41
Harapat, S.R., see Meffin, P.J. (132) 503, (138) 183
Hardman, R. and Benjamin, T.V. Quantitative determination of phytoecdysones as illustrated by application to species of *Helleborus* (131) 468
Harduf, Z., Bielorai, R. and Alumot, E. Norleucine: An internal standard for the basic column used in physiological amino acid analysis (139) 215
Harris, W.S., Marai, L., Myher, J.J. and Subbiah, M.T.R. Bile acid ethyl esters. Their infrequent formation during routine bile acid analysis and identification by GC and MS (131) 437
Harrison, D.C., see Meffin, P.J. (132) 503, (138) 183
Hartvig, P. and Fagerlund, C. Extractive alkylation of biological samples of clioquinol or chloroquinaldol and determination by electron capture GC (140) 170
Hartvig, P. and Näslund, B. Simultaneous determination of plasma amitriptyline and nortriptyline as trichloroethyl carbamates by electron-capture GC (133) 367
Harzer, K. and Barchet, R. Analysis of benzodiazepines and their hydrolysis products, benzophenones, by reversed-phase HPLC and its application to biological material (in German) (132) 83
Haseman, J.K., see Albro, P.W. (136) 147
Hashimoto, T., see Kato, Y. (134) 204
Hastings Vogt, C.R., Ko, C.Y. and Ryan, T.R. Simple ureas derived from diisocyanates and their LC on a 5-cm column (134) 451
Hausdorff, H.H. Selective IR detectors for chromatography (134) 131
Hawkes, S., see Bowers, W. (134) 166
Hawksworth, G., see Draffan, G.H. (139) 311
Hayes, W.P., Steele, P. and Burns, D.T. Identification and determination of 1,3-diisobutyrate-2,2,4-trimethylpentane (Texanol isobutyrate) in polyvinyl chlo plastisol coating formulations (139) 395
Haythorn, P., see Sheehan, M. (132) 237
Heck, H.d'A., Simon, R.L. and Anbar, M. Isotopic fractionation in TLC (133) 281
Heckers, H., Dittmar, K., Melcher, F.W. a Kalinowski, H.O. Silar 10 C, Silar 9 CP, SP 2340 and OV in the GLC of fatty acid methyl esters packed columns. Chromatographic characteristics and molecular structure (135) 93
Heckers, H., Melcher, F.W. and Schloeder SP 2340 in the glass capillary chromatography of fatty acid methyl e (136) 311
Heizmann, P. and Ballschmiter, K. Chromatography of metal chelates. VII HPLC of metal 1,2-diketobisthiobenzhydrazones, metal dialkyldithiocarbamates and metal 1,2-diketobisthiosemicarbazones (137) 153
Heizmann, P., see Lohmüller, M. (137) 165
Helm, R., Vančíková, O., Macek, K. and Deyl, Z. Separation of methylated basic amino (133) 390
Helmy, F.M., see Hack, M.H. (135) 229
Henselová, M., see Kováč, J. (133) 420
Hentges, D.J., see Gerhardt, K.O. (135) 34
Herényi, B., see Görög, S. (139) 203
Hertel, R.H., see Strauss, P.A. (134) 39
Hess, G.G., see Chen, T.M. (134) 170
Heyndrickx, A.M., see Martens, F.K. (140)
Hickman, E., see Guilford, J. (133) 218
Hicks, S.Z. Jr., see Pu, H.H. (132) 495
Hiermann, A. and Kartnig, T. Separation and quantification of flavor on HPTLC silica gel 60 plates (in Gerr (140) 322
Hilker, D.M., see Patzer, E.M. (135) 489
Hill, H.H. Jr. and Aue, W.A. Silicon detector for GC (140) 1
Hill, H.H. Jr., Chan, K. W. and Karasek, Extraction of organic compounds from airborne particulate matter for GC ana (131) 245
Hill, H.H. Jr., see Karasek, F.W. (135) 329
Hill, R.E. Retention behaviour of a bonded rever phase in a HPLC assay of serum theophylline (135) 419
Hill, R.E. and Latham, A.N. Simultaneous determination of anticonvulsant drugs by GLC (131) 341
Hisanaga, A., see Deguchi, T. (133) 173
Hjertén, S., see Påhlman, S. (131) 99
Hodgin, J.C., Kaiser, M.A., Lubkowitz, J.A Rogers, L.B. Rapid method for characterization of h petroleum fractions (135) 514
Hoeven, R.P. van, see Van Hoeven, R.P. (136) 233
Höffkes, H., see Baumgarten, E. (138) 347

L.R., see MacKenzie, S.L. (132) 485
J., see Ingemann Hansen, S. (134) 517
s, M.M., see Vinson, J.A. (140) 71
erg, E.
ationship between the structure of plant
ols and their retention behaviour in GC
several stationary phases (in German)
) 77
ess, R.A., Sargent, M. and Treble, R.D.
imisation of the performance of a three-
trode thermionic detector for the
ection of phosphorus, sulphur and
rogen compounds by GC (136) 199
r, D.M., see Ashworth, A.J. (131) 399
nan, J.E., see Vinson, J.A. (135) 226,
) 71
S., Ecknig, W. and Thürmer, H.
namical flow splitter for use in
parative-scale GC (in German) (139) 249
ová, J., see Novák, J. (131) 303
ka, Y.
determination of styrene as its
romide (136) 95
ka, Y.
separation of lower aliphatic primary
ines as their sulphur-containing Schiff
es using a glass capillary column
3) 253
ka, Y.
mple and rapid GLSC analysis of trace
centrations of acetaldehyde in urban air
7) 455
ka, Y. and Iida, Y.
determination of sulphur compounds in
n gas (134) 423
tmann, K., see Becker, H. (136) 174
n, F.W., see McKeag, R.G. (136) 308
d, A.G., see Moore, B. (137) 215
ák, J., see Buryan, P. (137) 425
Z. and Vodrážka, Z.
lation of serum albumin and
nunoglobulins by chromatography on
n-A Sepharose and Sephadex G-150
5) 193
Z., see Suttnar, J. (131) 453
H.-W. and Chung, I.-J.
ect of pH on polyelectrolytes in
orption chromatography (138) 267
, D., see Massow, F. v. (138) 232
, J.F.K., see Lauer, H.H. (132) 1
, J.F.K., see Van der Wal, S. (135) 287,
5) 305
r, H.B. and Stauffer, S.C.
ermination of various drugs in rodent
mixtures (131) 357
r, H.B. and Stauffer, S.C.
pid, sensitive GLC method for
ermination of amitriptyline and
triptyline in plasma using a nitrogen-
sitive detector (138) 437
s, G.J., see Chang, J.Y. (140) 125
LS. and Davis, B.A.
tulated tetraphenylporphyrin-zinc
tetraphenylporphyrin sandwich complex
(132) 131
Hultman, E., see Palmskog, G. (140) 310
Humphreys, J.D., see Marshall, J.J. (137) 468
Husain, S., Kunzelmann, P. and
Schildknecht, H.
Separation of isomeric alkylphenols by
HPLC and GLC techniques (137) 53
Hutzinger, O., see Tulp, M.T.M. (139) 51
Hynninen, P.H., see Sievers, G. (134) 359

I

Iacobucci, G.A., see Wilkinson, M. (132) 349
Iida, Y., see Hoshika, Y. (134) 423
Imai, K., Tsukamoto, M. and Tamura, Z.
HPLC assay of rat-brain dopamine and
norepinephrine (137) 357
Imam, A., see Murphy, R.F. (135) 427
Ingemann Hansen, S., Holm, J. and
Lyngbye, J.
Difference between free and ligand-bound
folate-binding protein in cow's milk
concerning affinity for chromatographic
gels (134) 517
Irwin, W.J. and Slack, J.A.
Pyrolysis GC-MS study of medicinal
sulphonamides (139) 364
Ishibashi, K., see Yoza, N. (134) 497
Ishibashi, M., see Miyazaki, H. (133) 311,
(135) 109
Ishibashi, T., see Kawabata, T. (140) 47
Ishigami, T., see Endo, T. (140) 263
Issaq, H.J. and Barr, E.W.
Detection reagent for adenine, guanine,
uracil, cytosine and their alkylated bases,
nucleotides and nucleosides on thin-layer
plates (132) 121
Issaq, H.J., Barr, E.W., Wei, T., Meyers, C. and
Aszalos, A.
TLC classification of antibiotics exhibiting
antitumor properties (133) 291
Issaq, H.J., Barr, E.W. and Zielinski, W.L. Jr.
Separation of alkylated guanines, adenines,
uracils and cytosines by TLC (131) 265
Issaq, H.J., Barr, E.W. and Zielinski, W.L. Jr.
Nondestructive distinction between
aflatoxin B_1 and ethoxyquin in TLC
(132) 115
Ito, K., see Furukawa, H. (136) 428
Ito, M., see Tsukida, K. (134) 331
Ito, Y. and Bowman, R.L.
Preparative countercurrent
chromatography with a slowly rotating
helical tube (136) 189
Itoh, M., see Miyazaki, H. (133) 311, (135) 109
Ivanov, A.S., see Pankova, M.C. (137) 198

J

Jackson, N., see Anderson, R. (135) 447
Jaenicke, L., see Donike, M. (134) 385
Jain, R.S., Binder, R.L., Levy-Benshimol, A., Buck, C.A. and Warren, L.
Purification of α-L-fucosidase from various sources by affinity chromatography (139) 283
Jain, R.S., Binder, R.L., Walz, C., Buck, C.A. and Warren, L.
Purification of β-N-acetyl-D-glucosaminidase of the horseshoe crab by affinity chromatography (136) 141
Jakobs, U., see Amin, M. (131) 391
Jakovljevic, I.M., Bishara, R.H. and Kress, T.J.
TLC separation of several chloro- and methyl-substituted 2-aminopyridines (134) 238
Jakubowski, H.
Use of ω-aminohexyl-Sepharose in the fractionation of *Escherichia coli* B aminoacyl-tRNA synthetases (139) 331
James, L.B.
Amino acid analysis: A novel reaction chamber (136) 417
Janák, J., see Boček, P. (137) 83
Janák, J., see Novák, J. (138) 1
Janák, J., see Soják, L. (135) 71, (138) 119
Janča, J.
Concentration effects in GPC. I. Polymer solution properties (134) 263
Janča, J. and Kolínský, M.
Coupling of a gel-permeation chromatograph and an automatic capillary viscometer. I. Influence of the column efficiency (132) 187
Janča, J. and Pokorný, S.
Coupling of a gel permeation chromatograph and an automatic capillary viscometer. II. Method for the determination of the molecular weight distribution and of the resolution factor (134) 273
Janini, G.M., Shaikh, B. and Zielinski, W.L. Jr.
GLC analysis of benzo[*a*]pyrene in cigarette smoke on a nematic liquid crystal (132) 136
Janjić, T.J., see Ćelap, M.B. (139) 45
Janssen, G. and Vanderhaeghe, H.
Preparation of trimethylsilyl derivatives of thiamphenicol (134) 365
Jarc, H., Ruttner, O. and Krocza, W.
Quantitative detection of estrogens and antithyroid drugs by TLC and HPTLC in animal tissue (in German) (134) 351
Jaroniec, M., see Gawdzik, J. (131) 1, (131) 7
Jaroniec, M., see Suprynowicz, Z. (133) 349
Jelínková, M., see Čech, M. (135) 435
Jensen, C.J. and Gugler, R.
Sensitive GLC method for determination of valproic acid in biological fluids (137) 188
Jensen, H., Habault, F., Lacoste, A.M., Cassaigne, A. and Neuzil, E.
Chromatographic analysis of phosphon analogues of dipeptides (in French) (132) 556
Johansson, K.N.-G., see Hansen, J.J. (135)
John, E.D. and Nickless, G.
GC method for the analysis of major polynuclear aromatics in particulate ma (138) 399
Johnson, E., Abu-Shumays, A. and Abbott
Use of fluorescence detection in HPLC (134) 107
Johnson, R.N., see Smith, K.M. (137) 431
Johnstone, S.J., see Wells, D.E. (140) 17
Jong, G.J. de, see De Jong, G.J. (135) 249
Jönsson, J.Å.
Direct measurement of GC retention volume. III. Software (139) 156
Jovánovics, K., see Görög, S. (139) 203
Jungclaus, G.A.
Formation of amine-N-trifluoroacetyl derivatives from the amine hydrochlori salts (139) 174

K

Kagrammanova, V.K., see Aukaty, M.F. (137) 351
Kaiser, M.A., see Hodgin, J.C. (135) 514
Kaistha, K.K. and Tadrus, R.
Single- and two-step extraction and thi layer detection procedures for benzoylecgonine (cocaine metabolite) a or in combination with a wide variety commonly abused drugs in urine scree programs (135) 385
Kalinowski, H.O., see Heckers, H. (135) 93
Kållberg, N., see Ehrsson, H. (140) 157
Kalsi, P.S., see Chhabra, B.R. (135) 521
Kaminsky, L.S., see Fasco, M.J. (131) 365
Kamp, C.G. van de, see Van de Kamp, C.G (131) 412
Kaneda, T.
GC retention characteristics of ω-alicyc fatty acids (136) 323
Kangas, L.
Comparison of two GLC methods for th determination of nitrazepam in plasma (136) 259
Karasek, F.W., Hill, H.H. Jr., Kim, S.H. a Rokushika, S.
GC detection modes for the plasma chromatograph (135) 329
Karasek, F.W., see Hill, H.H. Jr. (131) 245
Karobath, M., see Schmid, R. (139) 101

g, T. and Kobosil, P.
aration of digitalis cardenolides by
TLC (in German) (138) 238
g, T., see Hiermann, A. (140) 322
., Seita, T., Hashimoto, T. and
nizu, A.
aration of nucleic acid bases and
eosides by high-performance affinity
omatography (134) 204
nan, P.
aration of butylated hydroxyanisole
ners on Sephadex LH-20 (132) 356
ata, T., Ohshima, H., Ishibashi, T.,
sui, M. and Kitsuwa, T.
determination of methylguanidine,
nidine and agmatine as their
afluoroacetylacetonates (140) 47
u, K.
nparison of efficiency of cation-
nange resins in the chromatographic
aration of metal ions with aqueous
one-hydrochloric acid solution (137) 381
P.M., see Gupta, R.N. (132) 140
ić, D., see Hadžija, O. (138) 458
J.E., see Baaske, D.M. (140) 57
G.J.C., see Murphy, R.F. (135) 427
R.C., Valentour, J.C. and Sunshine, I.
rent suppression of the decomposition
henobarbital during on-column
hylation with trimethylanilinium
roxide (138) 413
, M.I. and Sexton, S.A.
ation and purification of lithocholic acid
abolites produced by the intestinal
roflora (133) 327
el, A., Morfin, R.F., Berthou, F.L.,
art, D., Bardou, L.G. and Floch, H.H.
lysis of $C_{19}O_3$ steroids by TLC and
C and MS (140) 229
ner, A.S., see Byrne, K.M. (131) 191
es-van den Bosch, J.J. and
emink, C.A.
nabis. XVI. Constituents of marihuana
ke condensate (131) 422
M.-U. and Williams, J.P.
roved TLC method for the separation of
or phospholipids and glycolipids from
t lipid extracts and phosphatidyl
erol and bis(monoacylglyceryl)
sphate from animal lipid extracts
) 179
.T., see Smith, K.M. (137) 431
I., see Alessi, P. (131) 31, (133) 190
E.J. Jr. and Grushka, E.
ded peptide stationary phases for the
aration of amino acids and peptides
g LC (135) 367
E.J. Jr. and Stange, A.E.
nones: A family of compounds broadly
icable to use as internal standards in
LC. Application to the analysis of
ofuran (138) 41
E.J. Jr., Stange, A.E. and Lam, S.
pensive temperature control system for
HPLC. Application to carbofuran analysis
and temperature programming for LC
analysis (138) 321
Kim, S.H., see Karasek, F.W. (135) 329
Kinnier, W.J. and Wilson, J.E.
Complete analysis of protein hydrolysates
containing phosphoserine and
phosphothreonine using the amino acid
analyzer (135) 508
Kirkpatrick, D.
Separation of optical brighteners by LSC. II
(139) 168
Kirret, O., see Krull, M. (135) 212
Kitao, T., see Kitaoka, Y. (132) 175
Kitaoka, Y., Yamase, I., Fukumura, T. and
Kitao, T.
Electrophoretic behaviour of congo red
dyes in aqueous dimethylformamide
containing an electrolyte (132) 175
Kitsuwa, T., see Kawabata, T. (140) 47
Kiuchi, K., Ohta, T. and Ebine, H.
HPLC separation and quantitative analysis
of synthetic phospholipids (133) 226
Klemm, G., see Blasius, E. (135) 323
Klimes, I., Stünzi, W. and Lamparsky, D.
Nanogram techniques. I. Injection without
losses on capillary GLC columns (in
German) (136) 13
Klimes, I., Stünzi, W. and Lamparsky, D.
Nanogram techniques. II. Micro-scale
preparative GC (in German) (136) 23
Knight, J.C.
Analysis of Fenugreek sapogenins by GLC
(133) 222
Knight, J.C.
Chromatography of the reduction products
of spectinomycin (136) 432
Knödgen, B., see Seiler, N. (131) 109
Knuutinen, J., see Sattar, M.A. (135) 395,
(136) 379
Ko, C.Y., see Hastings Vogt, C.R. (134) 451
Kobosil, P., see Kartnig, T. (138) 238
Kobrehel, G., Tamburašev, Z. and Djokić, S.
Erythromycin series. IV. TLC of
erythromycin, erythromycin oxime,
erythromycylamine and their acyl
derivatives (133) 415
Koch, J., see Figge, K. (131) 317
Koch, W.L., see Sondack, D.L. (132) 352
Kodama, A., see Tsukida, K. (134) 331
Kogerman, A., see Krull, M. (135) 212
Koharcheck, H., see Vinson, J.A. (140) 71
Kok, R.M., see Faber, D.B. (133) 319
Kok, W.T., see De Jong, G.J. (135) 249
Kolb, B., Auer, M. and Pospisil, P.
Ionization detector for GC with switchable
selectivity for carbon, nitrogen and
phosphorus (134) 65
Kolínský, M., see Janča, J. (132) 187
König, B., see Haller, W. (132) 387
König, W.A., Rahn, W. and Eyem, J.
GC separation of diastereoisomeric amino
acid derivatives on glass capillaries. The

use of pentafluoropropionyl-amino acid (+)-3-methyl-2-butyl esters (133) 141
Konrad, Z., see Kozjak, B. (132) 323
Kootstra, A., see Bailey, G. (133) 386
Kopečni, M.M., Milonjić, S.K. and Djordjević, N.M.
Thermodynamics of molecular association. Tri-*n*-alkylamine-chloroalkane systems (139) 1
Kopwillem, A., see Bier, M. (132) 437
Korpela, T.
Device for regeneration of cation-exchange resins with hydrochloric acid (133) 237
Kouřilová, D. and Krejčí, M.
Longitudinal temperature gradients in LC with a binary mobile phase (138) 329
Kováč, J. and Henselová, M.
Detection of triazine herbicides in soil by a Hill-reaction inhibition technique after TLC (133) 420
Kozjak, B., Marinić, Z., Konrad, Z., Musani-Marazović, L. and Pučar, Z.
Electrophoretic investigations of the complexing of cadmium and zinc with EDTA (132) 323
Kraak, J.C., see Terweij-Groen, C.P. (138) 245
Krejčí, M., see Kouřilová, D. (138) 329
Kress, T.J., see Jakovljevic, I.M. (134) 238
Krijgsman, W. and Van de Kamp, C.G.
Determination of chlorophenols by capillary GC (131) 412
Krishnaswamy, N., see Mehta, B.J. (135) 455
Krocza, W., see Jarc, H. (134) 351
Król, A., see Paryjczak, T. (139) 349
Krol, J.H., see Tjaden, U.R. (136) 233
Krull, M., Kogerman, A., Kirret, O., Kutyina, L. and Zapolski, D.
Pyrolysis GC of capron (nylon-6) fibre stabilized with ethers of 4-oxydiphenylamine (135) 212
Krummen, K. and Frei, R.W.
Separation of nonapeptides by reversed-phase HPLC (132) 27
Krummen, K. and Frei, R.W.
Quantitative analysis of nonapeptides in pharmaceutical dosage forms by HPLC (132) 429
Kubín, M., see Vozka, S. (139) 225
Kudirka, P.J., see Schroeder, R.R. (134) 83
Kues, H.A. and Teague, C.E.
TLC of some cyanine dyes (135) 221
Küllik, E., see Urbas, E. (137) 210
Kunihiro, K., see Nakae, A. (134) 459
Kunzelmann, P., see Husain, S. (137) 53
Kuroda, R., Saito, T., Oguma, K. and Takemoto, M.
TLC behaviour of metals on DEAE-cellulose in oxalic acid and mixed oxalic acid-hydrochloric acid media (139) 355
Kurtev, B.J., see Palamareva, M.D. (132) 61, (132) 73
Kurtev, K.S., see Shopova, B.I. (132) 99
Kutyina, L., see Krull, M. (135) 212
Kuwahara, A., see Endo, T. (140) 263
Kuysten, J., see Poppe, H. (132) 369

L

Lacoste, A.M., see Jensen, H. (132) 556
Lafuma, F., see Lesec, J. (138) 89
Laitem, L. and Gaspar, P.
GC determination of methylthiouracil residues in meat and organs of slaughte animals (140) 266
Lam, C.H., see Lie Ken Jie, M.S.F. (136) 17 (138) 373, (138) 446
Lam, S., see Kikta, E.J. Jr. (138) 321
Lamar, C. Jr. and Cantey, J.R.
Purification of α-fetoprotein from rat amniotic fluid by gel filtration (137) 471
Lamparsky, D., see Klimes, I. (136) 13, (136
Land, G., see Bye, A. (139) 181
Lanouette, M., see Carignan, G. (135) 523
Lanzoni, J., see Frigerio, A. (134) 299
Larsen, C., see Bundgaard, H. (132) 51
Larson, R.A. and Rockwell, A.L.
GC identification of some chlorinated aromatic acids, chlorophenols, and thei aromatic acid precursors (139) 186
Larsson, K. and Samuelson, O.
Determination of the interstitial volum ion-exchange columns (134) 191
Larsson, K. and Samuelson, O.
Simultaneous separation of oligomeric sugars and oligomers with a terminal aldonic acid group on anion-exchange resins (134) 195
Lasa, J., see Rosiek, J. (137) 245
Latham, A.N., see Hill, R.E. (131) 341
Laub, R.J., Purnell, J.H. and Williams, P.S
Computer-assisted prediction of GC separations (134) 249
Lauer, H.H., Poppe, H. and Huber, J.F.K.
Application of high-pressure GC with columns packed with small particles (1
Lawrence, J.F., Lewis, D.A. and McLeod,
Detection of carbofuran and metabolite directly or as their heptafluorobutyryl derivatives using GLC or HPLC with different detectors (138) 143
Lawrence, J.F., see Ryan, J.J. (135) 117
Lazarevski, T., Tamburašev, Z. and Djokić
Erythromycin series. V. Quantitative analysis of cladinose and methylcladin by densitometry of thin-layer chromatograms (132) 309
Le Parlouer, P., Boinon, B. and Vergnaud, J.-M.
GC with backflushing, with linear temperature programming in the first direction and a programmed longitudir

ttive temperature gradient during the
osite direction of gas flow (133) 253
e, M.J., see Vilim, A. (133) 239
ı, R., Sokołowski, S., Rynkowski, J. and
yjczak, T.
omatographic investigations of mixed
llysts (138) 309
ı, R., see Sokołowski, S. (139) 237
r, M., see Casillo, M. (135) 256
r, M., see Sinibaldi, M. (133) 425
D., see Flanagan, R.J. (137) 119
eer, A.P. de, see De Leenheer, A.P.
) 293
R.M., see Lynn, R.K. (131) 329
t, D.C.
or pressure of 2,4,6-trinitrotoluene by a
headspace technique (133) 83
, M., Versaud, P. and Porthault, M.
ection by IR spectrometry in HPLC (in
nch) (132) 295
ens, L.
ermination of dihydroxydianthrones by
sitometry after TLC (132) 363
rd, M.S., Silas, J.H., Smith, A.J. and
ker, G.T.
ermination of debrisoquine and its 4-
roxy metabolite in biological fluids by
with flame-ionization and nitrogen-
ective detection (133) 161
R.M.
rylphenyl tetrazolium chloride as a
ation reagent for thiolsteroids on paper
omatograms (135) 527
L., Desideri, P.G. and Muzzarelli, R.A.A.
romatographic behaviour of nucleic acid
stituents and of phenols on chitosan
n layers (139) 337
J., Lafuma, F. and Quivoron, C.
ycle GPC separation of some acetal
hol diastereoisomers representing
tial polyglucosidic sequences (138) 89
Benshimol, A., see Jain, R.S. (139) 283
D.A., see Lawrence, J.F. (138) 143
, G., see Bettencourt, A. (134) 323
A., see Radhakrishnan, A.N. (132) 552
nthaler, H.K. and Prenzel, U.
LC of natural prenylquinones (135) 493
a, J., see Van Loon, J.C. (136) 301
en Jie, M.S.F.
ty acids. XIII. The GLC behaviour of
ethylene-interrupted methyl *cis*-
adecenynoates (131) 239
en Jie, M.S.F. and Lam, C.H.
ty acids. XV. TLC behaviour of
tylenic fatty esters on silicic acid
) 178
en Jie, M.S.F. and Lam, C.H.
ty acids. XVII. Chromatographic
perties of all isomeric C_{18} furan esters
) 373
en Jie, M.S.F. and Lam, C.H.
ty acids. XVIII. GLC behaviour of
aturated furan esters (138) 446
C.L. de, see De Ligny, C.L. (140) 149
Limoni, B. and Schmuckler, G.
GPC of transition metal ions using Bio-Gels (135) 173
Lin, E.T., Brater, D.C. and Benet, L.Z.
GLC determination of pseudoephedrine and norpseudoephedrine in human plasma and urine (140) 275
Lin, K.-T.D.
Use of a low-salt, alkaline buffer in the elution of basic amino acids from a single-column amino acid analyzer (132) 160
Locksley, H.D., see Clark, J. (134) 315
Lodge, B.A., see Carignan, G. (135) 523
Loh, A., see Zuleski, F.R. (132) 45
Lohmüller, M., Heizmann, P. and Ballschmiter, K.
Chromatography of metal chelates. VIII. HPLC of metal dithizonates (137) 165
Lombard, A., Tourn, M.L. and Buffa, M.
In situ reactions on silica gel thin layers in studies on plant oligosaccharides (134) 242
Loo, T.L., see Benvenuto, J.A. (134) 219
Loon, J.C. van, see Van Loon, J.C. (136) 301
Loughran, E.D., see Yasuda, S.K. (137) 283
Love, S.H.
Isoelectric focusing in cylinders of granulated gel (138) 25
Lu, K., see Benvenuto, J.A. (134) 219
Lubba, H., see Figge, K. (131) 317
Lubkowitz, J.A., Glajch, J.L., Semonian, B.P. and Rogers, L.B.
Study of the nitrogen response mode of the thermionic rubidium silicate detector (133) 37
Lubkowitz, J.A., see Hodgin, J.C. (135) 514
Luckow, V. and Rüssel, H.A.
Mechanism of the reaction GC of phenylmercury(II) compounds (138) 381
Luft, R., see Fellous, R. (133) 7, (136) 5, (140) 137, (140) 143
Lull, J.M., see Brown, R.K. (131) 223
Lund, J., see Bechgaard, E. (133) 147
Lyngbye, J., see Ingemann Hansen, S. (134) 517
Lynn, R.K., Leger, R.M., Gordon, W.P., Olsen, G.D. and Gerber, N.
New GC assay for the quantification of methadone. Application in human and animal studies (131) 329

M

Maat, L., see Olieman, C. (133) 382
Macák, J., see Buryan, P. (137) 425, (139) 69
Macasieb, T., see Brooks, M.A. (135) 123
Macdonald, I.A.
Detection of bile salts with Komarowsky's

reagent and group specific dehydrogenases (136) 348
MacDonald, R.C. and Rempas, S.P.
Dry CC of phospholipids (131) 157
Macek, K., see Helm, R. (133) 390
McGuirk, M. and Mainwaring, S.J.
Reversed two-dimensional technique for multiple separations of benzo[a]pyrene from atmospheric aerosol samples (135) 241
Machin, A.F., see Mundy, D.E. (139) 321
McKeag, R.G. and Hougen, F.W.
Dynamic coating of glass capillaries with polar phases and Silanox (136) 308
MacKenzie, S.L. and Hogge, L.R.
GC-MS of the N(O)-heptafluorobutyryl isobutyl esters of the protein amino acids using electron impact ionisation (132) 485
MacLean, W., see Yost, R. (134) 73
McLennon, D.A., see Rao, G.S. (137) 231
McLeod, H.A., see Lawrence, J.F. (138) 143
McNair, H.M. and Stafford, D.T.
Micro-adsorption detector. I. Principles of operation and mechanism of response (133) 31
McNair, H.M., see Berg, R.G. (131) 185
McNeil, E.E., Otson, R., Miles, W.F. and Rajabalee, F.J.M.
Determination of chlorinated pesticides in potable water (132) 277
Maehr, H., see Byrne, K.M. (131) 191
Mage, R.G., see Ansari, A.A. (140) 98
Maguire, K.P., see Norman, T.R. (134) 524
Maile, R.J. Jr., Fischesser, G.J. and Anderson, M.M.
TLC separation of phosphonic acid derivatives (132) 366
Mainwaring, S.J., see McGuirk, M. (135) 241
Majewski, H. and Story, D.F.
PC separation of noradrenaline and its major metabolites (139) 218
Malinar, M.J., see Ćelap, M.B. (139) 45
Mallet, V.N., see Berkane, K. (139) 386
Mallet, V.N., see Zakrevsky, J.-G. (132) 315
Malone, M.H., see Byrne, J.A. (137) 489
Małeta, E., see Czerwiec, Z. (132) 168, (137) 228
Mandrou, B., see Andary, C. (132) 525
Marai, L., see Harris, W.S. (131) 437
Marinić, Z., see Kozjak, B. (132) 323
Marino, G., see Petrilli, P. (135) 511
Marklová, E. and Hais, I.M.
Chromatographic behaviour of some indole acids on a Sephadex column in water and in the presence of salts (131) 205
Marquez, J.A., see Byrne, K.M. (131) 191
Marshall, J.J. and Humphreys, J.D.
Isolation of synthetic enzyme-dextran conjugates by chromatography on concanavalin A-Sepharose (137) 468
Marshall, P.N.
TLC of Sudan dyes (136) 353
Martens, F.K., Martens, M.A., Söylemozoglu, T. and Heyndrickx, A.M.
Significance of the rubidium bromide thermionic detector equipped with a gate electrode in the analysis of halogenated dithiocarbamate derivatives (140) 86
Martens, L.J.H., see Ernst, G.F. (133) 245
Martens, M.A., see Martens, F.K. (140) 86
Martin, B.K., see Grove, J. (133) 267
Martinelli, E.M., see Bombardelli, E. (139) 1
Martinez, F., see Guillemin, C.L. (139) 259
Masada, M., see Wu, H.-L. (137) 127
Massarani, G., see Forni, G. (131) 444
Massow, F. v. and Huber, D.
New thin-layer system for the identification of moderately polar to lipophilic boletus pigments (in German) (138) 232
Mathur, D.S. and Saha, N.C.
Estimation of polarity of solids by GC (138) 33
Matsui, M., see Kawabata, T. (140) 47
Matysik, G., see Soczewiński, E. (132) 379, (137) 182
Maynard, R., see Clark, J. (134) 315
Meesschaert, B., Adriaens, P. and Eyssen,
GLC of methyl esters of natural penicill (136) 162
Meesschaert, B., see Adriaens, P. (140) 103
Meffin, P.J., Harapat, S.R. and Harrison, I
HPLC analysis of drugs in biological flu III. Analysis of disopyramide and its mc N-dealkylated metabolite in plasma and urine (132) 503
Meffin, P.J., Harapat, S.R., Yee, Y.-G. and Harrison, D.C.
HPLC analysis of drugs in biological flu V. Analysis of acebutolol and its major metabolite (138) 183
Meffin, P.J., see Bjornsson, T.D. (137) 145
Mehta, B.J. and Krishnaswamy, N.
Preparation of optically active ion-exchange resins and resolution of racemates (135) 455
Meier, B. and Sticher, O.
HPLC of iridoid and secoiridoid glucosi (138) 453
Meier, K.D., see Tutschek, R. (139) 211
Melcher, F.W., see Heckers, H. (135) 93, (136) 311
Mercier, M., see Bettencourt, A. (134) 323
Meyer, J.A., see Rouchaud, J. (139) 376
Meyer, J.C., see Puglisi, C.V. (136) 391
Meyers, C., see Issaq, H.J. (133) 291
Miedziak, I., see Boček, P. (137) 83
Mierzwa, S. and Witek, S.
GLC method with electron-capture detection for the determination of resid of some phenoxyacetic acid herbicides i water as their 2,2,2-trichloroethyl esters (136) 105
Mikkers, F.E.P., see Verheggen, T.P.E.M. (132) 205
Milano, M.J. and Grushka, E.
Diode array detector in LC. II. Enhance sensitivity via first derivative ($dA/d\lambda$) chromatograms (133) 352
Miles, W.F., see McNeil, E.E. (132) 277

R.S., see Pankova, M.C. (137) 198
J.J. and Oake, R.J.
determination of niridazole in
ogical fluids (131) 442
S.H., see Dvorchik, B.H. (135) 141
J.
ation of natural surface-active materials
rude oils by adsorption chromatography
) 135
J., see Van den Berg, J.H.M. (132) 421
ić, S.K., see Kopečni, M.M. (139) 1
.H. and Garland, W.A.
ermination of clonazepam and its 7-
no metabolite in plasma and blood by
-chemical ionization MS (139) 121
awa, K., see Takeshita, R. (133) 303
J., see Clarke, J.F.G. Jr. (134) 397
rd, M., see Rovei, V. (138) 391
aki, H., Ishibashi, M. and Itoh, M.
plication of an ion-cluster technique to
analysis of endogenous hydroxylated
npounds. I. Preparation of a doublet by
of a mixture of trimethylsilylimidazole
IM) and TSIM-d_3 (135) 109
aki, H., Ishibashi, M., Itoh, M.,
nashita, K. and Nambara, T.
of silylating agents for the
ntification of hydroxylated steroids by
and GC-MS. Discrimination between
enolic and alcoholic hydroxyl groups
) 311
nov, I.T., see Shopova, B.I. (132) 99,
) 473
, W. and Dehnen, W.
LC of peptides (140) 260
omery, J.A., see Temple, C. Jr. (140) 114
, B., Nickless, G., Hallett, C. and
ward, A.G.
alysis of nitrazepam and its metabolites
HPLC (137) 215
u, J.-P., see Arpino, P. (134) 433
s, P., see Blanchet, G. (135) 477
, R.F., see Kerebel, A. (140) 229
n, E.D. and Tyler, R.C.
rochemical methods for the
ntification of volatile pheromones
) 174
n, E.D., see Burkinshaw, P.M. (132) 548
S.
mparison of chemically bonded and
sically coated polyethylene glycol
ionary phases in GC (135) 261
Y., see Furukawa, H. (136) 428
uchi, S., Naito, K. and Takei, S.
aracterization of modified alumina as an
orbent for GSC. Modification of alumina
h alkali-metal fluorides (131) 19
L., see Assandri, A. (135) 37
, C.J.O.R., see Davy, K.W.M. (136) 361
lli, P.L., see Rovei, V. (138) 391
, O., see Winkler, E. (138) 151
, W.E.G., see Arendes, J. (140) 118
, D.E. and Machin, A.F.
ermination of the rodenticide
difenacoum in biological materials by HPLC with confirmation of identity by MS (139) 321
Murphy, R.F., Conlon, J.M., Imam, A. and Kelly, G.J.C.
Comparison of non-biospecific effects in immunoaffinity chromatography using cyanogen bromide and bifunctional oxirane as immobilising agents (135) 427
Murray, K.E.
Concentration of headspace, airborne and aqueous volatiles on Chromosorb 105 for examination by GC and GC-MS (135) 49
Murray, S., see Draffan, G.H. (139) 311
Musani-Marazović, L., see Kozjak, B. (132) 323
Mustich, G., see Bombardelli, E. (139) 111
Muto, G., see Nakae, A. (134) 459
Muzika, K., see Williams, D.T. (136) 423
Muzzarelli, R.A.A., see Lepri, L. (139) 337
Myher, J.J., see Harris, W.S. (131) 437

N

Nachtmann, F. and Budna, K.W.
Sensitive determination of derivatized carbohydrates by HPLC (136) 279
Nagai, H., see Deguchi, T. (133) 173
Nair, B.M. and Appelqvist, L.-Å.
Automatic sample introduction system for GLC analysis of amino acids (133) 203
Naito, K., see Moriguchi, S. (131) 19
Nakae, A., Kunihiro, K. and Muto, G.
Separation of homologous alkylbenzyldimethylammonium chlorides and alkylpyridinium halides by HPLC (134) 459
Nakamura, H.
TLC of histidine, histamine and histidyl peptides at picomole level using a unique fluorogenic reaction with fluorescamine (131) 215
Nambara, T., see Miyazaki, H. (133) 311
Nand, S., Desai, B.K. and Sarkar, M.K.
Chromatographic pulsed micro-reactor system for studying the kinetics of hydrocarbon conversions (133) 359
Näslund, B., see Hartvig, P. (133) 367
Navarro, J.G. and Cornwell, E.S.
Determination of paraoxon by combined bovine liver esterase inhibition and GLC (138) 423
Nawrocki, J., see Szczepaniak, W. (138) 337
Negrini, P., see Pantarotto, C. (131) 430
Nekic, M., see Brown, R.K. (131) 223
Nelis, H.J.C.F., see De Leenheer, A.P. (140) 293
Neuhoff, V., see Osborne, N.N. (134) 489
Neuzil, E., see Jensen, H. (132) 556

Nicholas, A.W., see Gustafson, M.E. (137) 465
Nickla, H., see Brown, R. (133) 423
Nickless, G., see John, E.D. (138) 399
Nickless, G., see Moore, B. (137) 215
Nitsche, I., see Slemrova, J. (135) 401
Nolte, R.F., see Specht, S. (135) 273
Norman, P.W. and Fells, I.
Automatic data collection and analysis using an FM tape recorder (132) 533
Norman, T.R., Maguire, K.P. and Burrows, G.D.
Determination of therapeutic levels of butriptyline in plasma by GLC (134) 524
Notman, H., see Cashion, P. (136) 159
Notman, H.J., see Cashion, P.J. (135) 189
Novák, J., Bleha, M., Votavová, E. and Čoupek, J.
Investigation of the reaction of epichlorohydrin with 1-butanol by gel chromatography (139) 141
Novák, J. and Horáková, J.
GC identification of butyl 3-chloro-2-hydroxypropyl ethers and butyl glycidyl ethers (in German) (131) 303
Novák, J. and Janák, J.
Properties of the flow-impedance bridge detector (138) 1
Novák, J., see Drozd, J. (136) 37
Novák, J., see Nováková, N. (135) 13
Nováková, N. and Novák, J.
Measurement of heats of vaporization by means of a gas chromatograph (135) 13
Novotny, M., see Bartle, K.D. (135) 351

O

Oake, R.J., see Miller, J.J. (131) 442
O'Grady, R., see Williams, D.T. (136) 423
Oguma, K., see Kuroda, R. (139) 355
Ogundipe, C.O.E., see Vernon, F. (132) 181
Ohashi, S., see Yoza, N. (134) 497
Ohshima, H., see Kawabata, T. (140) 47
Ohta, T., see Kiuchi, K. (133) 226
Olieman, C., Maat, L., Waliszewski, K. and Beyerman, H.C.
Chemistry of opium alkaloids. VIII. Separation of opium alkaloids and related compounds by ion-pair HPLC (133) 382
Olsen, G.D., see Lynn, R.K. (131) 329
Onley, J.H., see Roscher, N.M. (140) 109
Oomen-Meulemans, E.P.M., see Tjaden, U.R. (136) 233
Oriente, G., see Amico, V. (131) 233
Oruezabal, C., see Arpino, P. (134) 433
Osa, A., Arukaevu, H. and Aaviksaar, A.
Preparative purification of alkyl methylphosphonic acid *p*-nitrophenyl esters on Sephadex LH-20 (135) 196
Osborne, N.N. and Neuhoff, V.
Preliminary study of the use of dansyl chloride to determine cyclic-3',5'-AMP in tissues (134) 489
Ossicini, L., see Casillo, M. (135) 256
Ostrach, S.
Convection in continuous-flow electrophoresis (140) 187
Otson, R., see McNeil, E.E. (132) 277
Otsuki, A.
Reversed-phase adsorption of phthalate esters from aqueous solutions and their gradient elution using a high-performan liquid chromatograph (133) 402
Otter, G.E. and Taylor, L.
Development of a bonded weak anion-exchange packing suitable for the HPL hop resins (133) 97
Ovodov, Y.S., see Burtseva, T.I. (131) 464

P

Paasivirta, J., see Sattar, M.A. (135) 395, (136) 379
Pacifici, G.M. and Placidi, G.F.
Rapid and sensitive electron-capture GC method for the determination of pinazep and its metabolites in human plasma, u and milk (135) 133
Påhlman, S., Rosengren, J. and Hjertén, S
Hydrophobic interaction chromatograph on uncharged Sepharose derivatives. Effects of neutral salts on the adsorptio proteins (131) 99
Palamareva, M.D. and Kurtev, B.J.
Chromatographic behaviour of diastereomers. II. TLC behaviour of diastereomeric 1,2-disubstituted 1,2-diarylethanes (132) 61
Palamareva, M.D., Kurtev, B.J. and Haimova, M.A.
Chromatographic behaviour of diastereomers. III. TLC behaviour of diastereomeric 4-substituted 6,7-dialkox aryl-tetrahydroisoquinolines and -isochromans (132) 73
Palmerini, C.A., see Floridi, A. (138) 203
Palmskog, G. and Hultman, E.
Determination of (*d,l*)-6-chloro-α-methylcarbazole-2-acetic acid in plasma HPLC (140) 310
Pankova, M.C., Milina, R.S., Belcheva, R.P Ivanov, A.S.
GC separation and identification of bicy aromatic hydrocarbons in kerosene (b.p 200-280°) (137) 198

ɔtto, C., Cappellini, L.,
Pascale, A. and Frigerio, A.
xide-diol pathway in the metabolism of
dibenzo*b,f*azepine (iminostilbene)
) 307
ɔtto, C., Cappellini, L., Negrini, P. and
erio, A.
ɔxide-diol" metabolic pathway of 5H-
nzo*a,d*cycloheptene in the rat. Studies
GC and MS (131) 430
ɔtto, C., see Frigerio, A. (134) 299
va, D. and Dimov, N.
litative GC analysis and determination
ɔlute properties. Study of the
tionship between the molecular
cture and GC retention of alkenes on
alane (137) 259
ɔva, D., see Dimov, N. (137) 265
B.E. and Ribick, M.A.
lysis of medazepam, diazepam, and
abolites in plasma by GLC with
trolytic conductivity detection (136) 127
B.E., Rodgers, D.H. and Flynn, T.C.
trolytic conductivity detector as an
nent-selective GC detector (134) 1
J.-P. and Udiman, M.
of the principal ketoses (in French)
) 339
A., see Alessi, P. (131) 31, (133) 190
le, M.G., see Choudhary, V.R. (132) 344
K., see Casagrande, D.J. (135) 208
ɔuse, J., see Cole, W.J. (136) 409
er, P. le, see Le Parlouer, P. (133) 253
N.A.
separation of bile acids (133) 273
zak, T., Rynkowski, J. and Król, A.
investigations of the system tricobalt
ɔxide-hydrogen (139) 349
zak, T., see Leboda, R. (138) 309
e, A. de, see De Pascale, A. (134) 307
des, E., see Dilli, S. (134) 477
ɔn, P.L.
se-modulated electron capture detection
nitrogen carrier gas (134) 25
E.M. and Hilker, D.M.
reagent for vitamin B_6 derivative
nation in GC (135) 489
)., see Singh, H. (137) 202
in, V.P., see Zhukov, A.V. (132) 543
R.J.
no acid analysis by GLC of N-
tafluorobutyryl isobutyl esters.
plete resolution using a support-coated
n-tubular capillary column (136) 113
I.A., see Sengupta, A. (137) 206
á, H., see Churáček, J. (139) 85
s, H., see Uyttendaele, K. (132) 261
n, J.C., see Wal, J.M. (136) 165
s, E.G., see Sharma, J.P. (134) 441
F., see Doly, J. (137) 69
ɔn, A.J., see Fairclough, R.J. (133) 412
P., Sannia, G. and Marino, G.
lectric chromatography: a new approach in the use of ion exchangers for protein purification (135) 511
Petters, I., see Garle, M. (140) 165
Picard, J., see Blanchet, G. (135) 477
Picart, D., see Kerebel, A. (140) 229
Pieterse, C., see Ernst, G.F. (133) 245
Pillai, D.N., see Dilli, S. (137) 111
Piper, L.J., see Fasco, M.J. (131) 365
Placidi, G.F., see Pacifici, G.M. (135) 133
Platt, S.G. and Bassham, J.A.
Separation of ^{14}C-labeled glycolate pathway metabolites from higher plant photosynthate (133) 396
Plomp, T.A., see Van den Berg, J.H.M. (138) 431
Podkowińska, H. and Urbańska, K.
Influence of alkali metal salts on the migration of quaternary ammonium compounds on silica gel layers (137) 485
Pohlmann, J.L.W. and Cohan, S.L.
Simplified detection of quaternary ammonium compounds by GC (131) 297
Poitrenaud, C.
Partition of metallic elements between a cation-exchanger swollen with water and a solution of metallic chelates in a water-immiscible solvent. I. Dependence of the distribution coefficient on the nature and the concentration of the chelating agent (in French) (133) 15
Poitrenaud, C., see Doury-Berthod, M. (131) 73
Pokorný, S., see Janča, J. (134) 273
Polkowska-Motrenko, H., see Dybczyński, R. (134) 285
Pollak, V.
Fluorescence photometry of thin-layer chromatograms and electropherograms (133) 49
Pollak, V.
Effect of non-uniform concentration distribution with depth upon quantitative optical analysis of chromatograms (133) 195
Pollak, V.
Sensitivity and the dimensions of the separating medium in TLC (133) 199
Poole, C.F., Evans, N.J. and Wibberley, D.G.
Determination of selenium in biological samples by GLC with electron-capture detection (136) 73
Poole, C.F. and Wibberley, D.G.
Determination of di-(2-ethylhexyl)phthalate in human placenta (132) 511
Poole, C.F., see Burkinshaw, P.M. (132) 548
Popl, M., see Břízová, E. (139) 15
Popl, M., see Čoupek, J. (133) 91
Poppe, H. and Kuysten, J.
Construction and evaluation of a thermostatted permittivity detector for column HPLC (132) 369
Poppe, H., see Lauer, H.H. (132) 1
Porath, J. and Dahlgren Caldwell, K.
Charge-transfer adsorption chromatography (133) 180
Portanova, J.P. and Shrift, A.
Usefulness of N-ethylmaleimide in the

identification of ^{75}Se-labeled selenocysteine (139) 391
Porthault, M., see Lemar, M. (132) 295
Pospisil, P., see Kolb, B. (134) 65
Post, D.
Location of TLC spots using UV light and tracing paper (132) 130
Potin, M., see Grenier-Loustalot, M.F. (138) 63
Pour, J., see Franc, J. (131) 285, (131) 291
Preetz, W., see Bührens, K.-G. (139) 291
Prenzel, U., see Lichtenthaler, H.K. (135) 493
Pretorius, V., see Schieke, J.D. (132) 217, (132) 223, (132) 231
Pritchard, D.G. and Todd, C.W.
GC of methyl glycosides as their trimethylsilyl ethers. The methanolysis and re-N-acetylation steps (133) 133
Privat, G., see Andary, C. (132) 525
Pu, H.H. and Hicks, S.Z. Jr.
Determination of vinyl chloride monomer by GC (132) 495
Pučar, Z., see Kozjak, B. (132) 323
Pudil, F., see Davídek, J. (140) 316
Puglisi, C.V., Meyer, J.C. and De Silva, J.A.F.
Determination of the anti-inflammatory agent carprofen, (D,L)-6-chloro-α-methylcarbazole-2-acetic acid, in blood by HPLC (136) 391
Purnell, J.H., see Laub, R.J. (134) 249

Q

Quivoron, C., see Lesec, J. (138) 89

R

Raaijmakers, J.G.A.M.
System for the identification of novel prostaglandins (138) 355
Rabine, J.-P., see Fellous, R. (133) 7, (136) 5, (140) 137, (140) 143
Rabjohns, M.A., see Fairclough, R.J. (133) 412
Radhakrishnan, A.N., Stein, S., Licht, A., Gruber, K.A. and Udenfriend, S.
High-efficiency cation-exchange chromatography of polypeptides and polyamines in the nanomole range (132) 552
Radivojša, P.N., see Čelap, M.B. (139) 45
Radziuk, B., see Van Loon, J.C. (136) 301
Ragazzi, E. and Veronese, G.
Simple method for the quantitative an of tetracyclines by direct fluorimetry a TLC on cellulose plates (132) 105
Ragazzi, E. and Veronese, G.
Gel chromatography of tetracycline antibiotics (134) 223
Rahn, W., see König, W.A. (133) 141
Rajabalee, F.J.M., see McNeil, E.E. (132) 2
Ram, J., see Singh, H. (137) 202
Rao, G.S. and McLennon, D.A.
TLC analysis of phenytoin and its hyd metabolites (137) 231
Rasmussen, K.E., see Christophersen, A.S (132) 91
Reese, C.E., see Scott, R.P.W. (138) 283
Reeve, D.R. and Crozier, A.
Radioactivity monitor for HPLC (137) 1
Regnier, F.E., see Schlabach, T.D. (134) 9
Reichert, U., see Seipel, S. (135) 485
Reid, T.W., see Darling, T. (131) 383
Rejthar, L. and Tesařík, K.
Performance characteristics of a syste containing a capillary column and an electron-capture detector (131) 404
Rempas, S.P., see MacDonald, R.C. (131) 1
Rempt-van Dijk, E.M., see Faber, D.B. (13
Rhys Williams, A.T., see Slavin, W. (134) 1
Ribick, M.A., see Pape, B.E. (136) 127
Rice, L.I., Spolter, L. and Allen, C.F.
Preparation and TLC of sulfate conjug of the component oligomers of Triton (137) 397
Richardson, L., see Bailey, E. (131) 347
Richter, W.J., see Blum, W. (132) 249
Righetti, P.G.
Distribution of carrier ampholytes in isoelectric focusing (138) 213
Righetti, P.G., Balzarini, L., Gianazza, E. Brenna, O.
Itaconic acid carrier ampholytes for isoelectric focusing (134) 279
Righetti, P.G., Gianazza, E., Brenna, O. a Galante, E.
Isoelectric focusing as a puzzle (137) 1
Rijks, J.A., see Soják, L. (135) 71, (138) 11
Riley, C.M., see Bristow, P.A. (131) 57
Rittich, B., Šimek, M. and Čoupek, J.
Separation of naphthoquinones and lipophilic vitamins by gel chromatogra and TLC (133) 345
Robards, K., see Dilli, S. (133) 363
Roberfroid, M., see Bettencourt, A. (134) 3
Robert, J., see Zanetta, J.-P. (137) 481
Robinson, J.R., see Chapman, R.A. (140) 2
Robinson, R.J., see Bartle, K.D. (135) 351
Rockwell, A.L., see Larson, R.A. (139) 186
Rodgers, D.H., see Pape, B.E. (134) 1
Rodríguez de Turco, E.B. and Bazán, N.G
Simple preparative and analytical TLC method for the rapid isolation of phosphatidic acid from tissue lipid ext (137) 194
Rogers, I.T., see Gerhardt, K.O. (135) 341

, L.B., see Hodgin, J.C. (135) 514
, L.B., see Lubkowitz, J.A. (133) 37
hin, S.V., see Semechkin, A.V. (131) 65
ach, P., see Chevalier, G. (138) 193
nika, S., see Karasek, F.W. (135) 329
D. de, see De Roode, D. (137) 333
J.F.M. de, see De Rooy, J.F.M. (131) 169
:a, J.P., see Gustafson, M.E. (137) 465
er, N.M. and Onley, J.H.
C analysis of oxo and thio compounds
) 109
L.M. and Brockman, R.W.
alysis by HPLC of 9-β-D-
binofuranosyladenine 5'-triphosphate
els in murine leukemia cells (133) 335
gren, J., see Påhlman, S. (131) 99
, J., Śliwka, I. and Lasa, J.
structive and non-destructive models of
coulometric electron-capture detector
7) 245
G., see Froehlich, P.M. (137) 135
M.S.F.
romatographic analysis of azapropazone
l related benzotriazines (131) 448
M.S.F.
termination of metformin in biological
ds by derivatization followed by HPLC
3) 408
E., see Frigerio, A. (134) 299
M. and Rübsamen, K.
termination of prothionamide and its
phoxide metabolite in physiological
ds by quantitative TLC (132) 562
aud, J., Decallonne, J.R. and Meyer, J.A.
C measurement of low activities of
iated substances mixed with non-
ioactive quenching plant pigments
9) 376
V., Mitchard, M. and Morselli, P.L.
mple, sensitive and specific GC method
the quantification of diltiazem in
man body fluids (138) 391
V., see Frigerio, A. (134) 299
J.A.M., see Carreño, T.G. (133) 184
men, K., see Rossi, M. (132) 562
l, R.
o-dimensional micro-separation
nnique for proteins and peptides,
nbining isoelectric focusing and gel
dient electrophoresis (132) 451
r, G. and Taha, A.
of π-acceptors for detection of
aloids on thin layers (132) 165
iski, W., see Wojciechowski, B.W. (137) 1
, H.A., see Luckow, V. (138) 381
l, J.W. and Shadoff, L.A.
mpling and determination of halocarbons
mbient air using concentration on
ous polymer (134) 375
l, P., see Darling, T. (131) 383
nov, M.I., see Arustamova, L.G. (140) 319
ford, D.M.
oid micro-method for the measurement
of diazepam and desmethyldiazepam in
blood plasma by GLC (137) 439
Ruttner, O., see Jarc, H. (134) 351
Ruwe, H.J.J.M. de, see De Ruwe, H.J.J.M. (138) 431
Ryan, J.J. and Lawrence, J.F.
Comparison of electron-capture and electrolytic conductivity detection for the GLC analysis of some perfluoro derivatives of four agricultural chemicals (135) 117
Ryan, T.R., see Hastings Vogt, C.R. (134) 451
Ryan, T.R., see Vogt, C.R. (136) 221
Rynkowski, J., see Leboda, R. (138) 309
Rynkowski, J., see Paryjczak, T. (139) 349

S

Saha, N.C., see Mathur, D.S. (138) 33
Saigal, R., see Chawla, H.M. (138) 243
Saito, T., see Kuroda, R. (139) 355
Saitoh, K., see Suzuki, N. (138) 79
Salas, C.E. and Sellinger, O.Z.
Rapid, quantitative separation by HPLC of methylated bases in transfer RNA (133) 231
Salemink, C.A., see Kettenes-van den Bosch, J.J. (131) 422
Salvesen, B., see Christophersen, A.S. (132) 91
Samuelson, O., see Ericsson, T. (134) 337
Samuelson, O., see Larsson, K. (134) 191, (134) 195
Sannia, G., see Petrilli, P. (135) 511
Sargent, M., see Hoodless, R.A. (136) 199
Sarić, S., see Ćelap, M.B. (139) 45
Sarkar, M.K., see Nand, S. (133) 359
Sathe, G., see Cashion, P. (136) 159
Sathe, G.M., see Cashion, P.J. (135) 189
Sattar, M.A., Paasivirta, J., Vesterinen, R. and Knuutinen, J.
TLC of chlorinated catechols (135) 395
Sattar, M.A., Paasivirta, J., Vesterinen, R. and Knuutinen, J.
TLC of chlorinated cresols (136) 379
Sauter, A.M. and Von Wartburg, J.P.
Quantitative analysis of disulfiram and its metabolites in human blood by GLC (133) 167
Schaden, G.
Short-time pyrolysis and spectroscopy of unstable compounds. V. Improvement in Curie-point pyrolysis GC (136) 420
Schaffner, C.P., see Byrne, K.M. (131) 191
Schauwecker, P., Frei, R.W. and Erni, F.
Trace enrichment techniques in reversed-phase HPLC (136) 63
Schepartz, A.I., see Severson, R.F. (139) 269

Schieke, J.D. and Pretorius, V.
Whisker-walled open-tubular glass columns in GC. I. Deactivation (132) 217
Schieke, J.D. and Pretorius, V.
Whisker-walled open-tubular glass columns in GC. II. Chromatographic performance (132) 223
Schieke, J.D. and Pretorius, V.
Whisker-walled open-tubular glass columns in GC. III. Applications (132) 231
Schildknecht, H., see Husain, S. (137) 53
Schirrmeister, H.
Fast and sensitive thermal conductivity detector for use with capillary columns (in German) (137) 13
Schlabach, T.D., Chang, S.H., Gooding, K.M. and Regnier, F.E.
Continuous-flow enzyme detector for LC (134) 91
Schloeder, U., see Heckers, H. (136) 311
Schlotzhauer, P.F., see Severson, R.F. (139) 269
Schmid, R. and Karobath, M.
Specific and sensitive method for the determination of γ-aminobutyric acid using GC with electron-capture or mass fragmentographic detection (139) 101
Schmidt, D.G., see Singer, G.M. (133) 59
Schmuckler, G., see Limoni, B. (135) 173
Schneider, H.G. and Glazko, A.J.
HPLC of adenine and hypoxanthine arabinosides (139) 370
Scholfield, C.R., see Eskins, K. (135) 217
Schroeder, R.R., Kudirka, P.J. and Toren, E.C. Jr.
Enzyme-selective detector systems for HPLC (134) 83
Schwarzenbach, R.
Separation of some polyhydric alcohols by HPLC (140) 304
Schwertner, H., see Wallace, J.E. (138) 111
Scott, R.P.W. and Reese, C.E.
Precision of contemporary LC measurements (138) 283
Sedvall, G., see Beck, O. (134) 407
Seibert, G., see Breter, H.-J. (140) 251
Seifert, B.
Stability of benzo(*a*)pyrene on silica gel plates for HPTLC (131) 417
Seifert, J., see Davídek, J. (140) 316
Seiler, N. and Knödgen, B.
Chromatography of Dns derivatives on pre-coated HPTLC plates (131) 109
Seipel, S. and Reichert, U.
Two-dimensional TLC-autoradiography of intracellular purine interconversion products (135) 485
Seita, T., see Kato, Y. (134) 204
Seitz, W.R., see Curtis, T.G. (134) 343, (134) 513
Selim, S.
Separation and quantitative determination of traces of carbonyl compounds as their 2,4-dinitrophenylhydrazones by HPLC (136) 271
Sellinger, O.Z., see Salas, C.E. (133) 231
Semechkin, A.V., Rogozhin, S.V. and Davankov, V.A.
Ligand-exchange chromatography of racemates. IV. Influence of stationary-complex structure on the mechanism o ligand exchange (131) 65
Semenza, G., see Assandri, A. (135) 25
Semonian, B.P., see Lubkowitz, J.A. (133)
Sengupta, A. and Peat, M.A.
GLC of eight anticonvulsant drugs in plasma (137) 206
Sennello, L.T., see Chu, S.-Y. (137) 343
Ševčík, J.
Accurate calculation of adjusted retenti time. I (135) 183
Severson, R.F., Ellington, J.J., Schlotzhauer, P.F., Arrendale, R.F. and Schepartz, A.I.
GC method for the determination of fr and total solanesol in tobacco (139) 269
Seweryniak, M., see Sokołowski, S. (139) 2
Sexton, S.A., see Kelsey, M.I. (133) 327
Seymour, M.D., see Fischesser, G.J. (135)
Shabana, R.M., see Dybczyński, R. (134) 2
Shadoff, L.A., see Russell, J.W. (134) 375
Shaikh, B., see Janini, G.M. (132) 136
Sharma, I.C., see Tewari, S.N. (131) 275
Sharma, J.P., Perkins, E.G. and Bevill, R.
Reversed-phase HPLC determination o tetracyclines in urine and plasma (134)
Sheehan, M. and Haythorn, P.
Combined TLC and GLC identification tricyclic antidepressants in urine (132)
Sherma, J. and Bloomer, K.
Separation, detection and densitometri determination of chlorinated insecticid on silica gel and aluminum hydroxide papers (135) 235
Shibukawa, M., see Suzuki, N. (138) 79
Shimizu, A., see Kato, Y. (134) 204
Shimoishi, Y.
Some 1,2-diaminobenzene derivatives a reagents for GC determination of selen with an electron-capture detector (136)
Shopova, B.I. and Mladenov, I.T.
Elution behaviour of some derivatives phenyl-2-(4-hydroxyphenyl)propane on Sephadex LH-20 with acetone and 1,4-dioxan as eluents (135) 473
Shopova, B.I., Mladenov, I.T. and Kurtev,
Elution behaviour of some derivatives (4-hydroxyphenyl)-2-phenylpropane on Sephadex LH-20 in methanol and N,N-dimethylformamide (132) 99
Shortnacy, A.T., see Temple, C. Jr. (140) 1
Shrift, A., see Portanova, J.P. (139) 391
Shu, C.-K., see Yoshida, T. (137) 461
Sievers, G. and Hynninen, P.H.
TLC of chlorophylls and their derivati on cellulose layers (134) 359
Sievers, R.E., see Chen, T.M. (134) 170
Silas, J.H., see Lennard, M.S. (133) 161
Silva, J.A.F. de, see De Silva, J.A.F. (136)
Šimek, M., see Rittich, B. (133) 345

R.L., see Heck, H.d'A. (133) 281
G.M., Singer, S.S. and Schmidt, D.G.
osamide-specific detector for use with
LC (133) 59
S.S., see Singer, G.M. (133) 59
H., Paul, D., Bhardwaj, T.R.,
tani, K.K. and Ram, J.
oids and related studies. XL. TLC of
e steroidal ketones, oximes and lactams
) 202
on, V.L., Timberlake, C.F. and
ting, G.C.
omatography of natural phenolic
amate derivatives on Sephadex LH-20
G-25 (140) 120
di, M. and Lederer, M.
mation of polymeric species by reaction
obalt(III) complexes with ammonium
hide (133) 425
A.M., Guillemonat, A. and Guiochon, G.
mpt to use HPTLC data for prediction
HPLC retention coefficients (in French)
) 35
s, D.J., see Telling, G.M. (137) 405
nt, H., see Wallace, J.E. (138) 111
J.A., see Irwin, W.J. (139) 364
W., Rhys Williams, A.T. and
ms, R.F.
rescence detector for HPLC (134) 121
n, H.K., see Brown, N.D. (138) 449,
) 300
va, J. and Nitsche, I.
MS identification of urea derivatives
ned by the reaction of amines with
yanates (in German) (135) 401
I., see Rosiek, J. (137) 245
P.
ermination of lysinoalanine with an
matic amino-acid analyzer (135) 502
T., see Sokołowski, S. (139) 237
A.G., see Edmonds, C.G. (133) 372
A.J., see Lennard, M.S. (133) 161
B.E.F., see Callmer, K. (136) 45
C.M., see Timbrell, J.A. (138) 165
D.H., see Burgett, C.A. (134) 57
H. and Thorpe, J.W.
mation of chlorbutanol by electron
ure GC (134) 178
K.M., Johnson, R.N. and Kho, B.T.
ermination of hydralazine in tablets by
(137) 431
R.J., see Haken, J.K. (133) 1
R.V., see Baaske, D.M. (140) 57
S.C. and Gage, L.D.
of dinitro-*p*-xylenes (131) 425
M., see Borák, J. (133) 127
nk, V.L., see Wood, N.F. (132) 405
iński, E.
ple device for continuous TLC (138) 443
iński, E., Dzido, T., Gołkiewicz, W. and
da, K.
parison of HPLC and TLC data
ined with various types of silica
) 408

Soczewiński, E., Matysik, G. and Dumkiewicz, W.
Investigations of the relationship between molecular structure and chromatographic parameters. X. Extraction of organic solutes with mixtures of chloroform and electron-donor solvents (132) 379
Soczewiński, E., Matysik, G. and Grodzińska-Zachwieja, Z.
Selective liquid-liquid partition systems for the chromatographic analysis of some coumarins and phenolic acids (derivatives of cinnamic acid) (137) 182
Soják, L., Janák, J. and Rijks, J.A.
Capillary GC of alkylbenzenes. II. Correlations between the structures and methylene group increments and differences in retention indices of isomers (135) 71
Soják, L., Janák, J. and Rijks, J.A.
Capillary GC of alkylbenzenes. III. Correlations between the temperature and pressure coefficients of the retention index and structure (138) 119
Sokoloski, T., see Burce, G.L. (137) 323
Sokołowski, S., Leboda, R., Słonka, T. and Seweryniak, M.
Cluster expansion for retention volume in adsorption GC. Adsorption of hydrocarbons on graphite (139) 237
Sokołowski, S., see Leboda, R. (138) 309
Sollenberg, J. and Baldesten, A.
Isotachophoretic analysis of mandelic acid, phenylglyoxylic acid, hippuric acid and methylhippuric acid in urine after occupational exposure to styrene, toluene and/or xylene (132) 469
Solomonraj, G., see Wong, L.T. (135) 149
Sondack, D.L. and Koch, W.L.
Analysis of urinary tract antibacterial agents in pharmaceutical dosage form by HPLC (132) 352
Souter, R.W.
HPLC resolution of propoxyphene carbinol diastereomers (134) 187
Souter, R.W. and Bishara, R.H.
Quantitative GC analysis on support-coated open tubular capillary columns. I. Analysis of isomeric ethylphenols (140) 245
Söylemozoglu, T., see Martens, F.K. (140) 86
Spannbrucker, N., see Eichelbaum, M. (140) 288
Specht, S., Nolte, R.F. and Born, H.-J.
Influence of the geometry of support materials on the capacity of an extraction chromatographic system. III. Influence of the exchange kinetics and the flow inhomogeneities on the height equivalent to a theoretical plate (in German) (135) 273
Spillane, W.J., see Benson, G.A. (136) 318
Spitz, H.D.
Analysis of trace amounts of acetylsalicylic anhydride in acetylsalicylic acid (140) 131
Spolter, L., see Rice, L.I. (137) 397
Stafford, D.T., see McNair, H.M. (133) 31

Stancher, B., Tunis, F. and Favretto, L.
Chromatographic studies on the extraction of polyoxyethylene alkylphenyl ether non-ionic surfactants from water at trace levels (131) 309
Stange, A.E., see Kikta, E.J. Jr. (138) 41, (138) 321
Stauffer, S.C., see Hucker, H.B. (131) 357, (138) 437
Steele, P., see Hayes, W.P. (139) 395
Stefanovich, V., see Fisher, A.C. (137) 240
Stein, S., see Radhakrishnan, A.N. (132) 552
Steinbach, H. and Gielen, W.
GC determination of hexobarbital and its metabolites from biological material (in German) (139) 191
Sternson, L.A. and DeWitte, W.J.
HPLC analysis of aniline and its metabolites (137) 305
Sternson, L.A. and DeWitte, W.J.
HPLC analysis of isomeric aminophenols with electrochemical detection (138) 229
Stewart, M.J., see Watson, I.D. (132) 155, (134) 182
Sticher, O., see Meier, B. (138) 453
Stockwell, P., see Bailey, G. (133) 386
Story, D.F., see Majewski, H. (139) 218
Stoveken, J., see Yost, R. (134) 73
Strauss, P.A., Hertel, R.H.
Microcomputer-directed mass spectrometer as a compound-selective detector for GC (134) 39
Štrop, P., Bašnák, I. and Farkaš, J.
Separation of alkyl derivatives of uracil by solvophobic adsorption chromatography on Spheron (138) 47
Stubba, W., see Tutschek, R. (139) 211
Stumm, C., see Gribnau, T.C.J. (132) 519
Stünzi, W., see Klimes, I. (136) 13, (136) 23
Subbiah, M.T.R., see Harris, W.S. (131) 437
Sultanov, N.T., see Arustamova, L.G. (140) 319
Sunshine, I., see Kelly, R.C. (138) 413
Suprynowicz, Z., Gawdzik, J. and Jaroniec, M.
Some remarks on the characterization of GSC systems (133) 349
Suprynowicz, Z., see Gawdzik, J. (131) 7
Suttnar, J., Hrkal, Z. and Vodrážka, Z.
Affinity chromatography of serum haemopexin (131) 453
Suzuki, N., Saitoh, K. and Shibukawa, M.
Gel chromatography of β-diketones and their metal complexes. VI. Elution behaviour of various β-diketones and their chromium(III) chelates on different gels (138) 79
Švob, V. and Deur-Šiftar, D.
Comparison of degradation products and processes in MS and pyrolysis GC applied to the identification of alkylbenzenes (135) 85
Swanbeck, G., see Ehrsson, H. (140) 157
Sweeny, J.G., see Wilkinson, M. (132) 349
Szczepaniak, W. and Nawrocki, J.
Coordination polymers as adsorbents and stationary phases in GC. I. Polychromium(III) diphenylphosphina (138) 337
Szyszka, J., see Dilli, S. (132) 148

T

Tadrus, R., see Kaistha, K.K. (135) 385
Taha, A., see Rücker, G. (132) 165
Takabatake, E., see Takeshita, R. (133) 30
Takahashi, D.M.
Reversed-phase HPLC analytical syste for aflatoxins in wines with fluorescen detection (131) 147
Takei, S., see Moriguchi, S. (131) 19
Takemoto, M., see Kuroda, R. (139) 355
Takeshita, R., Takabatake, E., Minagawa, K. and Takizawa, Y.
Micro-determination of total phthalate esters in biological samples by GLC (133) 303
Takeuchi, Y., see Furukawa, H. (136) 428
Takizawa, Y., see Takeshita, R. (133) 303
Tamburašev, Z., see Kobrehel, G. (133) 41
Tamburašev, Z., see Lazarevski, T. (132) 3
Tamura, Z., see Imai, K. (137) 357
Tan, Y.L.
Microdetermination of nitrate by GC-M technique with multiple ion detector (140) 41
Tanimura, T., see Uchida, M. (138) 17
Tasai, H., see Endo, T. (140) 263
Taylor, L., see Otter, G.E. (133) 97
Teague, C.E., see Kues, H.A. (135) 221
Telling, G.M., Sissons, D.J. and Brinkman, H.W.
Determination of organochlorine insec residues in fatty foodstuffs using a cle up technique based on a single colum activated alumina (137) 405
Temple, C. Jr., Shortnacy, A.T. and Montgomery, J.A.
LC assay of the calcium salt of citrovo factor (140) 114
Terweij-Groen, C.P. and Kraak, J.C.
Ion-pair phase systems for the separat of carboxylic acids, sulphonic acids an phenols by HPLC (138) 245
Tesařík, K., see Rejthar, L. (131) 404
Tesser, G.I., see Gribnau, T.C.J. (132) 519
Tewari, S.N. and Sharma, I.C.
Isolation and determination of chlorin organic pesticides by TLC and the application to toxicological analysis (131) 275

er, L.H.
roved miniature flow fluorometer for
(136) 213
er, E.T., see Yoshida, T. (137) 461
n, H.H.W.
effects in reversed-phase TLC on silica
(133) 355
s, B.H., see Wong, L.T. (135) 149
s, J.-P., Brun, A. and Bounine, J.-P.
ydric solvents in LSCC. Importance for
reproducibility of chromatographic
arations and application to the
erimental determination of mobile
se polarity (139) 21
son, R.M., see Coffin, R.D. (138) 223
, J.W., see Smith, H. (134) 178
er, H., see Hopf, S. (139) 249
n, J., see Walkley, J.W. (132) 172
lake, C.F., see Singleton, V.L. (140) 120
ell, J.A., Wright, J.M. and Smith, C.M.
ermination of hydrazine metabolites of
iazid in human urine by GC (138) 165
G. and Wagner, H.
LC separation of silymarins and their
ermination in crude extracts of *Silybum*
rianum Gaertn. (135) 499
, U.R., Krol, J.H., Van Hoeven, R.P.,
nen-Meulemans, E.P.M. and Emmelot, P.
LC of glycosphingolipids (with special
erence to gangliosides) (136) 233
T. and Adachi, S.
C of trimethylsilylated disaccharide
mes (135) 411
C.W., see Pritchard, D.G. (133) 133
E.C. Jr., see Schroeder, R.R. (134) 83
no, G., see Alessi, P. (133) 190
M.L., see Lombard, A. (134) 242
illa, T., see Cashion, P. (136) 159
, R.D., see Hoodless, R.A. (136) 199
lon, B., see Doury-Berthod, M. (131) 73
li, C., see Amico, V. (131) 233
ne, R.J. and Capitano, G.
LC separation of pharmaceutical
pounds using a mobile phase
taining silver nitrate (136) 337
L.S. and Welling, P.G.
ultaneous determination of
tylmethadol and its major metabolites
GLC (135) 205
moto, M., see Imai, K. (137) 357
a, K., Kodama, A. and Ito, M.
ultaneous determination of *cis-trans*
neric retinals by HPLC (134) 331
dambaev, V.D., Zhukov, A.V. and
eshchagin, A.G.
paration of plates with a permanent
orbent layer and their application in the
lytical TLC of lipids (132) 195
, G.T., see Lennard, M.S. (133) 161
M.T.M. and Hutzinger, O.
of ethyl ethers, deuteriomethyl ethers
cyclic *n*-butylboronates of
roxychlorobiphenyls in identification of
metabolites of polychlorinated biphenyls
(139) 51
Tunis, F., see Stancher, B. (131) 309
Turnipseed, S.A., see Wold, J.S. (136) 170
Tutschek, R., Meier, K.D., Grüning, F. and
Stubba, W.
Amino acid analysis of physiological fluids
by a single-column programme based on
stepwise elution with lithium citrate
(139) 211
Tyler, R.C., see Morgan, E.D. (134) 174
Tyman, J.H.P.
Long-chain phenols. VIII. Quantitative
analysis of the unsaturated constituents of
phenolic lipids by TLC-MS (136) 289
Tyman, J.H.P.
Long-chain phenols. IX. Compositional
studies on the unsaturated phenols of
Anacardium occidentale (cashew nut-shell
liquid) (138) 97

U

Uchida, M. and Tanimura, T.
Retention behaviour of a porous styrene-
divinylbenzene copolymer in the separation
of fatty acids and related compounds
(138) 17
Udenfriend, S., see Radhakrishnan, A.N.
(132) 552
Udiman, M., see Papin, J.-P. (132) 339
Unger, P., see Čoupek, J. (133) 91
Uno, T., see Wu, H.-L. (137) 127
Urbańska, K., see Podkowińska, H. (137) 485
Urbas, E. and Küllik, E.
Pyrolysis GC analysis of some toxic
compounds from nitrogen-containing fibres
(137) 210
Uyttendaele, K., De Groote, M., Blaton, V.,
Peeters, H. and Alexander, F.
Analysis of the proteins in sweat and urine
by agarose-gel isotachophoresis (132) 261

V

Valentour, J.C., see Kelly, R.C. (138) 413
Van Boom, J.H. and De Rooy, J.F.M.
Sequence analysis of synthetic
oligonucleotides by anion-exchange HPLC
(131) 169

Van Boven, M. and Daenens, P.
Combined GLC-MS analysis of pemoline in biological samples (134) 415
Van Cantfort, J., see De Graeve, J. (133) 153
Van Cauwenberghe, K., see Cautreels, W. (131) 253
Van de Kamp, C.G., see Krijgsman, W. (131) 412
Van den Berg, J.H.M., De Ruwe, H.J.J.M., Deelder, R.S. and Plomp, T.A.
CLC of tricyclic antidepressants (138) 431
Van den Berg, J.H.M., Milley, J., Vonk, N. and Deelder, R.S.
Mechanisms of separation using the ternary mixture dichloromethane-ethanol-water in HPLC (132) 421
Van der Veen, N.G., see Gelsema, W.J. (140) 149
Van der Wal, S. and Huber, J.F.K.
Improvement of the efficiency of ion-exchange cellulose columns and their application (135) 287
Van der Wal, S. and Huber, J.F.K.
Separation of estrogen glucuronides, sulphates and phosphates on ion-exchange cellulose by HPLC (135) 305
Van Dort, M.A. and Bonner, W.A.
Quantitative GC resolution of amino ester diastereomers (133) 210
Van Dort, M.A., see Flores, J.J. (132) 152
Van Eekelen, C.A.G., see Gribnau, T.C.J. (132) 519
Van Hoeven, R.P., see Tjaden, U.R. (136) 233
Van Loon, J.C., Lichwa, J. and Radziuk, B.
Non-dispersive atomic fluorescence spectroscopy, a new detector for chromatography (136) 301
Vančíková, O., see Helm, R. (133) 390
Vandenheuvel, F.A.
GLC studies of reactions and structural relationships of steroids. V. Concurrent substitution in the pregnane side-chain and position 11 (133) 107
VandenHeuvel, W.J.A., see Yabumoto, K. (140) 197
Vanderhaeghe, H., see Adriaens, P. (140) 103
Vanderhaeghe, H., see Janssen, G. (134) 365
Varma, R. and Varma, R.S.
Simple procedure for combined GC analysis of neutral sugars, hexosamines and alditols. Determination of degree of polymerization of oligo- and polysaccharides and chain weights of glycosaminoglycans (139) 303
Varma, R.S., see Varma, R. (139) 303
Veen, N.G. van der, see Van der Veen, N.G. (140) 149
Verbeke, R., see De Brabander, H.F. (138) 131
Vereshchagin, A.G., see Tsydendambaev, V.D. (132) 195
Vergnaud, J.-M., see Le Parlouer, P. (133) 253
Verheggen, T.P.E.M., Mikkers, F.E.P. and Everaerts, F.M.
Isotachophoresis in narrow-bore tubes.
Influence of the diameter of the separat compartment (132) 205
Vermeulen, N.P.E., De Roode, D. and Breimer, D.D.
GC determination of pemoline as 5-phe 2,4-oxazolidinedione in human urine (137) 333
Vernon, F. and Ogundipe, C.O.E.
Hydrocarbon stationary phases for GLC (132) 181
Veronese, G., see Ragazzi, E. (132) 105, (134) 223
Versaud, P., see Lemar, M. (132) 295
Vestergaard, P.
Fast liquid-dispensing device for multi-column LC (139) 162
Vestergaard, P., see Bachman, A. (132) 335
Vesterinen, R., see Sattar, M.A. (135) 395, (136) 379
Vidal-Madjar, C., see Arpino, P. (138) 173
Vilim, A., LeBelle, M.J., Wilson, W.L. and Graham, K.C.
Simple TLC identification procedure fo erythromycin base, stearate, estolate an ethylsuccinate (133) 239
Villanueva, V.R., Adlakha, R.C. and Cantera-Soler, A.M.
Rapid determination of polyamines and some mono- and diamines in vegetable extracts (in French) (139) 381
Vink, H.
Contributions to the theory of chromatography (135) 1
Vinogradov, S.N., see Brown, R.K. (131) 22
Vinson, J.A. and Hooyman, J.E.
Sensitive fluorogenic visualization reag for the detection of lipids on thin-layer chromatograms (135) 226
Vinson, J.A., Hooyman, J.E., Koharcheck, H. and Holmes, M.M.
Sensitive TLC method for urine screeni of barbiturates (140) 71
Vitiello, F., see Zanetta, J.-P. (137) 481
Vodrážka, Z., see Hrkal, Z. (135) 193
Vodrážka, Z., see Suttnar, J. (131) 453
Vogelsang, S.H., see Axelsen, K.S. (140) 17
Vogt, C.R., Ryan, T.R. and Baxter, J.S.
High-speed LC on cadmium-modified s gel (136) 221
Von Arx, E. and Faupel, M.
Chromatography on cellulose acetate pl II. Colouring reagents for chromatogra on cellulose acetate plates (in German) (134) 529
Von Wartburg, J.P., see Sauter, A.M. (133)
Vonk, N., see Van den Berg, J.H.M. (132) 4
Votavová, E., see Novák, J. (139) 141
Vozka, S. and Kubín, M.
Simple and efficient method of zone spreading correction in GPC (139) 225
Vries, G. de, see De Vries, G. (134) 235

r, G.M., see Goenechea, S. (140) 134
r, H., see Tittel, G. (135) 499
right, M.S., see Haken, J.K. (133) 1
M., Peleran, J.C. and Bories, G.
ıultaneous determination of Trenbolone
tate and ethynyl estradiol in food by
ıbined TLC-GC (in French) (136) 165
. van der, see Van der Wal, S. (135) 287,
) 305
ewski, K., see Olieman, C. (133) 382
ey, J.W. and Tillman, J.
ıple TLC technique for the separation of
no- and oligosaccharides (132) 172
e, J.E., Hamilton, H.E., Skrdlant, H.,
kett, L.L. and Schwertner, H.
ntification of selected antihypertensive
gs by TLC (138) 111
, I., see Ehrsson, H. (140) 157
C., see Jain, R.S. (136) 141
n, L., see Jain, R.S. (136) 141, (139) 283
urg, J.P. von, see Von Wartburg, J.P.
3) 167
rman, L., Ber, A. and Allalouf, D.
e of TLC in the separation of
accharides resulting from digestion of
ndroitin sulphates with chondroitinases
3) 342
n, I.D. and Stewart, M.J.
antitative determination of amitriptyline
l nortriptyline in plasma by HPLC
2) 155
n, I.D. and Stewart, M.J.
ay of tricyclic structured drugs and
ir metabolites in urine by HPLC
4) 182
erley, B.C., see Cridland, J.S. (137) 449
K.S., see Gough, T.A. (137) 293
., see Issaq, H.J. (133) 291
eld, R.E., see Brooks, M.A. (135) 123
trauch, F., see Baumgarten, E. (138) 347
g, P.G., see Tse, F.L.S. (135) 205
gton, C.A., see Edwards, W.G. (135) 463
D.E. and Johnstone, S.J.
thod for the separation of
anochlorine residues before GLC
lysis (140) 17
W.I.
ızidine substitute visualizing agents for
ı porphyrins (138) 220
rd, J. H., see Fenimore, D.C. (140) 9
g, G.C., see Singleton, V.L. (140) 120
rley, D.G., see Poole, C.F. (132) 511,
) 73
, F.-A., see Beck, O. (134) 407
g, G., see Becker, H. (136) 174
son, M., Sweeny, J.G. and
obucci, G.A.
LC of anthocyanidins (132) 349

Willems, G.H.W.
Analysis of a gas stream using a manometric technique (in German) (138) 216
Williams, D.T., Benoit, F., Muzika, K. and O'Grady, R.
GC determination of nitrilotriacetic acid using a nitrogen-selective detector (136) 423
Williams, J.P., see Khan, M.-U. (140) 179
Williams, P.S., see Laub, R.J. (134) 249
Williamson, B.F., see Bristow, P.A. (131) 57
Wilson, J.E., see Kinnier, W.J. (135) 508
Wilson, W.L., see Vilim, A. (133) 239
Winkler, E., Buchele, A. and Müller, O.
Method for the determination of polycyclic aromatic hydrocarbons in maize by capillary-column GLC (in German) (138) 151
Witek, S., see Mierzwa, S. (136) 105
Wojciechowski, B.W. and Rudziński, W.
Effects of surface heterogeneity in non-linear and non-equilibrium gas-adsorption chromatography (137) 1
Wold, J.S. and Turnipseed, S.A.
Determination of cephaloridine in serum and tissue by HPLC (136) 170
Wolf, W.R.
Coupled GC-atomic absorption spectrometry (134) 159
Wolfram, J.H., Feinberg, J.I., Doerr, R.C. and Fiddler, W.
Determination of N-nitrosoproline at the nanogram level (132) 37
Wong, L.T., Solomonraj, G. and Thomas, B.H.
Analysis of warfarin in plasma by HPLC (135) 149
Wood, N.F. and Snoeyink, V.L.
2-Methylisoborneol, improved synthesis and a quantitative GC method for trace concentrations producing odor in water (132) 405
Woodhouse, R.N., Cresswell, D.G., Chasseaud, L.F. and Brodie, R.R.
Use of HPLC to measure plasma concentrations of *p*-chlorophenoxyisobutyric acid after administration of clofibrate to humans (137) 218
Wright, J.M., see Timbrell, J.A. (138) 165
Wu, F.-F. and Dobberstein, R.H.
Quantitative determination of thebaine in *Papaver bracteatum* by HPLC (140) 65
Wu, H.-L., Masada, M. and Uno, T.
GC and GC-MS analysis of ampicillin (137) 127
Wuyts, W., see Adriaens, P. (140) 103

Y

Yabumoto, K. and VandenHeuvel, W.J.A.
Optimization of operating parameters for glass capillary column GC (140) 197
Yamase, I., see Kitaoka, Y. (132) 175
Yamashita, K., see Miyazaki, H. (133) 311
Yaphe, W., see Groleau, D. (137) 234
Yasuda, S.K. and Loughran, E.D.
Air sampling methods for *s*-tetrachloroethane and other related chlorinated hydrocarbons (137) 283
Yee, Y.-G., see Meffin, P.J. (138) 183
Yeh, D.-B.
Polyacrylamide gel electrophoresis of water-soluble coal-tar dyes (132) 566
Yoshida, T., Shu, C.-K. and Theimer, E.T.
Gram-scale preparative separation of *exo*- and *endo*-isomers by HPLC using a partial recycle technique (137) 461
Yost, R., Stoveken, J. and MacLean, W.
Positive peak identification in LC using absorbance ratioing with a variable-wavelength spectrophotometric detector (134) 73
Yousef, Y.Y., see Cole, W.J. (136) 409
Yoza, N., Ishibashi, K. and Ohashi, S.
Gel and ion-exchange chromatographic purification of the reaction products between diphosphate and diphosphonate (134) 497

Z

Zahn, R.K., see Arendes, J. (140) 118
Zahn, R.K., see Breter, H.-J. (137) 61, (140) 251
Zakrevsky, J.-G. and Mallet, V.N.
An *in situ* fluorimetric method for the detection and quantitative analysis of fenitrothion, its breakdown products and other amine-generating compounds (132) 315
Zanetta, J.-P., Vitiello, F. and Robert, J.
TLC of gangliosides (137) 481
Zanol, M., see Frigerio, A. (134) 299
Zapolski, D., see Krull, M. (135) 212
Zhukov, A.V. and Pchelkin, V.P.
GC analysis of lipids with the injection of aliquots of less than 0.05 μl from small samples (132) 543
Zhukov, A.V., see Tsydendambaev, V.D. (132) 195
Zielinski, W.L. Jr., see Issaq, H.J. (131) 265, (132) 115
Zielinski, W.L. Jr., see Janini, G.M. (132) 13
Zimmerli, B.
Improvement in the detection limits of aflatoxins by HPLC using a fluorescenc detector filled with silica gel (in Germa (131) 458
Zinkel, D.F. and Engler, C.C.
GLC of resin acid esters (136) 245
Zlatkis, A., see Fenimore, D.C. (140) 9
Zuleski, F.R., Loh, A. and Di Carlo, F.J.
Assay of human plasma for nortriptylin by radioacetylation and TLC (132) 45
Zurek, G., see Fujiki, H. (140) 129

SUBJECT INDEX

VOLUMES 131–140

The volume number is placed in parentheses before the page number

rbances, recording
ronic system for chart recorder
bance output of the multicuvette system
C (132) 335

ceptors
f π-acceptors for detection of alkaloids
n layers (132) 165

ıtolol
analysis of drugs in biological fluids. V.
sis of acebutolol and its major
olite (138) 183

l alcohols
le GPC separation of some acetal alcohol
reoisomers representing partial
ucosidic sequences (138) 89

ldehyde
e and rapid GLSC analysis of trace
ntrations of acetaldehyde in urban air
455

lglucosaminidase
cation of β-N-acetyl-D-glucosaminidase
horseshoe crab by affinity
natography (136) 141

lmethadol
taneous determination of acetylmethadol
s major metabolites by GLC (135) 205

lsalicylic acid
sis of trace amounts of acetylsalicylic
lride in acetylsalicylic acid (140) 131

salicylic anhydride
sis of trace amounts of acetylsalicylic
ride in acetylsalicylic acid (140) 131

tic acid
the pyrazoline derivative of trimethyl
ate (132) 148

n
sis GC analysis of some toxic
unds from nitrogen-containing fibres
10

Actinospectacin
Chromatography of the reduction products of spectinomycin (136) 432

Activity coefficients
Mixed solvents in GLC. Activity coefficients for hexane in squalane and dinonyl phthalate mixtures at 303 °K (131) 399

Activity coefficients
Evaluation of solvent properties. A comparison of esters of 2-ethylhexanol (133) 190

Adenine
Detection reagent for adenine, guanine, uracil, cytosine and their alkylated bases, nucleotides and nucleosides on thin-layer plates (132) 121

Adenine arabinosides
HPLC of adenine and hypoxanthine arabinosides (139) 370

Adenine nucleosides
Separation of naturally occurring adenine nucleosides and nucleotides by anion-exchange chromatography (140) 118

Adenine nucleotides
Separation of naturally occurring adenine nucleosides and nucleotides by anion-exchange chromatography (140) 118

Adenines
Separation of alkylated guanines, adenines, uracils and cytosines by TLC (131) 265

Adenosine monophosphate, cyclic
Preliminary study of the use of dansyl chloride to determine cyclic-3',5'-AMP in tissues (134) 489

Adenosine monophosphate, cyclic
Thin-layer electrophoretic separation of the degradation products of cyclic adenosine-3',5'-monophosphate (137) 240

Adjusted retention times
Accurate calculation of adjusted retention time. I (135) 183

Adriamycin
Determination of doxorubicin hydrochloride in pharmaceutical preparations using HPLC (131) 375

Adsorbent layer, permanent
Preparation of plates with a permanent

adsorbent layer and their application in the analytical TLC of lipids (132) 195

Adsorbents
Studies of chromatographic packings comprising chemically bonded phases obtained from porous glass beads. I. Sorption properties and surface heterogeneity (131) 7

Adsorbents
Characterization of modified alumina as an adsorbent for GSC. Modification of alumina with alkali-metal fluorides (131) 19

Adsorbents
Ligand-exchange chromatography of racemates. IV. Influence of stationary-complex structure on the mechanism of ligand exchange (131) 65

Adsorbents
Comparison of HPLC and TLC data obtained with various types of silica (131) 408

Adsorbents
Charge-transfer adsorption chromatography (133) 180

Adsorbents
Improvements in GC columns formed by *in situ* polymerization (134) 170

Adsorbents
High-speed LC on cadmium-modified silica gel (136) 221

Adsorbents
Coordination polymers as adsorbents and stationary phases in GC. I. Poly(chromium(III) diphenylphosphinate) (138) 337

Adsorbents, carbon
Development and use of carbon adsorbents in HPLSC. II. Reproducibility of carbon adsorbents and the influence of graphitization on their performance (137) 19

Adsorbents, TLC
Separation of carrot carotenoids on Hyflo Super-Cel-magnesium oxide-calcium sulfate thin layers (139) 149

Adsorption chromatography
Some remarks on the characterization of GSC systems (133) 349

Adsorption chromatography
Effect of pH on polyelectrolytes in adsorption chromatography (138) 267

Adsorption, isosteric heat
Determination of the isosteric heat of adsorption by adsorption GC (131) 1

Adsorption isotherms
Adsorption isotherms of hydrocarbons on γ-alumina (138) 347

Adsorption, preferential
Preferential solvation of poly(dimethylsiloxane) and poly(methyl methacrylate) in benzene-methanol mixture by GPC (140) 219

Adsorption to glass
Determination of (+)-3*R*),(4*S*)-3-[(4-methoxyphenoxy)methyl]-1-methyl-4-phenylpiperidine hydrochloride (FG 4963) in biological fluids using competition for adsorption to glass (133) 147

Adumbran
Analysis of benzodiazepines and their hydrolysis products, benzophenones, by reversed-phase HPLC and its application to biological material (in German) (132) 83

Aflatoxin B_1
Nondestructive distinction between aflatoxin B_1 and ethoxyquin in TLC (132) 115

Aflatoxins
Reversed-phase HPLC analytical system for aflatoxins in wines with fluorescence detection (131) 147

Aflatoxins
Improvement in the detection limits of aflatoxins by HPLC using a fluorescence detector filled with silica gel (in German) (131) 458

Agarose beads
Microscopic observations on agarose beads. Dehydration by solvent exchange as an alternative to lyophilization (132) 519

Agmatine
GC determination of methylguanidine, guanidine and agmatine as their hexafluoroacetylacetonates (140) 47

Agricultural chemicals
Comparison of electron-capture and electrolytic conductivity detection for the GC analysis of some perfluoro derivatives of four agricultural chemicals (135) 117

Airborne particulate matter
Extraction of organic compounds from airborne particulate matter for GC analysis (131) 245

Airborne particulate matter
Fast quantitative analysis of organic compounds in airborne particulate matter by GC with selective MS detection (131) 253

Airborne volatiles
Concentration of headspace, airborne and aqueous volatiles on Chromosorb 105 for examination by GC and GC-MS (135) 49

Albumin
Protein binding of rifampicin to bovine serum albumin as measured by gel filtration (135)

Albumin
Protein binding of a series of rifamycins to bovine serum albumin as measured by the "two-phase partition" technique (135) 37

n
n of serum albumin and
ɔglobulins by chromatography on Con-
arose and Sephadex G-150 (135) 193

s
tion between the physical properties
ucture of alcohols and their GC
ur on polar and non-polar stationary
I. C_1-C_8 straight-chain alcohols

s
ɔn of alcohols at the femtogram level
afluorophenyldimethylsilyl ethers
B

s, cyclic
ermination of cyclic amines, ketones
ɔhols, possible metabolites of sweet
nates (136) 318

s, polyhydric
ion of some polyhydric alcohols by
140) 304

des
ion and quantitative determination of
f carbonyl compounds as their 2,4-
henylhydrazones by HPLC (136) 271

procedure for combined GC analysis of
sugars, hexosamines and alditols.
ination of degree of polymerization of
nd polysaccharides and chain weights
saminoglycans (139) 303

acid
aneous separation of oligomeric sugars
gomers with a terminal aldonic acid
n anion-exchange resins (134) 195

hydrazine as a fluorimetric reagent for
alysis for reducing sugars (139) 343

chlorine cell gas
atographic analysis of alkali chlorine
(139) 207

ds
determination of colchicine and
ɔside in colchicum (*Colchicum*
ale L.) seeds on a home-made
ary phase (131) 444

ds
π-acceptors for detection of alkaloids
layers (132) 165

ds
ɔn and quantitative analysis of
arine in edible oils (132) 359

ds
ination of papaverine in blood samples
and mass fragmentography (133) 153

Alkaloids
Rapid determination of certain alkaloids, other than nicotine, in tobacco (133) 378

Alkaloids
Chemistry of opium alkaloids. VIII. Separation of opium alkaloids and related compounds by ion-pair HPLC (133) 382

Alkaloids
HPLC of Catharanthus alkaloids (139) 203

Alkaloids
Quantitative determination of thebaine in *Papaver bracteatum* by HPLC (140) 65

Alkenes
Qualitative GC analysis and determination of solute properties. Study of the relationship between the molecular structure and GC retention of alkenes on squalane (137) 259

Alkylbenzenes
Capillary GC of alkylbenzenes. II. Correlations between the structures and methylene group increments and differences in retention indices of isomers (135) 71

Alkylbenzenes
Comparison of degradation products and processes in MS and pyrolysis GC applied to the identification of alkylbenzenes (135) 85

Alkylbenzenes
Capillary GC of alkylbenzenes. III. Correlations between the temperature and pressure coefficients of the retention index and structure (138) 119

Alkylbenzyldimethylammonium chlorides
Separation of homologous alkylbenzyldimethylammonium chlorides and alkylpyridinium halides by HPLC (134) 459

Alkyl ethoxylates
Determination of alkyl ethoxylate mixtures by programmed multiple development TLC (135) 165

Alkyl methylphosphonic acid *p*-nitrophenyl esters
Preparative purification of alkyl methylphosphonic acid *p*-nitrophenyl esters on Sephadex LH-20 (135) 196

Alkylnitrites
Nitrosamide-specific detector for use with HPLC (133) 59

Alkylphenols
Study of retention behaviour of alkylphenols in straight- and reversed-phase LC and application to the analysis of complex phenolic mixtures in conjunction with GC (136) 45

Alkylphenols
Separation of isomeric alkylphenols by HPLC and GLC techniques (137) 53

Alkylphenols, brominated
LC study of brominated alkylphenols and

investigation of product formation in the coulometric bromination of some alkyl-substituted phenols (137) 363

Alkylphenols, monohydric
Separation of monohydric alkylphenols by GC. II (137) 425

Alkylpyridinium halides
Separation of homologous alkylbenzyldimethylammonium chlorides and alkylpyridinium halides by HPLC (134) 459

Alumina
Characterization of modified alumina as an adsorbent for GSC. Modification of alumina with alkali-metal fluorides (131) 19

Alumina, gamma
Adsorption isotherms of hydrocarbons on γ-alumina (138) 347

Amatoxins
Assay for amatoxins in *Amanita phalloides* Fries (Basidiomycetes) with direct spectrometric measurements of chromatograms (in French) (132) 525

Ambilhar
GLC determination of niridazole in biological fluids (131) 442

Amide residues
Applications of GLC in protein chemistry. II. Determination of amide residues in nanomolar amounts of proteins (136) 361

Amines
Chromatography of Dns derivatives on pre-coated HPTLC plates (131) 109

Amines
GC-MS identification of urea derivatives formed by the reaction of amines with isocyanates (in German) (135) 401

Amines
Selective concentration of amines from aqueous solutions by a gas purging technique (136) 371

Amines
Formation of amine-N-trifluoroacetyl derivatives from the amine hydrochloride salts (139) 174

Amines
Rapid determination of polyamines and some mono- and diamines in vegetable extracts (in French) (139) 381

Amines, aliphatic
GC separation of lower aliphatic primary amines as their sulphur-containing Schiff bases using a glass capillary column (136) 253

Amines, cyclic
GC determination of cyclic amines, ketones and alcohols, possible metabolites of sweet sulphamates (136) 318

Amino acid analysis
Three-buffer single column analyses on tw buffer amino acid analyzers (133) 386

Amino acid degradation
Ion-exchange chromatographic study of a acid degradation during hydrolysis of avia protein (135) 447

Amino acid enantiomers
Quantitative GC resolution of amino este diastereomers (133) 210

Amino acids
Ligand-exchange separations of amino ac Distribution equilibria of some amino acid between ammoniacal copper(II) nitrate solutions and phosphonic, carboxylic and iminodiacetic ion exchangers in the coppe form (131) 73

Amino acids
Chromatography of Dns derivatives on pr coated HPTLC plates (131) 109

Amino acids
Quantitative analysis of protein and non-protein amino acids by GLC (131) 233

Amino acids
GC resolution of DL-isovaline (132) 152

Amino acids
Improved chromatographic identification coloured amino acid thiohydantoins (132)

Amino acids
GC-MS of the N(O)-heptafluorobutyryl isobutyl esters of the protein amino acids using electron impact ionisation (132) 485

Amino acids
GC separation of diastereoisomeric amino derivatives on glass capillaries. The use o pentafluoropropionyl-amino acid (+)-3-methyl-2-butyl esters (133) 141

Amino acids
Automatic sample introduction system fo GLC analysis of amino acids (133) 203

Amino acids
Distinction of amino alcohols from amino acids by 4-N,N-dimethylaminoazobenzene isothiocyanate (135) 245

Amino acids
Bonded peptide stationary phases for the separation of amino acids and peptides u LC (135) 367

Amino acids
Qualitative and quantitative analysis of common and uncommon amino acids in extracts (135) 377

Amino acids
Determination of lysinoalanine with an automatic amino-acid analyzer (135) 502

cids
e analysis of protein hydrolysates
ng phosphoserine and
threonine using the amino acid
(135) 508

cids
cid analysis by GLC of N-
orobutyryl isobutyl esters. Complete
n using a support-coated open-tubular
column (136) 113

cids
aration of racemates of some amino
German) (136) 186

cids
tive countercurrent chromatography
lowly rotating helical tube (136) 189

cids
cid analysis: A novel reaction
(136) 417

cids
on of L- and D-amino acids as
omeric derivatives by HPLC (136) 428

cids
programmable pocket calculator in
ng amino acid analysis data (137) 475

cids
method for the separation of amino
mino sugars and amino alcohols
o the peptidoglycan components on a
amino acid analyser (138) 458

cids
cid analysis of physiological fluids by
-column programme based on stepwise
with lithium citrate (139) 211

cids
ne: An internal standard for the basic
used in physiological amino acid
(139) 215

cids
on of ninhydrin-positive compounds
gle-column amino acid analyzer using
buffers (140) 103

cids
on of 4-N,N-
laminoazobenzene-4'-thiohydantoins of
cids by TLC on silica gel (140) 125

cids
d procedure for peptide
rization using TLC and a
amine indicator (140) 129

cids, basic
low-salt, alkaline buffer in the elution
amino acids from a single-column
cid analyzer (132) 160

cids, methylated, basic
on of methylated basic amino acids

Amino acids, sulfur-containing
Artifacts in the GC analysis of some sulfur-containing amino acids (138) 223

Aminoacyl-tRNA synthetases
Use of ω-aminohexyl-Sepharose in the fractionation of *Escherichia coli* B aminoacyl-tRNA synthetases (139) 331

Amino alcohols
Distinction of amino alcohols from amino acids by 4-N,N-dimethylaminoazobenzene-4'-isothiocyanate (135) 245

Amino alcohols
Simple method for the separation of amino acids, amino sugars and amino alcohols related to the peptidoglycan components on a standard amino acid analyser (138) 458

Aminobutyric acid
Specific and sensitive method for the determination of γ-aminobutyric acid using GC with electron-capture or mass fragmentographic detection (139) 101

Aminocyclitol antibiotics
Separation of gentamicin C-complex into five components by Craig distribution (131) 191

Aminophenols
HPLC analysis of isomeric aminophenols with electrochemical detection (138) 229

Aminopyridines
TLC separation of several chloro- and methyl-substituted 2-aminopyridines (134) 238

Amino sugars
Simple method for the separation of amino acids, amino sugars and amino alcohols related to the peptidoglycan components on a standard amino acid analyser (138) 458

Aminotriazole
An *in situ* fluorimetric method for the detection and quantitative analysis of fenitrothion, its breakdown products and other amine-generating compounds (132) 315

Amitriptyline
Quantitative determination of amitriptyline and nortriptyline in plasma by HPLC (132) 155

Amitriptyline
Combined TLC and GLC identification of tricyclic antidepressants in urine (132) 237

Amitriptyline
Simultaneous determination of plasma amitriptyline and nortriptyline as trichloroethyl carbamates by electron-capture GC (133) 367

Amitriptyline
Assay of tricyclic structured drugs and their metabolites in urine by HPLC (134) 182

Amitriptyline
Rapid, sensitive GLC method for determination of amitriptyline and

nortriptyline in plasma using a nitrogen-sensitive detector (138) 437

Ammonium salts
Simplified detection of quaternary ammonium compounds by GC (131) 297

Ammonium salts
Influence of alkali metal salts on the migration of quaternary ammonium compounds on silica gel layers (137) 485

Amphetamine
Direct GLC analysis of N-hydroxyamphetamine, a metabolite of amphetamine (135) 200

Amphetamines
Nickel GC columns: An alternative to glass for biological samples (140) 9

Ampholine carrier ampholyte systems
Comparison of the buffer capacities of Ampholine and Servalyt carrier ampholyte systems used in isoelectric focusing (135) 441

Ampholytes
Carrier ampholyte distribution in isoelectric focusing (131) 223

Ampholytes
Itaconic acid carrier ampholytes for isoelectric focusing (134) 279

Ampholytes
Distribution of carrier ampholytes in isoelectric focusing (138) 213

Ampholytes
Isoelectric focusing as a method for the characterization of ampholytes. II. pH measurements in solvent mixtures used in density-gradient isoelectric focusing (140) 149

Ampholyte systems
Comparison of the buffer capacities of Ampholine and Servalyt carrier ampholyte systems used in isoelectric focusing (135) 441

Ampicillin
GC and GC-MS analysis of ampicillin (137) 127

Ampicillin polymers
Polymerization of penicillins. IV. Separation, isolation and characterization of ampicillin polymers formed in aqueous solution (132) 51

Androgens
Chromatographic separation of androgens, estrogens and progestogens on hydroxyalkoxypropyl-Sephadex (Lipidex) (133) 412

Aniline
GC study of binary diffusion of nitrobenzene and aniline in hydrogen (132) 344

Aniline
HPLC analysis of aniline and its metabolites (137) 305

Anisoyldeoxycytidine
Improved synthesis of N^4-anisoyldeoxycytidine using Bio-Rex 5 col (136) 159

Antabuse
Quantitative analysis of disulfiram and i metabolites in human blood by GLC (133

Anthocyanidins
HPLC of anthocyanidins (132) 349

Anthocyanins
Identification of anthocyanins by GLC a (139) 111

Anthraglycosides
Determination of dihydroxydianthrones densitometry after TLC (132) 363

Antibiotics
Separation of gentamicin C-complex into components by Craig distribution (131) 1

Antibiotics
Polymerization of penicillins. IV. Separa isolation and characterization of ampicill polymers formed in aqueous solution (13

Antibiotics
Simple method for the quantitative analy tetracyclines by direct fluorimetry after on cellulose plates (132) 105

Antibiotics
Erythromycin series. V. Quantitative ana of cladinose and methylcladinoside by densitometry of thin-layer chromatogran (132) 309

Antibiotics
Analysis of urinary tract antibacterial ag in pharmaceutical dosage form by HPLC (132) 352

Antibiotics
Simple TLC identification procedure for erythromycin base, stearate, estolate and ethylsuccinate (133) 239

Antibiotics
TLC classification of antibiotics exhibiti antitumor properties (133) 291

Antibiotics
Salt effects in reversed-phase TLC on si gels (133) 355

Antibiotics
Erythromycin series. IV. TLC of erythro erythromycin oxime, erythromycylamine their acyl derivatives (133) 415

Antibiotics
Gel chromatography of tetracycline anti (134) 223

Antibiotics
Preparation of trimethylsilyl derivatives thiamphenicol (134) 365

ics
d-phase HPLC determination of
lines in urine and plasma (134) 441

ics
binding of rifampicin to bovine serum
as measured by gel filtration (135) 25

ics
binding of a series of rifamycins to
serum albumin as measured by the
ase partition" technique (135) 37

ics
methyl esters of natural penicillins
2

ics
nation of cephaloridine in serum and
y HPLC (136) 170

ics
tography of the reduction products of
mycin (136) 432

ics
GC-MS analysis of ampicillin (137) 127

ics
nalysis of gramicidin, a polypeptide
ic (140) 174

ics
d-phase HPLC of doxycycline (140) 293

ies
ison of non-biospecific effects in
affinity chromatography using
n bromide and bifunctional oxirane as
ising agents (135) 427

lants
on of butylated hydroxyanisole
on Sephadex LH-20 (132) 356

lants
ative GC behaviour and detection
2,6-di-*tert.*-butyl-4-methylphenol, 3-
yl-4-hydroxyanisole (BHA), and the
acetate of BHA (133) 363

ne
nd sensitive method for the
nation of antipyrine in biological fluids
(140) 288

phine
rmination of apomorphine in plasma

volatiles
ation of headspace, airborne and
volatiles on Chromosorb 105 for
tion by GC and GC-MS (135) 49

uranosyladenine
by HPLC of 9-β-D-
uranosyladenine 5'-triphosphate levels
e leukemia cells (133) 335

Arabinosides
HPLC of adenine and hypoxanthine arabinosides (139) 370

Aromatic acids, chlorinated
GC identification of some chlorinated aromatic acids, chlorophenols, and their aromatic acid precursors (139) 186

Association, molecular
Thermodynamics of molecular association. Tri-*n*-alkylamine-chloroalkane systems (139) 1

Atmospheric aerosol samples
Reversed two-dimensional technique for multiple separations of benzo[*a*]pyrene from atmospheric aerosol samples (135) 241

Atomic absorption spectrometry
Coupled GC-atomic absorption spectrometry (134) 159

Automatic data collection
Automatic data collection and analysis using an FM tape recorder (132) 533

Automatic sample introduction system
Automatic sample introduction system for GLC analysis of amino acids (133) 203

Azapropazone
Chromatographic analysis of azapropazone and related benzotriazines (131) 448

B

Backflushing gas chromatography
GC with backflushing, with linear temperature programming in the first direction and a programmed longitudinal positive temperature gradient during the opposite direction of gas flow (133) 253

Barbiturates
Routine analysis of barbiturates and some other hypnotic drugs in the blood plasma as an aid to the diagnosis of acute poisoning (131) 131

Barbiturates
GC determination of hexobarbital and its metabolites from biological material (in German) (139) 191

Barbiturates
Sensitive TLC method for urine screening of barbiturates (140) 71

Barbiturates
GC determination of barbiturates by extractive

alkylation and support coated open tubular column separation (140) 165

Barbituric acids
Relative electron capture response of the 2-chloroethyl derivatives of some barbituric acids and anticonvulsant drugs (137) 111

Benactyzine
An ultramicro HPLC method for assaying ion-pair species of benactyzine (140) 300

Benorilate
Identification and quantitation of impurities from benorilate (Salipran) by HPLC (in French) (138) 193

Benzene
GC determination of the heat of adsorption of benzene and its monohalogeno derivatives adsorbed on montmorillonite-pyridinium (in French) (133) 184

Benzene homologues
Qualitative GC analysis and determination of solute properties. Calculation of the retention indices of benzene homologues on squalane (137) 265

Benzidine substitute visualizing agents
Benzidine substitute visualizing agents for iron porphyrins (138) 220

Benzodiazepines
Analysis of benzodiazepines and their hydrolysis products, benzophenones, by reversed-phase HPLC and its application to biological material (in German) (132) 83

Benzodiazepines
Quantitative GC analysis of flunitrazepam in human serum with electron-capture detection (133) 319

Benzodiazepines
Rapid and sensitive electron-capture GC method for the determination of pinazepam and its metabolites in human plasma, urine and milk (135) 133

Benzodiazepines
Analysis of medazepam, diazepam, and metabolites in plasma by GLC with electrolytic conductivity detection (136) 127

Benzodiazepines
Comparison of two GLC methods for the determination of nitrazepam in plasma (136) 259

Benzodiazepines
Analysis of nitrazepam and its metabolites by HPLC (137) 215

Benzodiazepines
Rapid micro-method for the measurement of diazepam and desmethyldiazepam in blood plasma by GLC (137) 439

Benzophenones
Analysis of benzodiazepines and their hydrolysis products, benzophenones, by reversed-phase HPLC and its application t biological material (in German) (132) 83

Benzopyrene
Stability of benzo(*a*)pyrene on silica gel pl for HPTLC (131) 417

Benzopyrene
GC analysis of benzo(*a*)pyrene in cigarett smoke on a nematic liquid crystal (132) 13

Benzopyrene
Reversed two-dimensional technique for multiple separations of benzo(*a*)pyrene fro atmospheric aerosol samples (135) 241

Benzothiazepine
Simple, sensitive and specific GC method the quantification of diltiazem in human b fluids (138) 391

Benzotriazines
Chromatographic analysis of azapropazon and related benzotriazines (131) 448

Benzoylecgonine
Single- and two-step extraction and thin-l detection procedures for benzoylecgonine (cocaine metabolite) alone or in combinati with a wide variety of commonly abused d in urine screening programs (135) 385

Beryllium oxycarboxylates
GC monitoring of the reaction of berylliur oxyacetate and beryllium oxypropionate i acetone solution (140) 93

Bicyclic aromatic hydrocarbons
GC separation and identification of bicycl aromatic hydrocarbons in kerosene (b.p. 2 280°) (137) 198

Bile acids
Bile acid ethyl esters. Their infrequent formation during routine bile acid analysi and identification by GC and MS (131) 437

Bile acids
LC separation of bile acids (133) 273

Bile acids
Isolation and purification of lithocholic ac metabolites produced by the intestinal microflora (133) 327

Bile salts
Detection of bile salts with Komarowsky's reagent and group specific dehydrogenase (136) 348

Binary diffusion coefficients
GC study of binary diffusion of nitrobenz and aniline in hydrogen (132) 344

Bis(monoacylglyceryl) phosphate
Improved TLC method for the separation major phospholipids and glycolipids from plant lipid extracts and phosphatidyl glyc and bis(monoacylglyceryl) phosphate fron animal lipid extracts (140) 179

serum albumin
binding of rifampicin to bovine serum
n as measured by gel filtration (135) 25

serum albumin
binding of a series of rifamycins to
serum albumin as measured by the
hase partition" technique (135) 37

yline
ination of therapeutic levels of
yline in plasma by GLC (134) 524

hlorohydroxypropyl ethers
ntification of butyl 3-chloro-2-
ypropyl ethers and butyl glycidyl ethers
man) (131) 303

lycidyl ethers
ntification of butyl 3-chloro-2-
ypropyl ethers and butyl glycidyl ethers
man) (131) 303

ydroxyanisole
rative GC behaviour and detection
bf 2,6-di-*tert.*-butyl-4-methylphenol, 3-
tyl-4-hydroxyanisole (BHA), and the
oacetate of BHA (133) 363

U
ination of 2,4-diamino-5-(3,4-
ophenyl)-6-methylpyrimidine (BW
n human plasma (137) 449

um chelates
atography of metal chelates. VII. HPLC
l 1,2-diketobisthiobenzhydrazones,
ialkyldithiocarbamates and metal 1,2-
isthiosemicarbazones (137) 153

um chelates
atography of metal chelates. VIII. HPLC
l dithizonates (137) 165

um-EDTA complexes
phoretic investigations of the
xing of cadmium and zinc with EDTA
3

um-modified silica gel
peed LC on cadmium-modified silica gel
1

**ry columns combined with electron-
detection**
nance characteristics of a system
ing a capillary column and an electron-
detector (131) 404

Capillary viscometer coupled to a gel-permeation chromatograph
Coupling of a gel-permeation chromatograph and an automatic capillary viscometer. I. Influence of the column efficiency (132) 187

Capron fibre
Pyrolysis GC of capron (nylon-6) fibre stabilized with ethers of 4-oxydiphenylamine (135) 212

Carbamate pesticides
Comparison of drosophila, rat-liver and bee-head esterases in detecting residues of organophosphorus and carbamate pesticides in vegetables and fruits (133) 245

Carbamazepine
Simultaneous GC analysis for the seven commonly used antiepileptic drugs in serum (136) 332

Carbofuran
Comparison of electron-capture and electrolytic conductivity detection for the GLC analysis of some perfluoro derivatives of four agricultural chemicals (135) 117

Carbofuran
Phenones: A family of compounds broadly applicable to use as internal standards in HPLC. Application to the analysis of carbofuran (138) 41

Carbofuran
Detection of carbofuran and metabolites directly or as their heptafluorobutyryl derivatives using GLC or HPLC with different detectors (138) 143

Carbofuran
Inexpensive temperature control system for HPLC. Application to carbofuran analysis and temperature programming for LC analysis (138) 321

Carbofuran
Simplified method for the determination of residues of carbofuran and its metabolites in crops using GLC-mass fragmentography (140) 209

Carbohydrates
Vanadium pentoxide in sulphuric acid, a general chromogenic spray reagent for carbohydrates (134) 467

Carbohydrates
Sensitive determination of derivatized carbohydrates by HPLC (136) 279

Carbon
Ionization detector for GC with switchable selectivity for carbon, nitrogen and phosphorus (134) 65

Carbon adsorbents
Development and use of carbon adsorbents in HPLSC. II. Reproducibility of carbon

adsorbents and the influence of graphitization on their performance (137) 19

Carbon-carbon single bonds
Identification of substances containing carbon-carbon single bonds by use of reaction GC (131) 291

Carbonyl compounds
Separation and quantitative determination of traces of carbonyl compounds as their 2,4-dinitrophenylhydrazones by HPLC (136) 271

Carboxylic acids
Ion-pair phase systems for the separation of carboxylic acids, sulphonic acids and phenols by HPLC (138) 245

Carcinogens
Extraction of organic compounds from airborne particulate matter for GC analysis (131) 245

Carcinogens
Stability of benzo(*a*)pyrene on silica gel plates for HPTLC (131) 417

Carcinogens
GLC analysis of benzo[*a*]pyrene in cigarette smoke on a nematic liquid crystal (132) 136

Carcinogens
GC and mass fragmentographic assays of carcinogenic polycyclic hydrocarbon epoxide hydratase activity (134) 323

Carcinogens
Simple chemiluminescent detector for the screening of foodstuffs for the presence of volatile nitrosamines (137) 293

Carcinogens
HPLC analysis of aniline and its metabolites (137) 305

Carcinogens
Method for the determination of polycyclic aromatic hydrocarbons in maize by capillary-column GLC (in German) (138) 151

Carcinogens
GC method for the analysis of major polynuclear aromatics in particulate matter (138) 399

Carcinogens
GC determination of methylguanidine, guanidine and agmatine as their hexafluoroacetylacetonates (140) 47

Carcinogens
Photolysis of volatile nitrosamines at the picogram level as an aid to confirmation (140) 284

Cardenolides
Separation of digitalis cardenolides by HPTLC (in German) (138) 238

Carotenoids
Separation of carrot carotenoids on Hyflo Super-Cel-magnesium oxide-calcium sulfa thin layers (139) 149

Carprofen
Determination of the anti-inflammatory a carprofen, (D,L)-6-chloro-α-methylcarbazo acetic acid, in blood by HPLC (136) 391

Carrier ampholytes
Carrier ampholyte distribution in isoelectr focusing (131) 223

Carrier ampholytes
Itaconic acid carrier ampholytes for isoele focusing (134) 279

Carrier ampholytes
Distribution of carrier ampholytes in isoelectric focusing (138) 213

Catalysts
Chromatographic investigations of mixed catalysts (138) 309

Catalysts
GC investigations of the system tricobalt tetroxide-hydrogen (139) 349

Catechol
TLC of chlorinated catechols (135) 395

Catecholamines
HPLC assay of rat-brain dopamine and norepinephrine (137) 357

Catecholamines
PC separation of noradrenaline and its m metabolites (139) 218

Cation exchanger
Synthetic inorganic ion-exchange materia XV. Chromatographic separation of alkali metal ions using phosphoantimonic(V) aci a cation exchanger (134) 507

Cation-exchange resins
Comparison of efficiency of cation-exchan resins in the chromatographic separation metal ions with aqueous acetone-hydroch acid solution (137) 381

Cation exchangers, regeneration
Device for regeneration of cation-exchang resins with hydrochloric acid (133) 237

Cellulose columns
Improvement of the efficiency of ion-exch cellulose columns and their application (135) 287

Central nervous stimulants
Detection of sympathomimetic central ne stimulants with special reference to dopir Comparative study of a conventional extraction procedure and adsorption chromatography using XAD-2 resin (133)

Central nervous stimulants
Detection of sympathomimetic central ne stimulants with special reference to dopir Comparative study of two adsorption

atography methods using different XAD (136) 385

oridine
ination of cephaloridine in serum and by HPLC (136) 170

nes
tion and identification of some ychalcones and their derivatives 43

e-transfer adsorption chromatography
e-transfer adsorption chromatography 30

e-forming ligands
atography of metal chelates. VII. HPLC al 1,2-diketobisthiobenzhydrazones, dialkyldithiocarbamates and metal 1,2-bisthiosemicarbazones (137) 153

e-forming ligands
atography of metal chelates. VIII. HPLC al dithizonates (137) 165

luminescence
luminescence: a new method for ng fluorescent compounds separated by 34) 343

luminescence
ng of chemiluminescence TLC detection dicon rapid scanning detector (134) 513

luminescent detector
chemiluminescent detector for the ing of foodstuffs for the presence of e nitrosamines (137) 293

utanol
tion of chlorbutanol by electron capture 4) 178

iazepoxide
is of benzodiazepines and their ysis products, benzophenones, by ed-phase HPLC and its application to cal material (in German) (132) 83

iazepoxide
reening procedure for some drugs used tment of arthritis: "arthritic cures" bed in Mexico (137) 489

nated aromatic acids
ntification of some chlorinated aromatic chlorophenols, and their aromatic acid sors (139) 186

nated cresols
chlorinated cresols (136) 379

nated hydrocarbons
mpling methods for *s*-tetrachloroethane ner related chlorinated hydrocarbons 33

nated insecticides
tion, detection and densitometric ination of chlorinated insecticides on silica gel and aluminum hydroxide papers (135) 235

Chlorinated organic pesticides
Isolation and determination of chlorinated organic pesticides by TLC and the application to toxicological analysis (131) 275

Chlorinated pesticides
Determination of chlorinated pesticides in potable water (132) 277

Chloroaminopyridines
TLC separation of several chloro- and methyl-substituted 2-aminopyridines (134) 238

Chloromethylcarbazoleacetic acid
Determination of the anti-inflammatory agent carprofen, (D,L)-6-chloro-α-methylcarbazole-2-acetic acid, in blood by HPLC (136) 391

Chloromethylcarbazoleacetic acid
Determination of (*d,l*)-6-chloro-α-methylcarbazole-2-acetic acid in plasma by HPLC (140) 310

Chlorophenols
Determination of chlorophenols by capillary GC (131) 412

Chlorophenols
GC identification of some chlorinated aromatic acids, chlorophenols, and their aromatic acid precursors (139) 186

Chlorophenoxyisobutyric acid
Use of HPLC to measure plasma concentrations of *p*-chlorophenoxyisobutyric acid after administration of clofibrate to humans (137) 218

Chlorophylls
TLC of chlorophylls and their derivatives on cellulose layers (134) 359

Chloroquinaldol
Extractive alkylation of biological samples of clioquinol or chloroquinaldol and determination by electron capture GC (140) 170

Chlorpromazine
Assay of tricyclic structured drugs and their metabolites in urine by HPLC (134) 182

Cholinesterases
Synthesis of an N-methylacridinium-Sepharose: its use in the purification of cholinesterases (in French) (135) 477

Chromatographic parameters
Investigations of the relationship between molecular structure and chromatographic parameters. X. Extraction of organic solutes with mixtures of chloroform and electron-donor solvents (132) 379

Chromium chelates of diketones
Gel chromatography of β-diketones and their metal complexes. VI. Elution behaviour of

various β-diketones and their chromium(III) chelates on different gels (138) 79

Chromogenic reagents
The van Urk-Salkowski reagent: A sensitive and specific chromogenic reagent for silica gel TLC detection and identification of indole derivatives (132) 267

Chromogenic spray reagents
Vanadium pentoxide in sulphuric acid, a general chromogenic spray reagent for carbohydrates (134) 467

Cinnamate derivatives
Chromatography of natural phenolic cinnamate derivatives on Sephadex LH-20 and G-25 (140) 120

Cinnamic acid derivatives
Selective liquid-liquid partition systems for the chromatographic analysis of some coumarins and phenolic acids (derivatives of cinnamic acid) (137) 182

Cinoxacin
Analysis of urinary tract antibacterial agents in pharmaceutical dosage form by HPLC (132) 352

Citral
Production of citral from geraniol. II. Capillary GC-MS investigation of two different oxidation reactions using a graphite porous-layer open-tubular column with a large coating ratio of polar liquid phase (138) 173

Citrovorum factor
LC assay of the calcium salt of citrovorum factor (140) 114

Cladinose
Erythromycin series. V. Quantitative analysis of cladinose and methylcladinoside by densitometry of thin-layer chromatograms (132) 309

Clemizole hexachlorophenate
TLC of active compounds from ointments and suppositories followed by direct quantitative analysis by remission (in German) (131) 391

Clemizole undecylate
TLC of active compounds from ointments and suppositories followed by direct quantitative analysis by remission (in German) (131) 391

Clioquinol
Extractive alkylation of biological samples of clioquinol or chloroquinaldol and determination by electron capture GC (140) 170

Clofibrate
HPLC analysis of drugs in biological fluids. IV. Determination of clofibrinic acid (137) 145

Clofibrate
Use of HPLC to measure plasma concentrations of *p*-chlorophenoxyisobutyric acid after administration of clofibrate to humans (137) 218

Clofibrinic acid
HPLC analysis of drugs in biological fluids
Determination of clofibrinic acid (137) 145

Clonazepam
Determination of clonazepam and its 7-am metabolite in plasma and blood by GC-chemical ionization MS (139) 121

Clonopin
Determination of clonazepam and its 7-am metabolite in plasma and blood by GC-chemical ionization MS (139) 121

Clopidol
Comparison of electron-capture and electrolytic conductivity detection for the G analysis of some perfluoro derivatives of fo agricultural chemicals (135) 117

Clorazepate
Determination of clorazepate and its majo metabolites in blood and urine by electron capture GLC (135) 123

Cloxacillin
Salt effects in reversed-phase TLC on silic gels (133) 355

Cluster expansion for retention volume
Cluster expansion for retention volume in adsorption GC. Adsorption of hydrocarbon graphite (139) 237

Coal-tar dyes
Polyacrylamide gel electrophoresis of wate soluble coal-tar dyes (132) 566

Coating
Dynamic coating of glass capillaries with p phases and Silanox (136) 308

Cobalt chelates
Chromatography of metal chelates. VII. HI of metal 1,2-diketobisthiobenzhydrazones, metal dialkyldithiocarbamates and metal 1 diketobisthiosemicarbazones (137) 153

Cobalt chelates
Chromatography of metal chelates. VIII. H of metal dithizonates (137) 165

Cobalt complexes
Formation of polymeric species by reactio cobalt(III) complexes with ammonium sulphide (133) 425

Cobalt complexes
Effect of the composition and structure of cobalt(III) complexes on their R_F values obtained by partition PC. I. Effect of the position of nitro groups and the chelate ri size (139) 45

Cobalt oxide
Chromatographic investigations of mixed catalysts (138) 309

oxides
vestigations of the system tricobalt
de-hydrogen (139) 349

ne
termination of cocaine in whole blood
asma using a nitrogen-sensitive flame
tion detector (135) 141

ne metabolites
- and two-step extraction and thin-layer
ion procedures for benzoylecgonine
ne metabolite) alone or in combination
wide variety of commonly abused drugs
ne screening programs (135) 385

cine
determination of colchicine and
coside in colchicum (*Colchicum*
nale L.) seeds on a home-made
nary phase (131) 444

coside
determination of colchicine and
coside in colchicum (*Colchicum*
nale L.) seeds on a home-made
nary phase (131) 444

ring reagents
natography on cellulose acetate plates. II.
ring reagents for chromatography on
se acetate plates (in German) (134) 529

n efficiency
vement of the efficiency of ion-exchange
se columns and their application
87

n packing
d slurry packing of LC columns (131) 57

n packings
0 C, Silar 9 CP, SP 2340 and OV-275 in
LC of fatty acid methyl esters on packed
ns. Chromatographic characteristics and
ular structures (135) 93

n preparation
ction of citral from geraniol. II. Capillary
S investigation of two different oxidation
ns using a graphite porous-layer open-
r column with a large coating ratio of
iquid phase (138) 173

ns
GC columns: An alternative to glass for
ical samples (140) 9

ound-selective detector
computer-directed mass spectrometer as
pound-selective detector for GC (134) 39

uter program
uter-assisted prediction of GC
tions (134) 249

ntration effects
ntration effects in GPC. I. Polymer
n properties (134) 263

Congo red dyes
Electrophoretic behaviour of congo red dyes in aqueous dimethylformamide containing an electrolyte (132) 175

Continuous-flow electrophoresis
Convection in continuous-flow electrophoresis (140) 187

Continuous-flow enzyme detector
Continuous-flow enzyme detector for LC (134) 91

Controlled-pore glass
Determination of protein molecular weights in denaturing solvents using glyceryl-CPG (132) 399

Controlled pore glass columns
General permeation chromatography equation and its application to tailor-made controlled pore glass columns (132) 387

Convection
Convection in continuous-flow electrophoresis (140) 187

Cooling gases, industrial
Determination of organic compounds in the hydrogen used for cooling large electricity generators (137) 315

Copolymers, styrene-divinylbenzene
Retention behaviour of a porous styrene-divinylbenzene copolymer in the separation of fatty acids and related compounds (138) 17

Copper
GPC of transition metal ions using Bio-Gels (135) 173

Copper chelates
Chromatography of metal chelates. VII. HPLC of metal 1,2-diketobisthiobenzhydrazones, metal dialkyldithiocarbamates and metal 1,2-diketobisthiosemicarbazones (137) 153

Copper chelates
Chromatography of metal chelates. VIII. HPLC of metal dithizonates (137) 165

Corticosteroid hormones
GLC studies of reactions and structural relationships of steroids. V. Concurrent substitution in the pregnane side-chain and position 11 (133) 107

Coulometric electron-capture detector
Destructive and non-destructive models of the coulometric electron-capture detector (137) 245

Coumarins
Selective liquid-liquid partition systems for the chromatographic analysis of some coumarins and phenolic acids (derivatives of cinnamic acid) (137) 182

Cresols, chlorinated
TLC of chlorinated cresols (136) 379

Crude oils
Isolation of natural surface-active materials of crude oils by adsorption chromatography (139) 135

Cumylphenol
Elution behaviour of some derivatives of 2-(4-hydroxyphenyl)-2-phenylpropane on Sephadex LH-20 in methanol and N,N-dimethylformamide (132) 99

Cumylphenol
Elution behaviour of some derivatives of 2-phenyl-2-(4-hydroxyphenyl)propane on Sephadex LH-20 with acetone and 1,4-dioxan as eluents (135) 473

Curie-point pyrolysis gas chromatography
Short-time pyrolysis and spectroscopy of unstable compounds. V. Improvement in Curie-point pyrolysis GC (136) 420

Cyanine dyes
TLC of some cyanine dyes (135) 221

Cyclic adenosine monophosphate
Preliminary study of the use of dansyl chloride to determine cyclic-3',5'-AMP in tissues (134) 489

Cyclic adenosine monophosphate
Thin-layer electrophoretic separation of the degradation products of cyclic adenosine-3',5'-monophosphate (137) 240

Cycloalkanes
Influence of conformations and structures on retention values of cycloalkanes and cycloalkanones (in French) (138) 63

Cycloalkanones
Influence of conformations and structures on retention values of cycloalkanes and cycloalkanones (in French) (138) 63

Cyclobenzaprine
Determination of various drugs in rodent diet mixtures (131) 357

Cystine
Artifacts in the GC analysis of some sulfur-containing amino acids (138) 223

Cytenamide
Epoxide-diol metabolic pathway of cytenamide in the rat (134) 299

Cytosine
Detection reagent for adenine, guanine, uracil, cytosine and their alkylated bases, nucleotides and nucleosides on thin-layer plates (132) 121

Cytosines
Separation of alkylated guanines, adenines, uracils and cytosines by TLC (131) 265

D

Data acquisition
Precision of contemporary LC measureme (138) 283

Data collection
Automatic data collection and analysis usi an FM tape recorder (132) 533

Data prediction
Computer-assisted prediction of GC separations (134) 249

Data prediction
GC of homologous esters. X. Data predicti properties of a Rohrschneider-type schem (135) 61

Data prediction
GC of homologous esters. XI. Use of ester solutes in a Rohrschneider-type scheme f data prediction (135) 67

Data prediction
New σ_c^* polar effect constants scale adapt to chromatography (in French) (136) 5

Data prediction
Attempt to use HPTLC data for predictio HPLC retention coefficients (in French) (137) 35

Data processing
Use of a programmable pocket calculator processing amino acid analysis data (137)

Data processing
Direct measurement of GC retention volu III. Software (139) 156

DDD
Simple and sensitive GLC method for the determination of *o,p'*-DDD in biological fl (133) 218

DDMP
Determination of 2,4-diamino-5-(3,4-dichlorophenyl)-6-methylpyrimidine (BW 197U) in human plasma (137) 449

Dead-time estimation
Problem of accuracy of mathematical dea time estimation (133) 1

Debrisoquine
Determination of debrisoquine and its 4-hydroxy metabolite in biological fluids by with flame-ionization and nitrogen-select detection (133) 161

Declinax
Determination of debrisoquine and its 4-hydroxy metabolite in biological fluids by with flame-ionization and nitrogen-select detection (133) 161

ytocin
ion of nonapeptides by reversed-phase
132) 27

ytocin
ative analysis of nonapeptides in
ceutical dosage forms by HPLC
9

-gradient isoelectric focusing
ric focusing as a method for the
erization of ampholytes. II. pH
ements in solvent mixtures used in
-gradient isoelectric focusing (140) 149

ibonucleosides
step separation of major and rare
leosides and deoxyribonucleosides by
exchange HPLC for the determination
urity of nucleic acid preparation
1

sugars
spectrophotometric TLC for
ning malondialdehyde and β-formyl
e produced by the periodate oxidation
deoxy sugars (131) 464

ne
ermination of valproic acid in human
(132) 145

mine
ed TLC and GLC identification of
antidepressants in urine (132) 237

hyldiazepam
nicro-method for the measurement of
m and desmethyldiazepam in blood
by GLC (137) 439

rs
on by IR spectrometry in HPLC (in
(132) 295

rs
ction and evaluation of a
statted permittivity detector for column
132) 369

rs
dsorption detector. I. Principles of
on and mechanism of response (133) 31

rs
f the nitrogen response mode of the
nic rubidium silicate detector (133) 37

rs
nide-specific detector for use with
133) 59

rs
rray detector in LC. II. Enhanced
ity via first derivative ($dA/d\lambda$)
tograms (133) 352

rs
ytic conductivity detector as an
-selective GC detector (134) 1

Detectors
Pulse-modulated electron capture detection with nitrogen carrier gas (134) 25

Detectors
Evaluation of a new photoionization detector for organic compounds (134) 49

Detectors
Nitrogen-phosphorus detector and its applications in GC (134) 57

Detectors
Ionization detector for GC with switchable selectivity for carbon, nitrogen and phosphorus (134) 65

Detectors
Positive peak identification in LC using absorbance ratioing with a variable-wavelength spectrophotometric detector (134) 73

Detectors
Enzyme-selective detector systems for HPLC (134) 83

Detectors
Continuous-flow enzyme detector for LC (134) 91

Detectors
Use of fluorescence detection in HPLC (134) 107

Detectors
Fluorescence detector for HPLC (134) 121

Detectors
Selective IR detectors for chromatography (134) 131

Detectors
Mass spectrometer as a substance-selective detector in chromatography (134) 147

Detectors
Coupled GC-atomic absorption spectrometry (134) 159

Detectors
Coupling of chemiluminescence TLC detection to a Vidicon rapid scanning detector (134) 513

Detectors
Optimisation of the performance of a three-electrode thermionic detector for the detection of phosphorus, sulphur and nitrogen compounds by GC (136) 199

Detectors
Improved miniature flow fluorometer for LC (136) 213

Detectors
Non-dispersive atomic fluorescence spectroscopy, a new detector for chromatography (136) 301

Detectors
Fast and sensitive thermal conductivity

detector for use with capillary columns (in German) (137) 13

Detectors
Destructive and non-destructive models of the coulometric electron-capture detector (137) 245

Detectors
Simple chemiluminescent detector for the screening of foodstuffs for the presence of volatile nitrosamines (137) 293

Detectors
Properties of the flow-impedance bridge detector (138) 1

Detectors
Analysis of a gas stream using a manometric technique (in German) (138) 216

Detectors
Silicon detector for GC (140) 1

Detectors
Significance of the rubidium bromide thermionic detector equipped with a gate electrode in the analysis of halogenated dithiocarbamate derivatives (140) 86

Detergents
Preparation and TLC of sulfate conjugates of the component oligomers of Triton X-100 (137) 397

Dextrans
General permeation chromatography equation and its application to tailor-made controlled pore glass columns (132) 387

Dextromethorphan
GLC determination of dextromethorphan in serum and brain (140) 270

Dextropropoxyphene
GC method for the determination of dextropropoxyphene and nordextropropoxyphene in human plasma, serum and urine (140) 280

Diamines
Rapid determination of polyamines and some mono- and diamines in vegetable extracts (in French) (139) 381

Diaminobenzene
Some 1,2-diaminobenzene derivatives as reagents for GC determination of selenium with an electron-capture detector (136) 85

Diarylethanes
Chromatographic behaviour of diastereomers. II. TLC behaviour of diastereomeric 1,2-disubstituted 1,2-diarylethanes (132) 61

Diastereomers
Chromatographic behaviour of diastereomers. II. TLC behaviour of diastereomeric 1,2-disubstituted 1,2-diarylethanes (132) 61

Diastereomers
Chromatographic behaviour of diastereomers. III. TLC behaviour of diastereomeric 4-substituted 6,7-dialkoxy-3-aryl-tetrahydroisoquinolines and -isochromans (132) 73

Diastereomers
HPLC resolution of propoxyphene carbino diastereomers (134) 187

Diazepam
Analysis of benzodiazepines and their hydrolysis products, benzophenones, by reversed-phase HPLC and its application t biological material (in German) (132) 83

Diazepam
Analysis of medazepam, diazepam, and metabolites in plasma by GLC with electrolytic conductivity detection (136) 127

Diazepam
Rapid micro-method for the measurement diazepam and desmethyldiazepam in blood plasma by GLC (137) 439

Diazepam
TLC screening procedure for some drugs u in treatment of arthritis: "arthritic cures" prescribed in Mexico (137) 489

Dibenzoazepine
Epoxide-diol pathway in the metabolism o 5*H*-dibenzo[*b*,*f*]azepine (iminostilbene) (134

Dibenzocycloheptene
"Epoxide-diol" metabolic pathway of 5H-dibenzo[*a*,*d*]cycloheptene in the rat. Studie GC and MS (131) 430

Di(*p*-bromophenyl)-triphenylcyclo-2,4-pentadien-1-methyl ether isomers
Preparative HPLC separation of high-molecular-weight isomers (131) 185

Dibucaine hydrochloride
TLC of active compounds from ointments suppositories followed by direct quantitati analysis by remission (in German) (131) 39

Dibutylmethylphenol
Comparative GC behaviour and detection limits of 2,6-di-*tert.*-butyl-4-methylphenol, *tert.*-butyl-4-hydroxyanisole (BHA), and th trifluoroacetate of BHA (133) 363

Dicarboxylic hydroxy acids
Anion-exchange chromatography of dicarboxylic hydroxy acids (134) 337

Dichlorosulphinylamines
GC analysis of aromatic sulphinylamines. (139) 177

Di(ethylhexyl)phthalate
Determination of di-(2-ethylhexyl)phthalat human placenta (132) 511

Diethylstilbestrol
Comparison of electron-capture and electrolytic conductivity detection for the

sis of some perfluoro derivatives of four ltural chemicals (135) 117

acoum
mination of the rodenticide difenacoum logical materials by HPLC with mation of identity by MS (139) 321

lis cardenolides
ation of digitalis cardenolides by HPTLC rman) (138) 238

droequilin
system for the semi-quantitative analysis ratio of *α*- and β-dihydroequilin in the raction of equine estrogen conjugates 523

drophenylspiro[isobenzopiperidine]
determination of 1,3-dihydro-3-ylspiro[isobenzofuran-1,4-piperidine], HP n biological fluids using a nitrogen-ic detector (136) 401

droxydianthrones
mination of dihydroxydianthrones by tometry after TLC (132) 363

cyanates
e ureas derived from diisocyanates and LC on a 5-cm column (134) 451

ones
romatography of β-diketones and their complexes. VI. Elution behaviour of us β-diketones and their chromium(III) es on different gels (138) 79

zem
e, sensitive and specific GC method for uantification of diltiazem in human body (138) 391

thylbiguanide
mination of metformin in biological by derivatization followed by HPLC 408

roxylenes
dinitro-*p*-xylenes (131) 425

acetylmethadol
taneous determination of acetylmethadol s major metabolites by GLC (135) 205

array detectors
array detector in LC. II. Enhanced ivity via first derivative ($dA/d\lambda$) natograms (133) 352

enin
sis of Fenugreek sapogenins by GLC 222

n
method for the simultaneous mination of 1,4-dioxan and its major olite, β-hydroxyethoxyacetic acid, ntrations in plasma and urine (133) 263

Dipeptides
Chromatographic analysis of phosphonic analogues of dipeptides (in French) (132) 556

Diphenylhydantoin
Simultaneous determination of anticonvulsant drugs by GLC (131) 341

Diphenylhydantoin
Simultaneous GC analysis for the seven commonly used antiepileptic drugs in serum (136) 332

Diphenylhydantoin
TLC analysis of phenytoin and its hydroxy metabolites (137) 231

Diphenylhydantoin
Solvent suppression of the decomposition of phenobarbital during on-column methylation with trimethylanilinium hydroxide (138) 413

Diphosphate
Gel and ion-exchange chromatographic purification of the reaction products between diphosphate and diphosphonate (134) 497

Diphosphonate
Gel and ion-exchange chromatographic purification of the reaction products between diphosphate and diphosphonate (134) 497

Dipropyl acetate
Sensitive GLC method for determination of valproic acid in biological fluids (137) 188

Dipropylacetic acid
GC determination of valproic acid in human plasma (132) 145

Disaccharide oximes
GLC of trimethylsilylated disaccharide oximes (135) 411

Disaccharides
Use of TLC in the separation of disaccharides resulting from digestion of chondroitin sulphates with chondroitinases (136) 342

Disopyramide
HPLC analysis of drugs in biological fluids. III. Analysis of disopyramide and its mono-N-dealkylated metabolite in plasma and urine (132) 503

Distribution coefficients
Partition of metallic elements between a cation-exchanger swollen with water and a solution of metallic chelates in a water-immiscible solvent. I. Dependence of the distribution coefficient on the nature and the concentration of the chelating agent (in French) (133) 15

Disulfiram
Quantitative analysis of disulfiram and its metabolites in human blood by GLC (133) 167

Dithiocarbamate derivatives
Significance of the rubidium bromide thermionic detector equipped with a gate

electrode in the analysis of halogenated dithiocarbamate derivatives (140) 86

Dopamine
HPLC assay of rat-brain dopamine and norepinephrine (137) 357

Doping
Estimation of chlorbutanol by electron capture GC (134) 178

Doping
Detection of sympathomimetic central nervous stimulants with special reference to doping. II. Comparative study of two adsorption chromatography methods using different XAD resins (136) 385

Doxorubicin hydrochloride
Determination of doxorubicin hydrochloride in pharmaceutical preparations using HPLC (131) 375

Doxycycline
Reversed-phase HPLC of doxycycline (140) 293

Drug monitoring
New GC assay for the quantification of methadone. Application in human and animal studies (131) 329

Drug monitoring
GC determination of cocaine in whole blood and plasma using a nitrogen-sensitive flame ionization detector (135) 141

Drug monitoring
Single- and two-step extraction and thin-layer detection procedures for benzoylecgonine (cocaine metabolite) alone or in combination with a wide variety of commonly abused drugs in urine screening programs (135) 385

Drug monitoring
Application of the extractive alkylation technique to the pentafluorobenzylation of morphine (a heroin metabolite) and surrogates, with special reference to the quantitative determination of plasma morphine levels using mass fragmentography (136) 409

Drug monitoring
Separation and detection of phencyclidine in urine by GC (137) 135

Drugs, analgesic
Chromatographic analysis of azapropazone and related benzotriazines (131) 448

Drugs, analgesic
GC determination of propoxyphene and norpropoxyphene in plasma (132) 287

Drugs, analgesic
HPLC resolution of propoxyphene carbinol diastereomers (134) 187

Drugs, analgesic
Quantitative GC determination of nefopam in plasma (136) 154

Drugs, analgesic
Identification and quantitation of impurities from benorilate (Salipran) by HPLC (in French) (138) 193

Drugs, analgesic
Analysis of trace amounts of acetylsalicylic anhydride in acetylsalicylic acid (140) 131

Drugs, analgesic
GC method for the determination of dextropropoxyphene and nordextropropoxyphene in human plasma, serum and urine (140) 280

Drugs, anesthetic
GC determination of cocaine in whole blood and plasma using a nitrogen-sensitive flame ionization detector (135) 141

Drugs, anti-arrhythmic
HPLC analysis of drugs in biological fluids. III. Analysis of disopyramide and its mono-dealkylated metabolite in plasma and urine (132) 503

Drugs, anti-arrhythmic
HPLC analysis of drugs in biological fluids. Analysis of acebutolol and its major metabolite (138) 183

Drugs, antibiotic, see Antibiotics

Drugs, anticoagulant
Biochemical applications of a quantitative HPLC assay of warfarin and its metabolites (131) 365

Drugs, anticoagulant
Analysis of warfarin in plasma by HPLC (135) 149

Drugs, anticonvulsant
Simultaneous determination of anticonvulsant drugs by GLC (131) 341

Drugs, anticonvulsant
GLC determination of primidone in plasma (132) 140

Drugs, anticonvulsant
GC determination of valproic acid in human plasma (132) 145

Drugs, anticonvulsant
Analysis of medazepam, diazepam, and metabolites in plasma by GLC with electrolytic conductivity detection (136) 127

Drugs, anticonvulsant
Comparison of two GLC methods for the determination of nitrazepam in plasma (136) 259

Drugs, anticonvulsant
Simultaneous GC analysis for the seven commonly used antiepileptic drugs in serum (136) 332

Drugs, anticonvulsant
Relative electron capture response of the 2

oethyl derivatives of some barbituric and anticonvulsant drugs (137) 111

s, anticonvulsant
tive GLC method for determination of oic acid in biological fluids (137) 188

s, anticonvulsant
of eight anticonvulsant drugs in plasma 206

s, anticonvulsant
ysis of nitrazepam and its metabolites by C (137) 215

s, anticonvulsant
analysis of phenytoin and its hydroxy bolites (137) 231

s, anticonvulsant
d micro-method for the measurement of pam and desmethyldiazepam in blood na by GLC (137) 439

s, anticonvulsant
nt suppression of the decomposition of obarbital during on-column methylation trimethylanilinium hydroxide (138) 413

s, anticonvulsant
rmination of clonazepam and its 7-amino bolite in plasma and blood by GC-ical ionization MS (139) 121

s, antidepressant
mated high-resolution GC analysis of notropic drugs in biological fluids using -tubular glass capillary columns. I. rmination of nomifensine in human na (131) 347

s, antidepressant
xide-diol" metabolic pathway of 5H-zo[*a,d*]cycloheptene in the rat. Studies by nd MS (131) 430

s, antidepressant
y of human plasma for nortriptyline by acetylation and TLC (132) 45

s, antidepressant
titative determination of amitriptyline nortriptyline in plasma by HPLC (132) 155

s, antidepressant
bined TLC and GLC identification of clic antidepressants in urine (132) 237

s, antidepressant
rmination of (+)-3*R*),(4*S*)-3-[(4-oxyphenoxy)methyl]-1-methyl-4-ylpiperidine hydrochloride (FG 4963) in gical fluids using competition for ption to glass (133) 147

s, antidepressant
bic fractionation in TLC (133) 281

s, antidepressant
ltaneous determination of plasma iptyline and nortriptyline as trichloroethyl carbamates by electron-capture GC (133) 367

Drugs, antidepressant
Assay of tricyclic structured drugs and their metabolites in urine by HPLC (134) 182

Drugs, antidepressant
Determination of therapeutic levels of butriptyline in plasma by GLC (134) 524

Drugs, antidepressant
CLC of tricyclic antidepressants (138) 431

Drugs, antidepressant
Rapid, sensitive GLC method for determination of amitriptyline and nortriptyline in plasma using a nitrogen-sensitive detector (138) 437

Drugs, antihypertensive
Determination of debrisoquine and its 4-hydroxy metabolite in biological fluids by GC with flame-ionization and nitrogen-selective detection (133) 161

Drugs, antihypertensive
Determination of hydralazine in tablets by GC (137) 431

Drugs, antihypertensive
Identification of selected antihypertensive drugs by TLC (138) 111

Drugs, anti-inflammatory
Determination of the anti-inflammatory agent carprofen, (D,L)-6-chloro-α-methylcarbazole-2-acetic acid, in blood by HPLC (136) 391

Drugs, anti-inflammatory
Determination of (*d,l*)-6-chloro-α-methylcarbazole-2-acetic acid in plasma by HPLC (140) 310

Drugs, antimycotic
Extractive alkylation of biological samples of clioquinol or chloroquinaldol and determination by electron capture GC (140) 170

Drugs, antithyroid
Quantitative detection of estrogens and antithyroid drugs by TLC and HPTLC in animal tissue (in German) (134) 351

Drugs, antituberculous
Determination of prothionamide and its sulphoxide metabolite in physiological fluids by quantitative TLC (132) 562

Drugs, antituberculous
Determination of hydrazine metabolites of isoniazid in human urine by GC (138) 165

Drugs, antitussive
GLC determination of dextromethorphan in serum and brain (140) 270

Drugs, cytostatic
Determination of doxorubicin hydrochloride in

pharmaceutical preparations using HPLC (131) 375

Drugs, cytostatic
Simple and sensitive GLC method for the determination of *o,p'*-DDD in biological fluids (133) 218

Drugs, cytostatic
Analysis by HPLC of 9-β-D-arabinofuranosyladenine 5'-triphosphate levels in murine leukemia cells (133) 335

Drugs, cytostatic
HPLC analysis of ftorafur and its metabolites in biological fluids (134) 219

Drugs, cytostatic
Determination of 2,4-diamino-5-(3,4-dichlorophenyl)-6-methylpyrimidine (BW 197U) in human plasma (137) 449

Drugs, cytostatic
HPLC of Catharanthus alkaloids (139) 203

Drugs, hypnotic
Routine analysis of barbiturates and some other hypnotic drugs in the blood plasma as an aid to the diagnosis of acute poisoning (131) 131

Drugs, hypnotic
Rapid micro-method for the measurement of ethchlorvynol in blood plasma and in urine by GLC (137) 119

Drugs, hypnotic
GC determination of hexobarbital and its metabolites from biological material (in German) (139) 191

Drugs, hypnotic
Sensitive TLC method for urine screening of barbiturates (140) 71

Drugs, hypnotic
GC determination of barbiturates by extractive alkylation and support coated open tubular column separation (140) 165

Drugs, hypoglycaemic
Determination of metformin in biological fluids by derivatization followed by HPLC (133) 408

Drugs, hypolipidaemic
HPLC analysis of drugs in biological fluids. IV. Determination of clofibrinic acid (137) 145

Drugs, hypolipidaemic
Use of HPLC to measure plasma concentrations of *p*-chlorophenoxyisobutyric acid after administration of clofibrate to humans (137) 218

Drugs, laxative
Determination of dihydroxydianthrones by densitometry after TLC (132) 363

Drugs, psychostimulant
Combined GLC-MS analysis of pemoline in biological samples (134) 415

Drugs, psychostimulant
GC determination of pemoline as 5-phenyl-2 oxazolidinedione in human urine (137) 333

Drugs, psychostimulant
GC determination of pemoline in biological fluids using electron capture detection (137) 343

Drugs, psychostimulant
TLC determination of pemoline in urine aft ingestion of therapeutic doses (in German) (140) 134

Drugs, spasmolytic
Determination of papaverine in blood samp by GLC and mass fragmentography (133) 15

Drugs, spasmolytic
Retention behaviour of a bonded reversed phase in a HPLC assay of serum theophylli (135) 419

Drugs, tranquilizers
Analysis of benzodiazepines and their hydrolysis products, benzophenones, by reversed-phase HPLC and its application to biological material (in German) (132) 83

Drugs, tranquilizers
Quantitative GC analysis of flunitrazepam i human serum with electron-capture detecti (133) 319

Drugs, tranquilizers
Determination of clorazepate and its major metabolites in blood and urine by electron capture GLC (135) 123

Drugs, tranquilizers
Rapid and sensitive electron-capture GC method for the determination of pinazepam and its metabolites in human plasma, urine and milk (135) 133

Drugs, tranquilizers
Analysis of medazepam, diazepam, and metabolites in plasma by GLC with electrolytic conductivity detection (136) 127

Drugs, tranquilizers
Comparison of two GLC methods for the determination of nitrazepam in plasma (136) 259

Drugs, tranquilizers
Analysis of nitrazepam and its metabolites HPLC (137) 215

Drugs, tranquilizers
Rapid micro-method for the measurement diazepam and desmethyldiazepam in blood plasma by GLC (137) 439

Drugs, tranquilizers
An ultramicro HPLC method for assaying i pair species of benactyzine (140) 300

detection
del flame ionization detection-total ion
nt recording in capillary GC-chemical
ation MS (132) 249

cophoretic behaviour of congo red dyes in
ous dimethylformamide containing an
colyte (132) 175

acrylamide gel electrophoresis of water-
le coal-tar dyes (132) 566

of some cyanine dyes (135) 221

of Sudan dyes (136) 353

ectric focusing as a puzzle (137) 171

trolytic conductivity detector
trolytic conductivity detector as an
ent-selective GC detector (134) 1

tron-capture detector
ructive and non-destructive models of the
ometric electron-capture detector (137) 245

tron-capture detector combined with a
lary column
ormance characteristics of a system
ining a capillary column and an electron-
ure detector (131) 404

tron capture detectors
e-modulated electron capture detection
nitrogen carrier gas (134) 25

tropherograms, evaluation
rescence photometry of thin-layer
matograms and electropherograms
49

trophoresis
ection in continuous-flow electrophoresis
187

ental analysis
inuous elemental analysis of nitrogen-
ining substances by the use of GC
285

in
tion and determination of chlorinated
ic pesticides by TLC and the application
xicological analysis (131) 275

Enzyme detector
Continuous-flow enzyme detector for LC (134) 91

Enzymes
Purification of β-N-acetyl-D-glucosaminidase of the horseshoe crab by affinity chromatography (136) 141

Enzymes
Polyacrylamide gradient electrophoresis for protein purification on the milligram scale (137) 69

Enzymes
Quantitative TLC assay for the β-neoagarotetraose hydrolase of *Pseudomonas atlantica* (137) 234

Enzymes
Isolation of synthetic enzyme-dextran conjugates by chromatography on concanavalin A-Sepharose (137) 468

Enzymes
Purification of α-L-fucosidase from various sources by affinity chromatography (139) 283

Enzymes
Use of ω-aminohexyl-Sepharose in the fractionation of *Escherichia coli* B aminoacyl-tRNA synthetases (139) 331

Enzyme-selective detector systems
Enzyme-selective detector systems for HPLC (134) 83

Epichlorohydrin
Investigation of the reaction of epichlorohydrin with 1-butanol by gel chromatography (139) 141

Epilim
GC determination of valproic acid in human plasma (132) 145

Epoxide hydratase
GC and mass fragmentographic assays of carcinogenic polycyclic hydrocarbon epoxide hydratase activity (134) 323

Equine estrogens
TLC system for the semi-quantitative analysis of the ratio of α- and β-dihydroequilin in the diol fraction of equine estrogen conjugates (135) 523

Ergot alkaloids
Trace enrichment techniques in reversed-phase HPLC (136) 63

Erythromycin
Erythromycin series. V. Quantitative analysis of cladinose and methylcladinoside by densitometry of thin-layer chromatograms (132) 309

Erythromycin
Simple TLC identification procedure for erythromycin base, stearate, estolate and ethylsuccinate (133) 239

Erythromycin
Erythromycin series. IV. TLC of erythromycin, erythromycin oxime, erythromycylamine and their acyl derivatives (133) 415

Essential oils
Whisker-walled open-tubular glass columns in GC. III. Applications (132) 231

Esterase activity
Determination of paraoxon by combined bovine liver esterase inhibition and GLC (138) 423

Estrogen conjugates
Separation of estrogen glucuronides, sulphates and phosphates on ion-exchange cellulose by HPLC (135) 305

Estrogenic compounds
HPLC separation of pharmaceutical compounds using a mobile phase containing silver nitrate (136) 337

Estrogens
Chromatographic separation of androgens, estrogens and progestogens on hydroxyalkoxypropyl-Sephadex (Lipidex) (133) 412

Estrogens
Quantitative detection of estrogens and antithyroid drugs by TLC and HPTLC in animal tissue (in German) (134) 351

Estrogens
TLC system for the semi-quantitative analysis of the ratio of α- and β-dihydroequilin in the diol fraction of equine estrogen conjugates (135) 523

Ethanolamine plasmalogen
TLC resolution of molecular species of ethanolamine plasmalogen quantitatively unique to myelin (135) 229

Ethchlorvynol
Rapid micro-method for the measurement of ethchlorvynol in blood plasma and in urine by GLC (137) 119

Ethers
Behaviour of ethers. VII. Principle of determination of the polar effect constants (in French) (133) 7

Ethosuccinimide
Simultaneous GC analysis for the seven commonly used antiepileptic drugs in serum (136) 332

Ethosuximide
Simultaneous determination of anticonvulsant drugs by GLC (131) 341

Ethoxyquin
Nondestructive distinction between aflatoxin B_1 and ethoxyquin in TLC (132) 115

Ethylhexanol
Evaluation of solvent properties. A comparis of esters of 2-ethylhexanol (133) 190

Ethylphenols
Quantitative GC analysis on support-coated open tubular capillary columns. I. Analysis o isomeric ethylphenols (140) 245

Ethynyl estradiol
Simultaneous determination of Trenbolone acetate and ethynyl estradiol in food by combined TLC-GC (in French) (136) 165

Exchangers, chelating
Preparation of chelating exchangers with a polysaccharide network and low cross-linkag (131) 91

F

Fats
Computer processing of fatty acid analysis data (131) 121

Fatty acid methyl esters
Silar 10 C, Silar 9 CP, SP 2340 and OV-275 i the GLC of fatty acid methyl esters on pack columns. Chromatographic characteristics a molecular structures (135) 93

Fatty acid methyl esters
SP 2340 in the glass capillary chromatograp of fatty acid methyl esters (136) 311

Fatty acids
Computer processing of fatty acid analysis data (131) 121

Fatty acids
Fatty acids. XIII. The GLC behaviour of dimethylene-interrupted methyl *cis*-octadecenynoates (131) 239

Fatty acids
Whisker-walled open-tubular glass columns GC. III. Applications (132) 231

Fatty acids
Retention behaviour of a porous styrene-divinylbenzene copolymer in the separation fatty acids and related compounds (138) 17

Fatty acids
Fatty acids. XVII. Chromatographic properti of all isomeric C_{18} furan esters (138) 373

Fatty acids
Fatty acids. XVIII. GLC behaviour of unsaturated furan esters (138) 446

y acids
determination of the volatile fatty acids C_5) including lactic acid after conversion their benzyl esters by nyldiazomethane. Determination of the s in silages (in German) (140) 29

y acids, acetylenic
y acids. XV. TLC behaviour of acetylenic esters on silicic acid (136) 178

y acids, alicyclic
retention characteristics of ω-alicyclic fatty s (136) 323

y alcohols, ethoxylated
ermination of alkyl ethoxylate mixtures by grammed multiple development TLC) 165

pressin
aration of nonapeptides by reversed-phase LC (132) 27

pressin
ntitative analysis of nonapeptides in rmaceutical dosage forms by HPLC) 429

itrothion
in situ fluorimetric method for the ction and quantitative analysis of trothion, its breakdown products and other ne-generating compounds (132) 315

itrothion
of Amberlite XAD-2 resin for the ntitative recovery of fenitrothion from er: A preservation technique (139) 386

protein
fication of α-fetoprotein from rat amniotic l by gel filtration (137) 471

4963
ermination of (+)-3*R*),(4*S*)-3-[(4-noxyphenoxy)methyll-1-methyl-4-nylpiperidine hydrochloride (FG 4963) in ogical fluids using competition for rption to glass (133) 147

thickness
surement of the average thickness of the of stationary phase in dynamically coated s capillary columns for GC (138) 7

ne ionization detection-total ion current rding
llel flame ionization detection-total ion ent recording in capillary GC-chemical zation MS (132) 249

onoids
ration and quantification of flavonoids on TLC silica gel 60 plates (in German) 322

-impedance bridge detector
perties of the flow-impedance bridge ctor (138) 1

Flow splitter
Dynamical flow splitter for use in preparative-scale GC (in German) (139) 249

Flunitrazepam
Quantitative GC analysis of flunitrazepam in human serum with electron-capture detection (133) 319

Fluorescence detection
Use of fluorescence detection in HPLC (134) 107

Fluorescence photometry
Fluorescence photometry of thin-layer chromatograms and electropherograms (133) 49

Fluorescence spectrophotometer
Fluorescence detector for HPLC (134) 121

Fluorometer
Improved miniature flow fluorometer for LC (136) 213

Folate-binding protein
Difference between free and ligand-bound folate-binding protein in cow's milk concerning affinity for chromatographic gels (134) 517

Folithion
Use of Amberlite XAD-2 resin for the quantitative recovery of fenitrothion from water: A preservation technique (139) 386

Foodstuffs, fatty
Determination of organochlorine insecticide residues in fatty foodstuffs using a clean-up technique based on a single column of activated alumina (137) 405

Formyl pyruvate
Direct spectrophotometric TLC for determining malondialdehyde and β-formyl pyruvate produced by the periodate oxidation of some deoxy sugars (131) 464

Ftorafur
HPLC analysis of ftorafur and its metabolites in biological fluids (134) 219

Fucosidase
Purification of α-L-fucosidase from various sources by affinity chromatography (139) 283

Fungicides
TLC separation of several chloro- and methyl-substituted 2-aminopyridines (134) 238

Furan esters
Fatty acids. XVII. Chromatographic properties of all isomeric C_{18} furan esters (138) 373

Furan esters
Fatty acids. XVIII. GLC behaviour of unsaturated furan esters (138) 446

G

Gallium complexes
Influence of temperature and degree of resin crosslinking on the anion exchange of phosphate complexes of Ga(III) and In(III) (134) 285

Gangliosides
HPLC of glycosphingolipids (with special reference to gangliosides) (136) 233

Gangliosides
TLC of gangliosides (137) 481

Gas-adsorption chromatography
Effects of surface heterogeneity in non-linear and non-equilibrium gas-adsorption chromatography (137) 1

Gas adsorption chromatography
Cluster expansion for retention volume in adsorption GC. Adsorption of hydrocarbons on graphite (139) 237

Gas chromatography-chemical ionization mass spectrometry
Parallel flame ionization detection-total ion current recording in capillary GC-chemical ionization MS (132) 249

Gas chromatography, computer-assisted
Computer-assisted prediction of GC separations (134) 249

Gas chromatography, preparative-scale
Dynamical flow splitter for use in preparative-scale GC (in German) (139) 249

Gas-solid chromatographic systems
Some remarks on the characterization of GSC systems (133) 349

Gel-permeation chromatograph coupled to a capillary viscometer
Coupling of a gel-permeation chromatograph and an automatic capillary viscometer. I. Influence of the column efficiency (132) 187

Gel permeation chromatography
Concentration effects in GPC. I. Polymer solution properties (134) 263

Gel permeation chromatography
Solute-gel interactions in GPC of small molecules in organic media (135) 470

Gel permeation chromatography
Simple and efficient method of zone spreading correction in GPC (139) 225

Gentamicin C-complex
Separation of gentamicin C-complex into five components by Craig distribution (131) 191

Gentisic acid
Quantitation of patulin pathway metabolite using GLC (132) 17

Geraniol
Production of citral from geraniol. II. Capill GC-MS investigation of two different oxida reactions using a graphite porous-layer ope tubular column with a large coating ratio o polar liquid phase (138) 173

Germicides
Separation of homologous alkylbenzyldimethylammonium chlorides a alkylpyridinium halides by HPLC (134) 459

Glass capillaries
Dynamic coating of glass capillaries with p phases and Silanox (136) 308

Glucagon
Comparison of non-biospecific effects in immunoaffinity chromatography using cyanogen bromide and bifunctional oxirane immobilising agents (135) 427

Glucosides
HPLC of iridoid and secoiridoid glucosides (138) 453

Glutethimide
Routine analysis of barbiturates and some other hypnotic drugs in the blood plasma a an aid to the diagnosis of acute poisoning (131) 131

Glycerides
HPLC analysis of partial glycerides and oth technical lipid mixtures (139) 61

Glyceryl-CPG
Determination of protein molecular weight denaturing solvents using glyceryl-CPG (132) 399

Glycine
Separation of ^{14}C-labeled glycolate pathway metabolites from higher plant photosynthe (133) 396

Glycoflavones
Separation of isomeric glycoflavones by HP (136) 174

Glycolate pathway metabolites
Separation of ^{14}C-labeled glycolate pathway metabolites from higher plant photosynthe (133) 396

Glycolipids
Improved TLC method for the separation o major phospholipids and glycolipids from plant lipid extracts and phosphatidyl glyce and bis(monoacylglyceryl) phosphate from animal lipid extracts (140) 179

Glycosaminoglycans
Simple procedure for combined GC analysi neutral sugars, hexosamines and alditols. Determination of degree of polymerization

go- and polysaccharides and chain weights
glycosaminoglycans (139) 303

rcosides
of methyl glycosides as their trimethylsilyl
ers. The methanolysis and re-N-acetylation
ps (133) 133

rcosphingolipids
LC of glycosphingolipids (with special
erence to gangliosides) (136) 233

amicidin
LC analysis of gramicidin, a polypeptide
ibiotic (140) 174

anidine
determination of methylguanidine,
nidine and agmatine as their
xafluoroacetylacetonates (140) 47

anine
tection reagent for adenine, guanine, uracil,
osine and their alkylated bases, nucleotides
d nucleosides on thin-layer plates (132) 121

anines
paration of alkylated guanines, adenines,
acils and cytosines by TLC (131) 265

H

emopexin
finity chromatography of serum
emopexin (131) 453

lides
e of complex formation equilibria in the
alytical isotachophoresis of strong
ctrolyte ions. Separation of halides and
phates (137) 83

loalkanes
ermodynamics of molecular association. Tri-
lkylamine-chloroalkane systems (139) 1

locarbons
mpling and determination of halocarbons in
bient air using concentration on porous
ymer (134) 375

lofenate
termination of various drugs in rodent diet
xtures (131) 357

lohydroborates
paration of halohydroborates of the type
$H_{10-n}X_n^{2-}$ by high-voltage ionophoresis
German) (139) 291

ad-space analyses
nogram techniques. I. Injection without
losses on capillary GLC columns (in German) (136) 13

Headspace analysis
Vapor pressure of 2,4,6-trinitrotoluene by a GC headspace technique (133) 83

Head-space gas analysis
Quantitative head-space gas analysis by the standard additions method. Determination of hydrophilic solutes in equilibrated gas-aqueous liquid systems (136) 37

Headspace volatiles
Concentration of headspace, airborne and aqueous volatiles on Chromosorb 105 for examination by GC and GC-MS (135) 49

Heat of adsorption
GC determination of the heat of adsorption of benzene and its monohalogeno derivatives adsorbed on montmorillonite-pyridinium (in French) (133) 184

Heat of vaporization
Measurement of heats of vaporization by means of a gas chromatograph (135) 13

Height equivalent to a theoretical plate
Influence of the geometry of support materials on the capacity of an extraction chromatographic system. III. Influence of the exchange kinetics and the flow inhomogeneities on the height equivalent to a theoretical plate (in German) (135) 273

Heptafluorobutyryl isobutyl esters
Amino acid analysis by GLC of N-heptafluorobutyryl isobutyl esters. Complete resolution using a support-coated open-tubular capillary column (136) 113

Herbesser
Simple, sensitive and specific GC method for the quantification of diltiazem in human body fluids (138) 391

Herbicides
Detection of triazine herbicides in soil by a Hill-reaction inhibition technique after TLC (133) 420

Herbicides
Reversed-phase HPLC of some common herbicides (134) 216

Herbicides
Identification of eleven urea herbicides by TLC and GLC. I. Application to natural waters (in French) (134) 483

Herbicides
GLC method with electron-capture detection for the determination of residues of some phenoxyacetic acid herbicides in water as their 2,2,2-trichloroethyl esters (136) 105

Herbicides
Determination of hydrazine metabolites of isoniazid in human urine by GC (138) 165

Herbicides
Quantitative determination of the herbicide paraquat in human plasma by GC and MS methods (139) 311

Heroin
Application of the extractive alkylation technique to the pentafluorobenzylation of morphine (a heroin metabolite) and surrogates, with special reference to the quantitative determination of plasma morphine levels using mass fragmentography (136) 409

Heterogeneity of the surface
Effects of surface heterogeneity in non-linear and non-equilibrium gas-adsorption chromatography (137) 1

Hexachlorophene
TLC of active compounds from ointments and suppositories followed by direct quantitative analysis by remission (in German) (131) 391

Hexobarbital
GC determination of hexobarbital and its metabolites from biological material (in German) (139) 191

Hexosamines
Separation of hexosamines, hexosaminitols and hexosamine-containing di- and trisaccharides on an amino acid analyser (134) 199

Hexosamines
Simple procedure for combined GC analysis of neutral sugars, hexosamines and alditols. Determination of degree of polymerization of oligo- and polysaccharides and chain weights of glycosaminoglycans (139) 303

Hexosaminitols
Separation of hexosamines, hexosaminitols and hexosamine-containing di- and trisaccharides on an amino acid analyser (134) 199

High-performance thin-layer chromatographic plates
Chromatography of Dns derivatives on pre-coated HPTLC plates (131) 109

Hippuric acid
Isotachophoretic analysis of mandelic acid, phenylglyoxylic acid, hippuric acid and methylhippuric acid in urine after occupational exposure to styrene, toluene and/or xylene (132) 469

Histamine
TLC of histidine, histamine and histidyl peptides at picomole level using a unique fluorogenic reaction with fluorescamine (131) 215

Histidine
TLC of histidine, histamine and histidyl peptides at picomole level using a unique fluorogenic reaction with fluorescamine (131) 215

Histidyl peptides
TLC of histidine, histamine and histidyl peptides at picomole level using a unique fluorogenic reaction with fluorescamine (131) 215

Histones
Chromatography of histones on hydroxyapatite columns (137) 222

Homocystine
Artifacts in the GC analysis of some sulfur-containing amino acids (138) 223

Homologous esters
GC of homologous esters. X. Data prediction properties of a Rohrschneider-type scheme (135) 61

Homologous esters
GC of homologous esters. XI. Use of ester solutes in a Rohrschneider-type scheme for data prediction (135) 67

Hop resins
Development of a bonded weak anion-exchange packing suitable for the HPLC of hop resins (133) 97

Hormones
Quantitative determination of phytoecdyson as illustrated by application to species of *Helleborus* (131) 468

Hormones
Chromatographic separation of androgens, estrogens and progestogens on hydroxyalkoxypropyl-Sephadex (Lipidex) (133) 412

Hormones
Separation of estrogen glucuronides, sulpha and phosphates on ion-exchange cellulose b HPLC (135) 305

Hormones
Improved separation of some isomers and epimers of the pregnane series by TLC with repeated development (135) 481

Hormones
TLC system for the semi-quantitative analy of the ratio of α- and β-dihydroequilin in th diol fraction of equine estrogen conjugates (135) 523

HP 505
GLC determination of 1,3-dihydro-3-phenylspiroisobenzofuran-1,4-piperidinel, H 505, in biological fluids using a nitrogen-specific detector (136) 401

Hydralazine
Determination of hydralazine in tablets by (137) 431

drazine metabolites
termination of hydrazine metabolites of niazid in human urine by GC (138) 165

drazinophthalazine
termination of hydralazine in tablets by GC 7) 431

drocarbons
determination of trace amounts of drocarbons in the atmosphere of perimental biological containers (131) 179

drocarbons
isker-walled open-tubular glass columns in . III. Applications (132) 231

drocarbons
romatographic pulsed micro-reactor system studying the kinetics of hydrocarbon versions (133) 359

drocarbons
ordination polymers as adsorbents and tionary phases in GC. I. Poly(chromium(III) henylphosphinate) (138) 337

drocarbons
sorption isotherms of hydrocarbons on γ-mina (138) 347

drocarbons
aster expansion for retention volume in sorption GC. Adsorption of hydrocarbons on aphite (139) 237

drocarbons, aromatic
rface-layer sorbents for group analysis of matic hydrocarbons in petroleum distillates 0) 319

drocarbons, bicyclic aromatic
separation and identification of bicyclic matic hydrocarbons in kerosene (b.p. 200-°) (137) 198

drocarbons, chlorinated
sampling methods for *s*-tetrachloroethane d other related chlorinated hydrocarbons 7) 283

drocarbons, polynuclear
behaviour of some polynuclear drocarbons on cadmium chloride columns dified with Carbowaxes (135) 359

drocarbon stationary phases
drocarbon stationary phases for GLC 2) 181

drochlorothiazide
termination of hydrochlorothiazide in um by HPLC (132) 91

drocortisone
C of active compounds from ointments and positories followed by direct quantitative alysis by remission (in German) (131) 391

drocortisone acetate
C of active compounds from ointments and suppositories followed by direct quantitative analysis by remission (in German) (131) 391

Hydrocortisone caproate
TLC of active compounds from ointments and suppositories followed by direct quantitative analysis by remission (in German) (131) 391

Hydrogen-atmosphere flame ionisation detector
Silicon detector for GC (140) 1

Hydrophilic solutes
Quantitative head-space gas analysis by the standard additions method. Determination of hydrophilic solutes in equilibrated gas-aqueous liquid systems (136) 37

Hydrophobic interaction chromatography
Hydrophobic interaction chromatography on uncharged Sepharose derivatives. Effects of neutral salts on the adsorption of proteins (131) 99

Hydroxy acids
Anion-exchange chromatography of dicarboxylic hydroxy acids (134) 337

Hydroxyamphetamine
Direct GLC analysis of N-hydroxyamphetamine, a metabolite of amphetamine (135) 200

Hydroxyanisole, butylated
Separation of butylated hydroxyanisole isomers on Sephadex LH-20 (132) 356

Hydroxybenzoic acid
Quantitation of patulin pathway metabolites using GLC (132) 17

Hydroxycarbofuran
Detection of carbofuran and metabolites directly or as their heptafluorobutyryl derivatives using GLC or HPLC with different detectors (138) 143

Hydroxychalcones
Separation and identification of some hydroxychalcones and their derivatives (138) 243

Hydroxyethoxyacetic acid
Rapid method for the simultaneous determination of 1,4-dioxan and its major metabolite, β-hydroxyethoxyacetic acid, concentrations in plasma and urine (133) 263

Hydroxyindoleacetic acid
Mass fragmentographic determination of 5-hydroxytryptamine and 5-hydroxyindole-3-acetic acid in brain tissue using deuterated internal standards (134) 407

2-(4-Hydroxyphenyl)-2-phenylpropane
Elution behaviour of some derivatives of 2-(4-hydroxyphenyl)-2-phenylpropane on Sephadex LH-20 in methanol and N,N-dimethylformamide (132) 99

Hydroxyquinolines
Extractive alkylation of biological samples of clioquinol or chloroquinaldol and determination by electron capture GC (140) 170

Hydroxytryptamine
Mass fragmentographic determination of 5-hydroxytryptamine and 5-hydroxyindole-3-acetic acid in brain tissue using deuterated internal standards (134) 407

Hypoxanthine arabinosides
HPLC of adenine and hypoxanthine arabinosides (139) 370

I

Imidazoles
TLC of histidine, histamine and histidyl peptides at picomole level using a unique fluorogenic reaction with fluorescamine (131) 215

Iminostilbene
Epoxide-diol pathway in the metabolism of 5*H*-dibenzo*b,f*azepine (iminostilbene) (134) 307

Imipramine
Combined TLC and GLC identification of tricyclic antidepressants in urine (132) 237

Imipramine
Isotopic fractionation in TLC (133) 281

Imipramine
Assay of tricyclic structured drugs and their metabolites in urine by HPLC (134) 182

Immunoglobulins
Isolation of serum albumin and immunoglobulins by chromatography on Con-A Sepharose and Sephadex G-150 (135) 193

Indanols
Separation of monohydric alkylphenols by GC. II (137) 425

Indium complexes
Influence of temperature and degree of resin crosslinking on the anion exchange of phosphate complexes of Ga(III) and In(III) (134) 285

Indole acids
Chromatographic behaviour of some indole acids on a Sephadex column in water and in the presence of salts (131) 205

Indolealkylamines
Determination of indolealkylamines after selective derivatisation (in German) (134) 385

Indole derivatives
The van Urk-Salkowski reagent: A sensitive and specific chromogenic reagent for silica g TLC detection and identification of indole derivatives (132) 267

Indomethacin
TLC screening procedure for some drugs use in treatment of arthritis: "arthritic cures" prescribed in Mexico (137) 489

Infrared absorption photometry
Selective IR detectors for chromatography (134) 131

Infrared detection
Detection by IR spectrometry in HPLC (in French) (132) 295

Injection of micro-aliquots
GC analysis of lipids with the injection of aliquots of less than 0.05 µl from small samples (132) 543

Ink
GC-MS analysis of tannin hydrolysates from the ink of ancient manuscripts (XIth to XVI century) (134) 433

Inorganic anions
Chromatographic behaviour of inorganic anions on a Sephadex G-15 column (133) 173

Inorganic anions
Paper electrophoretic study of ion-pair formation. XIII. Survey of the ion-pair form properties of monovalent inorganic anions (135) 256

Insecticides
Separation of rotenoids by HPLC (134) 207

Insecticides
Determination of rotenone in pesticide formulations and the separation of six rotenoids by reversed-phase HPLC (134) 210

Insecticides
Separation, detection and densitometric determination of chlorinated insecticides on silica gel and aluminum hydroxide papers (135) 235

Insecticides
Detection of carbofuran and metabolites directly or as their heptafluorobutyryl derivatives using GLC or HPLC with differe detectors (138) 143

Insecticides
Determination of paraoxon by combined bovine liver esterase inhibition and GLC (138) 423

Insecticides
Use of Amberlite XAD-2 resin for the

antitative recovery of fenitrothion from ter: A preservation technique (139) 386

secticides
mplified method for the determination of sidues of carbofuran and its metabolites in ps using GLC-mass fragmentography 0) 209

secticides, organochlorine
termination of organochlorine insecticide sidues in fatty foodstuffs using a clean-up chnique based on a single column of tivated alumina (137) 405

terstitial volume
termination of the interstitial volume of n-exchange columns (134) 191

dide
mplete separation of iodotyrosine-dohistidine-iodide mixtures on thin-layer ates with a single-solvent system (134) 246

dohistidines
mplete separation of iodotyrosine-dohistidine-iodide mixtures on thin-layer ates with a single-solvent system (134) 246

dotyrosines
mplete separation of iodotyrosine-dohistidine-iodide mixtures on thin-layer ates with a single-solvent system (134) 246

n-cluster technique
plication of an ion-cluster technique to the alysis of endogenous hydroxylated mpounds. I. Preparation of a doublet by use a mixture of trimethylsilylimidazole (TSIM) d TSIM-d_3 (135) 109

n-exchange columns
termination of the interstitial volume of n-exchange columns (134) 191

n exchanger
nthanum tellurate, a new inorganic ion changer (136) 176

n-exchange resins, optically active
eparation of optically active ion-exchange sins and resolution of racemates (135) 455

n exchangers
ystalline insoluble acid salts of tetravalent etals. XXVII. Ion exchange of trivalent ions on ionic forms of crystalline zirconium osphate with large interlayer distances 2) 477

n exchangers
rtition of metallic elements between a ion-exchanger swollen with water and a ution of metallic chelates in a water-miscible solvent. I. Dependence of the tribution coefficient on the nature and the ncentration of the chelating agent (in ench) (133) 15

Ion exchangers
Isoelectric chromatography: a new approach in the use of ion exchangers for protein purification (135) 511

Ionization detector
Ionization detector for GC with switchable selectivity for carbon, nitrogen and phosphorus (134) 65

Ionophoresis, high-voltage
High-voltage paper ionophoresis in temperature gradients and non-aqueous solutions (in German) (135) 323

Ion-pair formation
Paper electrophoretic study of ion-pair formation. XIII. Survey of the ion-pair forming properties of monovalent inorganic anions (135) 256

Iridoid glucosides
HPLC of iridoid and secoiridoid glucosides (138) 453

Iron
Adsorption of trivalent iron in the ionic and colloidal states on silica gel impregnated with manganese dioxide (140) 77

Iron porphyrins
Benzidine substitute visualizing agents for iron porphyrins (138) 220

Isochromans
Chromatographic behaviour of diastereomers. III. TLC behaviour of diastereomeric 4-substituted 6,7-dialkoxy-3-aryl-tetrahydroisoquinolines and -isochromans (132) 73

Isoelectric focusing
Carrier ampholyte distribution in isoelectric focusing (131) 223

Isoelectric focusing
Isoelectric focusing as a puzzle (137) 171

Isoelectric focusing
Isoelectric focusing in cylinders of granulated gel (138) 25

Isoelectric focusing
Isoelectric focusing as a method for the characterization of ampholytes. II. pH measurements in solvent mixtures used in density-gradient isoelectric focusing (140) 149

Isohydric solvents
Isohydric solvents in LSCC. Importance for the reproducibility of chromatographic separations and application to the experimental determination of mobile phase polarity (139) 21

Isoniazid
Determination of hydrazine metabolites of isoniazid in human urine by GC (138) 165

Isosteric heat of adsorption
Determination of the isosteric heat of adsorption by adsorption GC (131) 1

Isotachophoresis in narrow-bore tubes
Isotachophoresis in narrow-bore tubes. Influence of the diameter of the separation compartment (132) 205

Isotachophoresis, preparative
Preparative plasma protein fractionation by isotachophoresis in Sephadex columns (132) 437

Isotopic fractionation
Isotopic fractionation in TLC (133) 281

Isovaline
GC resolution of DL-isovaline (132) 152

Itaconic acid
Itaconic acid carrier ampholytes for isoelectric focusing (134) 279

K

Kerosene
GC separation and identification of bicyclic aromatic hydrocarbons in kerosene (b.p. 200-280°) (137) 198

Ketocarbofuran
Detection of carbofuran and metabolites directly or as their heptafluorobutyryl derivatives using GLC or HPLC with different detectors (138) 143

Ketones
Separation and quantitative determination of traces of carbonyl compounds as their 2,4-dinitrophenylhydrazones by HPLC (136) 271

Ketones, cyclic
GC determination of cyclic amines, ketones and alcohols, possible metabolites of sweet sulphamates (136) 318

Ketoses
TLC of the principal ketoses (in French) (132) 339

Krebs-cycle acids
GC of the pyrazoline derivative of trimethyl aconitate (132) 148

L

Lactic acid
GC determination of the volatile fatty acids (C_1-C_5) including lactic acid after conversion into their benzyl esters by phenyldiazomethane. Determination of the acids in silages (in German) (140) 29

Lanthanum tellurate
Lanthanum tellurate, a new inorganic ion exchanger (136) 176

Lead chelates
Chromatography of metal chelates. VII. HPL of metal 1,2-diketobisthiobenzhydrazones, metal dialkyldithiocarbamates and metal 1,2-diketobisthiosemicarbazones (137) 153

Lead chelates
Chromatography of metal chelates. VIII. HPL of metal dithizonates (137) 165

Levopimaric acid
GLC of resin acid esters (136) 245

Librium
Analysis of benzodiazepines and their hydrolysis products, benzophenones, by reversed-phase HPLC and its application to biological material (in German) (132) 83

Ligand exchange
Ligand-exchange chromatography of racemates. IV. Influence of stationary-comple structure on the mechanism of ligand exchange (131) 65

Linuron
Comparison of electron-capture and electrolytic conductivity detection for the GL analysis of some perfluoro derivatives of four agricultural chemicals (135) 117

Lipids
Dry CC of phospholipids (131) 157

Lipids
Preparation of plates with a permanent adsorbent layer and their application in the analytical TLC of lipids (132) 195

Lipids
GC analysis of lipids with the injection of aliquots of less than 0.05 µl from small samples (132) 543

Lipids
HPLC separation and quantitative analysis o synthetic phospholipids (133) 226

Lipids
Sensitive fluorogenic visualization reagent fo the detection of lipids on thin-layer chromatograms (135) 226

pids
C resolution of molecular species of
anolamine plasmalogen quantitatively
ique to myelin (135) 229

pids
PLC of glycosphingolipids (with special
erence to gangliosides) (136) 233

pids
ng-chain phenols. VIII. Quantitative
alysis of the unsaturated constituents of
enolic lipids by TLC-MS (136) 289

pids
mple preparative and analytical TLC method
the rapid isolation of phosphatidic acid
m tissue lipid extracts (137) 194

pids
PLC analysis of partial glycerides and other
hnical lipid mixtures (139) 61

pids
proved TLC method for the separation of
jor phospholipids and glycolipids from
nt lipid extracts and phosphatidyl glycerol
d bis(monoacylglyceryl) phosphate from
imal lipid extracts (140) 179

quid chromatography, precision of easurements
ecision of contemporary LC measurements
8) 283

quid dispenser
st liquid-dispensing device for multi-column
(139) 162

quid phases
uronics as liquid phases for capillary GLC
0) 257

thocholic acid
olation and purification of lithocholic acid
etabolites produced by the intestinal
croflora (133) 327

ngitudinal temperature gradients in liquid romatography
ngitudinal temperature gradients in LC
th a binary mobile phase (138) 329

pressin
paration of nonapeptides by reversed-phase
PLC (132) 27

pressin
antitative analysis of nonapeptides in
armaceutical dosage forms by HPLC
2) 429

sinoalanine
termination of lysinoalanine with an
tomatic amino-acid analyzer (135) 502

M

Macroporous sorbents
Properties and use of the sorbent Spheron SDA in GC (133) 91

Malondialdehyde
Direct spectrophotometric TLC for determining malondialdehyde and β-formyl pyruvate produced by the periodate oxidation of some deoxy sugars (131) 464

Mandelic acid
Isotachophoretic analysis of mandelic acid, phenylglyoxylic acid, hippuric acid and methylhippuric acid in urine after occupational exposure to styrene, toluene and/or xylene (132) 469

Mandelic acid
Preparation of optically active ion-exchange resins and resolution of racemates (135) 455

Marihuana smoke condensate
Cannabis. XVI. Constituents of marihuana smoke condensate (131) 422

Mass spectrometer
Microcomputer-directed mass spectrometer as a compound-selective detector for GC (134) 39

Mass spectrometer
Mass spectrometer as a substance-selective detector in chromatography (134) 147

Medazepam
Analysis of medazepam, diazepam, and metabolites in plasma by GLC with electrolytic conductivity detection (136) 127

Melanosomes
Chromatographic separation of melanosomes (134) 230

Menadione
GC determination of the purity of vitamin K_3 (menadione) (139) 195

Meprobamate
Routine analysis of barbiturates and some other hypnotic drugs in the blood plasma as an aid to the diagnosis of acute poisoning (131) 131

Meprobamate
TLC screening procedure for some drugs used in treatment of arthritis: "arthritic cures" prescribed in Mexico (137) 489

Mercaptopurine
Quantitative determination of metabolites of 6-mercaptopurine in biological materials. II. Advantages of a variable-wavelength HPLC spectrophotometric detector for the determination of 6-thiopurines (137) 61

Mercury chelates
Chromatography of metal chelates. VII. HPLC of metal 1,2-diketobisthiobenzhydrazones, metal dialkyldithiocarbamates and metal 1,2-diketobisthiosemicarbazones (137) 153

Mercury chelates
Chromatography of metal chelates. VIII. HPLC of metal dithizonates (137) 165

Metal chelates
Coupled GC-atomic absorption spectrometry (134) 159

Metal chelates
Chromatography of metal chelates. VII. HPLC of metal 1,2-diketobisthiobenzhydrazones, metal dialkyldithiocarbamates and metal 1,2-diketobisthiosemicarbazones (137) 153

Metal chelates
Chromatography of metal chelates. VIII. HPLC of metal dithizonates (137) 165

Metal complexes
Gel chromatography of β-diketones and their metal complexes. VI. Elution behaviour of various β-diketones and their chromium(III) chelates on different gels (138) 79

Metal ions
Use of aqueous nitrite solutions in reversed-phase chromatography and liquid-liquid extraction (135) 249

Metal ions
Comparison of efficiency of cation-exchange resins in the chromatographic separation of metal ions with aqueous acetone-hydrochloric acid solution (137) 381

Metal ions
Adsorption of trivalent iron in the ionic and colloidal states on silica gel impregnated with manganese dioxide (140) 77

Metals
Postulated tetraphenylporphyrin-zinc tetraphenylporphyrin sandwich complex (132) 131

Metals
Partition of metallic elements between a cation-exchanger swollen with water and a solution of metallic chelates in a water-immiscible solvent. I. Dependence of the distribution coefficient on the nature and the concentration of the chelating agent (in French) (133) 15

Metals
TLC behaviour of metals on DEAE-cellulose in oxalic acid and mixed oxalic acid-hydrochloric acid media (139) 355

Metformin
Determination of metformin in biological fluids by derivatization followed by HPLC (133) 408

Methadol
Simultaneous determination of acetylmethado and its major metabolites by GLC (135) 205

Methadone
New GC assay for the quantification of methadone. Application in human and animal studies (131) 329

Methaqualone
Routine analysis of barbiturates and some other hypnotic drugs in the blood plasma as an aid to the diagnosis of acute poisoning (131) 131

Methodichlorophen
Determination of 2,4-diamino-5-(3,4-dichlorophenyl)-6-methylpyrimidine (BW 197U) in human plasma (137) 449

Methoxyphenols
Separation of monohydric alkylphenols by GC II (137) 425

Methoxypsoralen
Determination of 8-methoxypsoralen in plasma by electron capture GC (140) 157

Methsuccinimide
Simultaneous GC analysis for the seven commonly used antiepileptic drugs in serum (136) 332

Methylated bases
Rapid, quantitative separation by HPLC of methylated bases in transfer RNA (133) 231

Methylcladinoside
Erythromycin series. V. Quantitative analysis of cladinose and methylcladinoside by densitometry of thin-layer chromatograms (132) 309

Methylene group increments
Capillary GC of alkylbenzenes. II. Correlation between the structures and methylene group increments and differences in retention indices of isomers (135) 71

Methyl glycosides
GC of methyl glycosides as their trimethylsily ethers. The methanolysis and re-N-acetylatio steps (133) 133

Methylguanidine
GC determination of methylguanidine, guanidine and agmatine as their hexafluoroacetylacetonates (140) 47

Methylhippuric acid
Isotachophoretic analysis of mandelic acid, phenylglyoxylic acid, hippuric acid and methylhippuric acid in urine after occupational exposure to styrene, toluene and or xylene (132) 469

Methylisoborneol
2-Methylisoborneol, improved synthesis and a quantitative GC method for trace

ncentrations producing odor in water
32) 405

ethylnaphthoquinone
C determination of the purity of vitamin K_3
enadione) (139) 195

ethyl octadecenynoate isomers
tty acids. XIII. The GLC behaviour of
methylene-interrupted methyl *cis*-
tadecenynoates (131) 239

ethylpentynediol
LC of methylpentynol carbamate and its
etabolite 3-methylpentyne-3,4-diol (133) 267

ethylpentynol carbamate
LC of methylpentynol carbamate and its
etabolite 3-methylpentyne-3,4-diol (133) 267

ethylsalicylic acid
uantitation of patulin pathway metabolites
ing GLC (132) 17

ethylthiouracil residues
C determination of methylthiouracil residues
meat and organs of slaughtered animals
40) 266

etoprine
etermination of 2,4-diamino-5-(3,4-
chlorophenyl)-6-methylpyrimidine (BW
7U) in human plasma (137) 449

icro-adsorption detector
icro-adsorption detector. I. Principles of
eration and mechanism of response (133) 31

icrocomputer-directed mass spectrometer
icrocomputer-directed mass spectrometer as
compound-selective detector for GC (134) 39

icro reactor, pulsed
romatographic pulsed micro-reactor system
r studying the kinetics of hydrocarbon
nversions (133) 359

obile phase, binary
ngitudinal temperature gradients in LC
th a binary mobile phase (138) 329

obile phase containing silver nitrate
PLC separation of pharmaceutical
mpounds using a mobile phase containing
ver nitrate (136) 337

obile phase in high-performance liquid romatography
echanisms of separation using the ternary
xture dichloromethane-ethanol-water in
PLC (132) 421

obile phase polarity
ohydric solvents in LSCC. Importance for
e reproducibility of chromatographic
parations and application to the
perimental determination of mobile phase
larity (139) 21

oisture control system
oisture control system for non-polar eluents
in HPLC. I. Reproducible retentions on alumina (133) 67

Molecular weight distribution
Coupling of a gel permeation chromatograph and an automatic capillary viscometer. II. Method for the determination of the molecular weight distribution and of the resolution factor (134) 273

Molecular-weight estimation
Molecular-weight estimation of proteins using Sepharose CL-6B in guanidine hydrochloride (140) 98

Monitor
Radioactivity monitor for HPLC (137) 271

Monoamines
Rapid determination of polyamines and some mono- and diamines in vegetable extracts (in French) (139) 381

Monosaccharides
Simple TLC technique for the separation of mono- and oligosaccharides (132) 172

Monovalent inorganic anions
Paper electrophoretic study of ion-pair formation. XIII. Survey of the ion-pair forming properties of monovalent inorganic anions (135) 256

Morphinans
Chemistry of opium alkaloids. VIII. Separation of opium alkaloids and related compounds by ion-pair HPLC (133) 382

Morphine
Application of the extractive alkylation technique to the pentafluorobenzylation of morphine (a heroin metabolite) and surrogates, with special reference to the quantitative determination of plasma morphine levels using mass fragmentography (136) 409

Multi-column liquid chromatography
Fast liquid-dispensing device for multi-column LC (139) 162

Multicuvette system for liquid chromatography
Electronic system for chart recorder absorbance output of the multicuvette system for LC (132) 335

Muramic acid
Simple GLC technique for the analysis of muramic acid (135) 208

Mycotoxins
Investigation of the structure of mycotoxins and their quantitative analysis. IX. Sterigmatocystins (in German) (136) 182

Myelin
TLC resolution of molecular species of ethanolamine plasmalogen quantitatively unique to myelin (135) 229

N

Nalidixic acid
Analysis of urinary tract antibacterial agents in pharmaceutical dosage form by HPLC (132) 352

Naltrexone
Quantitative determination of naltrexone and naltrexone prodrugs by electron-capture GLC (137) 323

Nanogram techniques
Nanogram techniques. I. Injection without losses on capillary GLC columns (in German) (136) 13

Nanogram techniques
Nanogram techniques. II. Micro-scale preparative GC (in German) (136) 23

Naphthoquinones
Separation of naphthoquinones and lipophilic vitamins by gel chromatography and TLC (133) 345

Narcotic alkaloids
Nickel GC columns: An alternative to glass for biological samples (140) 9

Narcotic antagonists
Quantitative determination of naltrexone and naltrexone prodrugs by electron-capture GLC (137) 323

Nefopam
Quantitative GC determination of nefopam in plasma (136) 154

Neoagarotetraose hydrolase
Quantitative TLC assay for the β-neoagarotetraose hydrolase of *Pseudomonas atlantica* (137) 234

Nickel chelates
Chromatography of metal chelates. VII. HPLC of metal 1,2-diketobisthiobenzhydrazones, metal dialkyldithiocarbamates and metal 1,2-diketobisthiosemicarbazones (137) 153

Nickel chelates
Chromatography of metal chelates. VIII. HPLC of metal dithizonates (137) 165

Nickel gas chromatographic columns
Nickel GC columns: An alternative to glass for biological samples (140) 9

Niridazole
GLC determination of niridazole in biological fluids (131) 442

Nitrate
Microdetermination of nitrate by GC-MS technique with multiple ion detector (140) 41

Nitrazepam
Comparison of two GLC methods for the determination of nitrazepam in plasma (136) 259

Nitrazepam
Analysis of nitrazepam and its metabolites by HPLC (137) 215

Nitrilotriacetic acid
GC determination of nitrilotriacetic acid using a nitrogen-selective detector (136) 423

Nitrite
Nitrosamide-specific detector for use with HPLC (133) 59

Nitrite solutions
Use of aqueous nitrite solutions in reversed-phase chromatography and liquid-liquid extraction (135) 249

Nitrobenzene
GC study of binary diffusion of nitrobenzene and aniline in hydrogen (132) 344

Nitrogen
Ionization detector for GC with switchable selectivity for carbon, nitrogen and phosphorus (134) 65

Nitrogen compounds
Optimisation of the performance of a three-electrode thermionic detector for the detection of phosphorus, sulphur and nitrogen compounds by GC (136) 199

Nitrogen detector
Study of the nitrogen response mode of the thermionic rubidium silicate detector (133) 37

Nitrogen-phosphorus detector
Nitrogen-phosphorus detector and its applications in GC (134) 57

Nitrosamides
Nitrosamide-specific detector for use with HPLC (133) 59

Nitrosamines
Determination of N-nitrosoproline at the nanogram level (132) 37

Nitrosamines
Simple chemiluminescent detector for the screening of foodstuffs for the presence of volatile nitrosamines (137) 293

Nitrosamines
Photolysis of volatile nitrosamines at the picogram level as an aid to confirmation (140) 284

Nitrosocarbamates
Nitrosamide-specific detector for use with HPLC (133) 59

Nitrosoproline
Determination of N-nitrosoproline at the nanogram level (132) 37

omifensine
utomated high-resolution GC analysis of sychotropic drugs in biological fluids using pen-tubular glass capillary columns. I. etermination of nomifensine in human asma (131) 347

onapeptides
eparation of nonapeptides by reversed-phase PLC (132) 27

onapeptides
uantitative analysis of nonapeptides in harmaceutical dosage forms by HPLC 32) 429

on-protein amino acids
uantitative analysis of protein and non-rotein amino acids by GLC (131) 233

oracetylmethadol
imultaneous determination of acetylmethadol nd its major metabolites by GLC (135) 205

oradrenaline
C separation of noradrenaline and its major etabolites (139) 218

ordextropropoxyphene
C method for the determination of extropropoxyphene and ordextropropoxyphene in human plasma, erum and urine (140) 280

orepinephrine
PLC assay of rat-brain dopamine and orepinephrine (137) 357

orleucine
orleucine: An internal standard for the basic olumn used in physiological amino acid nalysis (139) 215

orpropoxyphene
C determination of propoxyphene and orpropoxyphene in plasma (132) 287

orpseudoephedrine
LC determination of pseudoephedrine and orpseudoephedrine in human plasma and rine (140) 275

ortriptyline
ssay of human plasma for nortriptyline by idioacetylation and TLC (132) 45

ortriptyline
uantitative determination of amitriptyline nd nortriptyline in plasma by HPLC (132) 155

ortriptyline
ombined TLC and GLC identification of icyclic antidepressants in urine (132) 237

ortriptyline
multaneous determination of plasma nitriptyline and nortriptyline as chloroethyl carbamates by electron-capture C (133) 367

Nortriptyline
Assay of tricyclic structured drugs and their metabolites in urine by HPLC (134) 182

Nortriptyline
Rapid, sensitive GLC method for determination of amitriptyline and nortriptyline in plasma using a nitrogen-sensitive detector (138) 437

Nucleic acid constituents
Chromatographic behaviour of nucleic acid constituents and of phenols on chitosan thin layers (139) 337

Nucleic acids
LC of nucleic acid components and their analogues on hydroxyethyl methacrylate gels (133) 127

Nucleic acids
Two-dimensional TLC-autoradiography of intracellular purine interconversion products (135) 485

Nucleic acids
Single-step separation of major and rare ribonucleosides and deoxyribonucleosides by cation-exchange HPLC for the determination of the purity of nucleic acid preparation (140) 251

Nucleosides
Detection reagent for adenine, guanine, uracil, cytosine and their alkylated bases, nucleotides and nucleosides on thin-layer plates (132) 121

Nucleosides
Separation of nucleic acid bases and nucleosides by high-performance affinity chromatography (134) 204

Nucleosides
Two-dimensional TLC-autoradiography of intracellular purine interconversion products (135) 485

Nucleosides
Influence of modified nucleosides in *E. coli* transfer RNA on chromatographic mobilities of transfer RNA (137) 93

Nucleosides
Simultaneous analysis of bases, nucleosides and nucleoside mono- and polyphosphates by HPLC (138) 203

Nucleosides
Chromatographic behaviour of nucleic acid constituents and of phenols on chitosan thin layers (139) 337

Nucleosides
HPLC of adenine and hypoxanthine arabinosides (139) 370

Nucleosides
Separation of naturally occurring adenine nucleosides and nucleotides by anion-exchange chromatography (140) 118

Nucleosides
Single-step separation of major and rare ribonucleosides and deoxyribonucleosides by cation-exchange HPLC for the determination of the purity of nucleic acid preparation (140) 251

Nucleotides
Sequence analysis of synthetic oligonucleotides by anion-exchange HPLC (131) 169

Nucleotides
Detection reagent for adenine, guanine, uracil, cytosine and their alkylated bases, nucleotides and nucleosides on thin-layer plates (132) 121

Nucleotides
Analysis by HPLC of 9-β-D-arabinofuranosyladenine 5'-triphosphate levels in murine leukemia cells (133) 335

Nucleotides
Purification of oligodeoxynucleotides on Sephadex G-10 columns (135) 189

Nucleotides
Two-dimensional TLC-autoradiography of intracellular purine interconversion products (135) 485

Nucleotides
Use of an amino-silica column for the HPLC analysis of synthetic oligodeoxynucleotides (137) 351

Nucleotides
Simultaneous analysis of bases, nucleosides and nucleoside mono- and polyphosphates by HPLC (138) 203

Nucleotides
Chromatographic behaviour of nucleic acid constituents and of phenols on chitosan thin layers (139) 337

Nucleotides
Separation of naturally occurring adenine nucleosides and nucleotides by anion-exchange chromatography (140) 118

Nylon-6 fibre
Pyrolysis GC of capron (nylon-6) fibre stabilized with ethers of 4-oxydiphenylamine (135) 212

O

Obstruction factors
Obstruction factors are not always flow dependent (134) 166

Oil fractions
GC separation and identification of bicyclic aromatic hydrocarbons in kerosene (b.p. 200-280°) (137) 198

Oils
Computer processing of fatty acid analysis data (131) 121

Oligodeoxynucleotides
Purification of oligodeoxynucleotides on Sephadex G-10 columns (135) 189

Oligodeoxynucleotides, synthetic
Use of an amino-silica column for the HPLC analysis of synthetic oligodeoxynucleotides (137) 351

Oligomers
Simultaneous separation of oligomeric sugars and oligomers with a terminal aldonic acid group on anion-exchange resins (134) 195

Oligonucleotides
Sequence analysis of synthetic oligonucleotides by anion-exchange HPLC (131) 169

Oligosaccharides
Simple TLC technique for the separation of mono- and oligosaccharides (132) 172

Oligosaccharides
In situ reactions on silica gel thin layers in studies on plant oligosaccharides (134) 242

Oligosaccharides
Simple procedure for combined GC analysis o neutral sugars, hexosamines and alditols. Determination of degree of polymerization of oligo- and polysaccharides and chain weights of glycosaminoglycans (139) 303

Ommochromes
Simultaneous separation of pteridines and ommochrome precursors by PC (133) 423

Open-tubular glass columns, whisker-walled
Whisker-walled open-tubular glass columns i GC. I. Deactivation (132) 217

Open-tubular glass columns, whisker-walled
Whisker-walled open-tubular glass columns i GC. II. Chromatographic performance (132) 2

Open-tubular glass columns, whisker-walled
Whisker-walled open-tubular glass columns i GC. III. Applications (132) 231

Operating parameters in gas chromatograph
Optimization of operating parameters for gla capillary column GC (140) 197

Opium alkaloids
Chemistry of opium alkaloids. VIII. Separatio of opium alkaloids and related compounds by ion-pair HPLC (133) 382

Optical brighteners
Separation of optical brighteners by LSC. II (139) 168

ptimization of operating parameters
ptimization of operating parameters for glass apillary column GC (140) 197

rganic compounds
etermination of organic compounds in the ydrogen used for cooling large electricity enerators (137) 315

rganic compounds
ram-scale preparative separation of *exo-* and *ndo*-isomers by HPLC using a partial recycle echnique (137) 461

rganic contaminants in water
emoval of gas chromatographable organic ompounds from water by a spray aporization technique (132) 537

rganochlorine compounds
C identification of some chlorinated aromatic cids, chlorophenols, and their aromatic acid recursors (139) 186

rganochlorine residues
Method for the separation of organochlorine esidues before GLC analysis (140) 17

rganohalides
Direct aqueous injection GC-MS for analysis f organohalides in water at concentrations elow the parts per billion level (139) 297

rganophosphorus esters
Preparative purification of alkyl nethylphosphonic acid *p*-nitrophenyl esters n Sephadex LH-20 (135) 196

rganophosphorus pesticides
Comparison of drosophila, rat-liver and bee-ead esterases in detecting residues of rganophosphorus and carbamate pesticides in egetables and fruits (133) 245

rganotin stabilizers
Contribution to the GC analysis of organotin tabilizers for polyvinyl chloride (in German) 131) 317

rnipressin
Separation of nonapeptides by reversed-phase HPLC (132) 27

rnipressin
Quantitative analysis of nonapeptides in harmaceutical dosage forms by HPLC 132) 429

xazepam
Analysis of benzodiazepines and their ydrolysis products, benzophenones, by eversed-phase HPLC and its application to iological material (in German) (132) 83

xo acids of phosphorus
Gel and ion-exchange chromatographic urification of the reaction products between iphosphate and diphosphonate (134) 497

Oxo compounds
TLC analysis of oxo and thio compounds (140) 109

Oxolinic acid
Analysis of urinary tract antibacterial agents in pharmaceutical dosage form by HPLC (132) 352

Oxytocin
Separation of nonapeptides by reversed-phase HPLC (132) 27

Oxytocin
Quantitative analysis of nonapeptides in pharmaceutical dosage forms by HPLC (132) 429

P

Packed columns
Contributions to the theory of chromatography (135) 1

Packings
Studies of chromatographic packings comprising chemically bonded phases obtained from porous glass beads. I. Sorption properties and surface heterogeneity (131) 7

Packings
Upward slurry packing of LC columns (131) 57

Packings
Development of a bonded weak anion-exchange packing suitable for the HPLC of hop resins (133) 97

Packings
Retention behaviour of a porous styrene-divinylbenzene copolymer in the separation of fatty acids and related compounds (138) 17

Palladium
GPC of transition metal ions using Bio-Gels (135) 173

Palustric acid
GLC of resin acid esters (136) 245

Papaverine
Determination of papaverine in blood samples by GLC and mass fragmentography (133) 153

Paper chromatography
Contribution to the standardization of results in PC and TLC (in German) (139) 85

Paradols
Pungent compounds. II. Detection and identification of paradols (alkyl 4-hydroxy-3-

methoxyphenethyl ketones) by combined GC-MS (134) 315

Paraoxon
Determination of paraoxon by combined bovine liver esterase inhibition and GLC (138) 423

Paraquat
Quantitative determination of the herbicide paraquat in human plasma by GC and MS methods (139) 311

Parathion
An *in situ* fluorimetric method for the detection and quantitative analysis of fenitrothion, its breakdown products and other amine-generating compounds (132) 315

Parathion-methyl
An *in situ* fluorimetric method for the detection and quantitative analysis of fenitrothion, its breakdown products and other amine-generating compounds (132) 315

Patulin pathway metabolites
Quantitation of patulin pathway metabolites using GLC (132) 17

PCBs
Identification of the individual polychlorinated biphenyls in a mixture by GLC (136) 147

PCBs
Use of ethyl ethers, deuteriomethyl ethers and cyclic *n*-butylboronates of hydroxychlorobiphenyls in identification of metabolites of polychlorinated biphenyls (139) 51

Peak identification
Positive peak identification in LC using absorbance ratioing with a variable-wavelength spectrophotometric detector (134) 73

Pemoline
Combined GLC-MS analysis of pemoline in biological samples (134) 415

Pemoline
GC determination of pemoline as 5-phenyl-2,4-oxazolidinedione in human urine (137) 333

Pemoline
GC determination of pemoline in biological fluids using electron capture detection (137) 343

Pemoline
TLC determination of pemoline in urine after ingestion of therapeutic doses (in German) (140) 134

Penicillins
Polymerization of penicillins. IV. Separation, isolation and characterization of ampicillin polymers formed in aqueous solution (132) 51

Penicillins
Salt effects in reversed-phase TLC on silica gels (133) 355

Penicillins
GLC of methyl esters of natural penicillins (136) 162

Peptides
Separation of nonapeptides by reversed-phas HPLC (132) 27

Peptides
Improved chromatographic identification of coloured amino acid thiohydantoins (132) 303

Peptides
Two-dimensional micro-separation technique for proteins and peptides, combining isoelectric focusing and gel gradient electrophoresis (132) 451

Peptides
HPLC of peptides (135) 155

Peptides
Bonded peptide stationary phases for the separation of amino acids and peptides using LC (135) 367

Peptides
Preparative countercurrent chromatography with a slowly rotating helical tube (136) 189

Peptides
Improved procedure for peptide characterization using TLC and a fluorescamine indicator (140) 129

Peptides
HPLC of peptides (140) 260

Permittivity detector, thermostatted
Construction and evaluation of a thermostatted permittivity detector for colum HPLC (132) 369

Pesticides
Isolation and determination of chlorinated organic pesticides by TLC and the applicatio to toxicological analysis (131) 275

Pesticides
Whisker-walled open-tubular glass columns i GC. III. Applications (132) 231

Pesticides
An *in situ* fluorimetric method for the detection and quantitative analysis of fenitrothion, its breakdown products and oth amine-generating compounds (132) 315

Pesticides
Comparison of drosophila, rat-liver and bee-head esterases in detecting residues of organophosphorus and carbamate pesticides vegetables and fruits (133) 245

Pesticides
Detection of triazine herbicides in soil by a

reaction inhibition technique after TLC
420

cides
ration of rotenoids by HPLC (134) 207

cides
rmination of rotenone in pesticide
ulations and the separation of six
oids by reversed-phase HPLC (134) 210

cides
rsed-phase HPLC of some common
cides (134) 216

cides
separation of several chloro- and methyl-
ituted 2-aminopyridines (134) 238

cides
ification of eleven urea herbicides by
and GLC. I. Application to natural waters
rench) (134) 483

cides
ration, detection and densitometric
rmination of chlorinated insecticides on
gel and aluminum hydroxide papers
235

cides
of chlorinated catechols (135) 395

cides
method with electron-capture detection
ne determination of residues of some
oxyacetic acid herbicides in water as
2,2,2-trichloroethyl esters (136) 105

cides
of chlorinated cresols (136) 379

cides
ones: A family of compounds broadly
cable to use as internal standards in
C. Application to the analysis of
furan (138) 41

cides
ction of carbofuran and metabolites
tly or as their heptafluorobutyryl
atives using GLC or HPLC with different
tors (138) 143

cides
rmination of hydrazine metabolites of
azid in human urine by GC (138) 165

cides
rmination of paraoxon by combined
ne liver esterase inhibition and GLC
423

cides
f the sorbent Spheron SE in the analysis
ace amounts of impurities in water
15

cides
titative determination of the herbicide
paraquat in human plasma by GC and MS methods (139) 311

Pesticides
Use of Amberlite XAD-2 resin for the quantitative recovery of fenitrothion from water: A preservation technique (139) 386

Pesticides
Simplified method for the determination of residues of carbofuran and its metabolites in crops using GLC-mass fragmentography (140) 209

Pesticides, chlorinated
Determination of chlorinated pesticides in potable water (132) 277

Pesticides, organochlorine
Determination of organochlorine insecticide residues in fatty foodstuffs using a clean-up technique based on a single column of activated alumina (137) 405

Petroleum distillates
Surface-layer sorbents for group analysis of aromatic hydrocarbons in petroleum distillates (140) 319

Petroleum fractions, heavy
Rapid method for characterization of heavy petroleum fractions (135) 514

pH effects
Effect of pH on polyelectrolytes in adsorption chromatography (138) 267

Pharmaceutical compounds
HPLC separation of pharmaceutical compounds using a mobile phase containing silver nitrate (136) 337

Pharmaceuticals
Quantitative analysis of nonapeptides in pharmaceutical dosage forms by HPLC (132) 429

Pharmaceuticals
HPLC of iridoid and secoiridoid glucosides (138) 453

Phencyclidine
Separation and detection of phencyclidine in urine by GC (137) 135

Phenobarbital
Simultaneous GC analysis for the seven commonly used antiepileptic drugs in serum (136) 332

Phenobarbital
Solvent suppression of the decomposition of phenobarbital during on-column methylation with trimethylanilinium hydroxide (138) 413

Phenobarbitone
Simultaneous determination of anticonvulsant drugs by GLC (131) 341

Phenolic acids
Selective liquid-liquid partition systems for

the chromatographic analysis of some coumarins and phenolic acids (derivatives of cinnamic acid) (137) 182

Phenolic cinnamate derivatives
Chromatography of natural phenolic cinnamate derivatives on Sephadex LH-20 and G-25 (140) 120

Phenolic lipids
Long-chain phenols. VIII. Quantitative analysis of the unsaturated constituents of phenolic lipids by TLC-MS (136) 289

Phenols
Use of a modified Tenax GC column packing for the direct GC analysis of phenols in water at the ppm level (135) 351

Phenols
Modified TLC method for the detection of phenols (135) 521

Phenols
Analysis of low-boiling isomers of phenols by GC (136) 328

Phenols
Ion-pair phase systems for the separation of carboxylic acids, sulphonic acids and phenols by HPLC (138) 245

Phenols
GC separation of phenols on a polyphenyl ether with six rings. I (139) 69

Phenols
Chromatographic behaviour of nucleic acid constituents and of phenols on chitosan thin layers (139) 337

Phenols, alkyl-substituted
Study of retention behaviour of alkylphenols in straight- and reversed-phase LC and application to the analysis of complex phenolic mixtures in conjunction with GC (136) 45

Phenols, long-chain
Long-chain phenols. VIII. Quantitative analysis of the unsaturated constituents of phenolic lipids by TLC-MS (136) 289

Phenols, long-chain, unsaturated
Long-chain phenols. IX. Compositional studies on the unsaturated phenols of *Anacardium occidentale* (cashew nut-shell liquid) (138) 97

Phenones
Phenones: A family of compounds broadly applicable to use as internal standards in HPLC. Application to the analysis of carbofuran (138) 41

Phenothiazines
Nickel GC columns: An alternative to glass for biological samples (140) 9

Phenoxyacetic acid herbicides
GLC method with electron-capture detection for the determination of residues of some phenoxyacetic acid herbicides in water as their 2,2,2-trichloroethyl esters (136) 105

Phensuccinimide
Simultaneous GC analysis for the seven commonly used antiepileptic drugs in ser (136) 332

Phenylbutazone
TLC screening procedure for some drugs in treatment of arthritis: "arthritic cures" prescribed in Mexico (137) 489

Phenylcyclohexylpiperidine
Separation and detection of phencyclidine urine by GC (137) 135

Phenylglyoxylic acid
Isotachophoretic analysis of mandelic acid phenylglyoxylic acid, hippuric acid and methylhippuric acid in urine after occupational exposure to styrene, toluene or xylene (132) 469

Phenylmercuric compounds
Mechanism of the reaction GC of phenylmercury(II) compounds (138) 381

Phenytoin
TLC analysis of phenytoin and its hydrox metabolites (137) 231

Pheromones
Microchemical methods for the identificat of volatile pheromones (134) 174

Phosphatidic acid
Simple preparative and analytical TLC m for the rapid isolation of phosphatidic aci from tissue lipid extracts (137) 194

Phosphatidyl glycerol
Improved TLC method for the separation major phospholipids and glycolipids from plant lipid extracts and phosphatidyl glyc and bis(monoacylglyceryl) phosphate fron animal lipid extracts (140) 179

Phosphoantimonic acid
Synthetic inorganic ion-exchange materia XV. Chromatographic separation of alkali metal ions using phosphoantimonic(V) aci a cation exchanger (134) 507

Phospholipids
Dry CC of phospholipids (131) 157

Phospholipids
HPLC separation and quantitative analys synthetic phospholipids (133) 226

Phospholipids
Sensitive fluorogenic visualization reagen the detection of lipids on thin-layer chromatograms (135) 226

Phospholipids
Improved TLC method for the separation major phospholipids and glycolipids from plant lipid extracts and phosphatidyl glyc

bis(monoacylglyceryl) phosphate from
aal lipid extracts (140) 179

phonic acid derivatives
separation of phosphonic acid derivatives
366

phorus
zation detector for GC with switchable
tivity for carbon, nitrogen and
phorus (134) 65

phorus compounds
misation of the performance of a three-
rode thermionic detector for the detection
nosphorus, sulphur and nitrogen
pounds by GC (136) 199

phorus detector
ogen-phosphorus detector and its
dications in GC (134) 57

phoserine
plete analysis of protein hydrolysates
aining phosphoserine and
phothreonine using the amino acid
yzer (135) 508

phothreonine
plete analysis of protein hydrolysates
aining phosphoserine and
phothreonine using the amino acid
yzer (135) 508

toionization detector
luation of a new photoionization detector
organic compounds (134) 49

tometry
rescence photometry of thin-layer
matograms and electropherograms
) 49

halate esters
rity of phthalate esters in GC (131) 31

halate esters
ro-determination of total phthalate esters
iological samples by GLC (133) 303

halate esters
ersed-phase adsorption of phthalate esters
n aqueous solutions and their gradient
ion using a high-performance liquid
matograph (133) 402

halimides
determination of some chloroethyl
halimide compounds (134) 397

toecdysones
ntitative determination of phytoecdysones
lustrated by application to species of
eborus (131) 468

nents
LC of plant pigments (135) 217

nents
thin-layer system for the identification of
moderately polar to lipophilic boletus
pigments (in German) (138) 232

Pigments
TLC measurement of low activities of tritiated
substances mixed with non-radioactive
quenching plant pigments (139) 376

Pinazepam
Rapid and sensitive electron-capture GC
method for the determination of pinazepam
and its metabolites in human plasma, urine
and milk (135) 133

Plant pigments
HPLC of plant pigments (135) 217

Plant pigments
TLC measurement of low activities of tritiated
substances mixed with non-radioactive
quenching plant pigments (139) 376

Plasma chromatograph
GC detection modes for the plasma
chromatograph (135) 329

Plasticisers
Identification and determination of 1,3-
diisobutyrate-2,2,4-trimethylpentane (Texanol
isobutyrate) in polyvinyl chloride plastisol
coating formulations (139) 395

Plasticizers
Reversed-phase adsorption of phthalate esters
from aqueous solutions and their gradient
elution using a high-performance liquid
chromatograph (133) 402

Platinum
GPC of transition metal ions using Bio-Gels
(135) 173

Pluronics
Pluronics as liquid phases for capillary GLC
(140) 257

Polar effect constants
Behaviour of ethers. VII. Principle of
determination of the polar effect constants (in
French) (133) 7

Polar effect constants
New σ_c^* polar effect constants scale adapted
to chromatography (in French) (136) 5

Polar effect constants
Incrementation of polar effect constants in
GLC (140) 137

Polarity
Polarity of phthalate esters in GC (131) 31

Polarity of solids
Estimation of polarity of solids by GC (138) 33

Pollutants
Extraction of organic compounds from
airborne particulate matter for GC analysis
(131) 245

Pollutants
Fast quantitative analysis of organic

compounds in airborne particulate matter by GC with selective MS detection (131) 253

Pollutants
Stability of benzo(*a*)pyrene on silica gel plates for HPTLC (131) 417

Pollutants
GLC analysis of benzo[*a*]pyrene in cigarette smoke on a nematic liquid crystal (132) 136

Pollutants
Removal of gas chromatographable organic compounds from water by a spray vaporization technique (132) 537

Pollutants
Sampling and determination of halocarbons in ambient air using concentration on porous polymer (134) 375

Pollutants
Reversed two-dimensional technique for multiple separations of benzo[*a*]pyrene from atmospheric aerosol samples (135) 241

Pollutants
Use of a modified Tenax GC column packing for the direct GC analysis of phenols in water at the ppm level (135) 351

Pollutants
Separation of isomeric alkylphenols by HPLC and GLC techniques (137) 53

Pollutants
Method for the determination of polycyclic aromatic hydrocarbons in maize by capillary-column GLC (in German) (138) 151

Pollutants
GC method for the analysis of major polynuclear aromatics in particulate matter (138) 399

Pollutants
Method for the separation of organochlorine residues before GLC analysis (140) 17

Pollutants, atmospheric
Air sampling methods for *s*-tetrachloroethane and other related chlorinated hydrocarbons (137) 283

Pollutants, atmospheric
Simple and rapid GLSC analysis of trace concentrations of acetaldehyde in urban air (137) 455

Pollutants, chemical
Identification of the individual polychlorinated biphenyls in a mixture by GLC (136) 147

Pollutants, chemical
Use of ethyl ethers, deuteriomethyl ethers and cyclic *n*-butylboronates of hydroxychlorobiphenyls in identification of metabolites of polychlorinated biphenyls (139) 51

Polyacrylic fibres
Pyrolysis GC analysis of some toxic compounds from nitrogen-containing fibres (137) 210

Polyamide fibres
Pyrolysis GC analysis of some toxic compounds from nitrogen-containing fibres (137) 210

Polyamines
High-efficiency cation-exchange chromatography of polypeptides and polyamines in the nanomole range (132) 55

Polyamines
Rapid determination of polyamines and so mono- and diamines in vegetable extracts French) (139) 381

Polyaromatic hydrocarbons
Fast quantitative analysis of organic compounds in airborne particulate matter GC with selective MS detection (131) 253

Polychlorinated biphenyls, see PCBs

Poly(chromium diphenylphosphinate)
Coordination polymers as adsorbents and stationary phases in GC. I. Poly[chromium(diphenylphosphinate] (138) 337

Polycyclic aromatic compounds
Extraction of organic compounds from airborne particulate matter for GC analysis (131) 245

Polycyclic aromatic compounds
Identification of the individual polychlorina biphenyls in a mixture by GLC (136) 147

Polycyclic aromatic hydrocarbons
Stability of benzo(*a*)pyrene on silica gel pla for HPTLC (131) 417

Polycyclic aromatic hydrocarbons
GLC analysis of benzo[*a*]pyrene in cigarette smoke on a nematic liquid crystal (132) 136

Polycyclic aromatic hydrocarbons
GC and mass fragmentographic assays of carcinogenic polycyclic hydrocarbon epoxi hydratase activity (134) 323

Polycyclic aromatic hydrocarbons
Reversed two-dimensional technique for multiple separations of benzo[*a*]pyrene fro atmospheric aerosol samples (135) 241

Polycyclic aromatic hydrocarbons
Method for the determination of polycyclic aromatic hydrocarbons in maize by capilla column GLC (in German) (138) 151

Polycyclic aromatic hydrocarbons
GC method for the analysis of major polynuclear aromatics in particulate matte (138) 399

Polycyclic hydrocarbon epoxides
GC and mass fragmentographic assays of

mogenic polycyclic hydrocarbon epoxide
atase activity (134) 323

(dimethylsiloxane)
erential solvation of
dimethylsiloxane) and poly(methyl
aacrylate) in benzene-methanol mixtures
PC (140) 219

electrolytes
t of pH on polyelectrolytes in adsorption
matography (138) 267

ethylene glycol
parison of chemically bonded and
ically coated polyethylene glycol
onary phases in GC (135) 261

glucosides
cle GPC separation of some acetal alcohol
ereoisomers representing partial
glucosidic sequences (138) 89

hydroxysteroids
ication of an ion-cluster technique to the
ysis of endogenous hydroxylated
pounds. I. Preparation of a doublet by use
mixture of trimethylsilylimidazole (TSIM)
TSIM-d_3 (135) 109

mers
centration effects in GPC. I. Polymer
tion properties (134) 263

mers
rdination polymers as adsorbents and
onary phases in GC. I. Polychromium(III)
enylphosphinate] (138) 337

(methyl methacrylate)
ferential solvation of
(dimethylsiloxane) and poly(methyl
hacrylate) in benzene-methanol mixtures
PC (140) 219

nuclear aromatics
method for the analysis of major
nuclear aromatics in particulate matter
) 399

nuclear hydrocarbons
behaviour of some polynuclear
rocarbons on cadmium chloride columns
ified with Carbowaxes (135) 359

oxyethylene non-ionic surfactants
omatographic studies on the extraction of
oxyethylene alkylphenyl ether non-ionic
actants from water at trace levels (131) 309

peptide antigen
parison of non-biospecific effects in
unoaffinity chromatography using
ogen bromide and bifunctional oxirane as
obilising agents (135) 427

peptides
h-efficiency cation-exchange
matography of polypeptides and
amines in the nanomole range (132) 552

Polypeptides
HPLC analysis of gramicidin, a polypeptide antibiotic (140) 174

Polyphenyl ether
GC separation of phenols on a polyphenyl ether with six rings. I (139) 69

Polysaccharides
Simple procedure for combined GC analysis of neutral sugars, hexosamines and alditols. Determination of degree of polymerization of oligo- and polysaccharides and chain weights of glycosaminoglycans (139) 303

Polyurethane
Improvements in GC columns formed by *in situ* polymerization (134) 170

Porphyrins
Benzidine substitute visualizing agents for iron porphyrins (138) 220

Preferential solvation
Preferential solvation of poly(dimethylsiloxane) and poly(methyl methacrylate) in benzene-methanol mixtures by GPC (140) 219

Pregnane
Improved separation of some isomers and epimers of the pregnane series by TLC with repeated development (135) 481

Prenylquinones
HPLC of natural prenylquinones (135) 493

Preparative countercurrent chromatography
Preparative countercurrent chromatography with a slowly rotating helical tube (136) 189

Preparative high-performance liquid chromatography
Gram-scale preparative separation of *exo*- and *endo*-isomers by HPLC using a partial recycle technique (137) 461

Preparative isotachophoresis
Preparative plasma protein fractionation by isotachophoresis in Sephadex columns (132) 437

Preparative liquid chromatography
Preparative HPLC separation of high-molecular-weight isomers (131) 185

Preparative-scale gas chromatography
Dynamical flow splitter for use in preparative-scale GC (in German) (139) 249

Primidone
Simultaneous determination of anticonvulsant drugs by GLC (131) 341

Primidone
GLC determination of primidone in plasma (132) 140

Primidone
Simultaneous GC analysis for the seven

commonly used antiepileptic drugs in serum (136) 332

Primidone
Solvent suppression of the decomposition of phenobarbital during on-column methylation with trimethylanilinium hydroxide (138) 413

Process control
High-speed GC analysis in process control (139) 259

Progestogens
Chromatographic separation of androgens, estrogens and progestogens on hydroxyalkoxypropyl-Sephadex (Lipidex) (133) 412

Propoxyphene
GC determination of propoxyphene and norpropoxyphene in plasma (132) 287

Propoxyphene carbinol diastereomers
HPLC resolution of propoxyphene carbinol diastereomers (134) 187

Prostaglandins
System for the identification of novel prostaglandins (138) 355

Protein amino acids
Quantitative analysis of protein and non-protein amino acids by GLC (131) 233

Protein amino acids
GC-MS of the N(O)-heptafluorobutyryl isobutyl esters of the protein amino acids using electron impact ionisation (132) 485

Protein amino acids
GC separation of diastereoisomeric amino acid derivatives on glass capillaries. The use of pentafluoropropionyl-amino acid (+)-3-methyl-2-butyl esters (133) 141

Proteins
Hydrophobic interaction chromatography on uncharged Sepharose derivatives. Effects of neutral salts on the adsorption of proteins (131) 99

Proteins
Rapid purification of an RNA tumor virus and proteins by high-performance steric exclusion chromatography on porous glass bead columns (131) 383

Proteins
Analysis of the proteins in sweat and urine by agarose-gel isotachophoresis (132) 261

Proteins
Improved chromatographic identification of coloured amino acid thiohydantoins (132) 303

Proteins
Determination of protein molecular weights in denaturing solvents using glyceryl-CPG (132) 399

Proteins
Preparative plasma protein fractionation by isotachophoresis in Sephadex columns (132) 437

Proteins
Two-dimensional micro-separation techniqu for proteins and peptides, combining isoelectric focusing and gel gradient electrophoresis (132) 451

Proteins
Difference between free and ligand-bound folate-binding protein in cow's milk concerning affinity for chromatographic ge (134) 517

Proteins
Protein binding of rifampicin to bovine ser albumin as measured by gel filtration (135)

Proteins
Protein binding of a series of rifamycins to bovine serum albumin as measured by the "two-phase partition" technique (135) 37

Proteins
Ion-exchange chromatographic study of am acid degradation during hydrolysis of avian protein (135) 447

Proteins
Method for improved protein separation in human and animal sera (135) 463

Proteins
Complete analysis of protein hydrolysates containing phosphoserine and phosphothreonine using the amino acid analyzer (135) 508

Proteins
Isoelectric chromatography: a new approac the use of ion exchangers for protein purification (135) 511

Proteins
Applications of GLC in protein chemistry. Determination of amide residues in nanom amounts of proteins (136) 361

Proteins
Polyacrylamide gradient electrophoresis fo protein purification on the milligram scale (137) 69

Proteins
Isoelectric focusing in cylinders of granula gel (138) 25

Proteins
Use of ω-aminohexyl-Sepharose in the fractionation of *Escherichia coli* B aminoa tRNA synthetases (139) 331

Proteins
Molecular-weight estimation of proteins us Sepharose CL-6B in guanidine hydrochlori (140) 98

ıionamide
rmination of prothionamide and its
ıoxide metabolite in physiological fluids
ıantitative TLC (132) 562

idoephedrine
(determination of pseudoephedrine and
sseudoephedrine in human plasma and
e (140) 275

alens
rmination of 8-methoxypsoralen in
ma by electron capture GC (140) 157

idines
ltaneous separation of pteridines and
ıochrome precursors by PC (133) 423

e damper for liquid chromatography
ble pulse damper for LC (132) 128

ne
-dimensional TLC-autoradiography of
ıcellular purine interconversion products
485

nes
ıration of alkylated guanines, adenines,
ils and cytosines by TLC (131) 265

nes
ıration of nucleic acid bases and
eosides by high-performance affinity
matography (134) 204

nes
ultaneous analysis of bases, nucleosides
nucleoside mono- and polyphosphates by
C (138) 203

nes
ɔmatographic behaviour of nucleic acid
stituents and of phenols on chitosan thin
rs (139) 337

nes, methylated
id, quantitative separation by HPLC of
ıylated bases in transfer RNA (133) 231

midine derivatives
ıration of alkyl derivatives of uracil by
ɔphobic adsorption chromatography on
eron (138) 47

midines
ıration of alkylated guanines, adenines,
ils and cytosines by TLC (131) 265

midines
ıration of nucleic acid bases and
eosides by high-performance affinity
matography (134) 204

midines
ultaneous analysis of bases, nucleosides
nucleoside mono- and polyphosphates by
C (138) 203

midines
ɔmatographic behaviour of nucleic acid
constituents and of phenols on chitosan thin layers (139) 337

Pyrimidines, methylated
Rapid, quantitative separation by HPLC of methylated bases in transfer RNA (133) 231

Pyrolysis gas chromatography
Short-time pyrolysis and spectroscopy of unstable compounds. V. Improvement in Curie-point pyrolysis GC (136) 420

Q

Quaternary ammonium compounds
Simplified detection of quaternary ammonium compounds by GC (131) 297

Quaternary ammonium compounds
Influence of alkali metal salts on the migration of quaternary ammonium compounds on silica gel layers (137) 485

R

Racemates
Ligand-exchange chromatography of racemates. IV. Influence of stationary-complex structure on the mechanism of ligand exchange (131) 65

Radioactivity monitor
Radioactivity monitor for HPLC (137) 271

Reaction chamber
Amino acid analysis: A novel reaction chamber (136) 417

Reagent, van Urk-Salkowski
The van Urk-Salkowski reagent: A sensitive and specific chromogenic reagent for silica gel TLC detection and identification of indole derivatives (132) 267

Regeneration
Device for regeneration of cation-exchange resins with hydrochloric acid (133) 237

Resin acid esters
GLC of resin acid esters (136) 245

Resins
Use of Amberlite XAD-2 resin for the quantitative recovery of fenitrothion from water: A preservation technique (139) 386

Resolution factor
Coupling of a gel permeation chromatograph and an automatic capillary viscometer. II. Method for the determination of the molecular weight distribution and of the resolution factor (134) 273

Retention coefficients, prediction
Attempt to use HPTLC data for prediction of HPLC retention coefficients (in French) (137) 35

Retention index
New σ_c^* polar effect constants scale adapted to chromatography (in French) (136) 5

Retention index
Influence of conformations and structures on retention values of cycloalkanes and cycloalkanones (in French) (138) 63

Retention index
Capillary GC of alkylbenzenes. III. Correlations between the temperature and pressure coefficients of the retention index and structure (138) 119

Retention index
Application of a Taft-type equation to retention data. Additivity of substituent effects (in French) (140) 143

Retention times
Accurate calculation of adjusted retention time. I (135) 183

Retention volume
Direct measurement of GC retention volume. III. Software (139) 156

Retention volume
Cluster expansion for retention volume in adsorption GC. Adsorption of hydrocarbons on graphite (139) 237

Retinal isomers
Simultaneous determination of *cis-trans* isomeric retinals by HPLC (134) 331

Ribonucleosides
Two-dimensional TLC-autoradiography of intracellular purine interconversion products (135) 485

Ribonucleosides
Single-step separation of major and rare ribonucleosides and deoxyribonucleosides by cation-exchange HPLC for the determination of the purity of nucleic acid preparation (140) 251

Ribonucleotides
Two-dimensional TLC-autoradiography of intracellular purine interconversion products (135) 485

Rifampicin
Protein binding of rifampicin to bovine seru albumin as measured by gel filtration (135)

Rifamycins
Protein binding of a series of rifamycins to bovine serum albumin as measured by the "two-phase partition" technique (135) 37

Rilsan
Pyrolysis GC analysis of some toxic compounds from nitrogen-containing fibres (137) 210

RNA, transfer
Rapid, quantitative separation by HPLC of methylated bases in transfer RNA (133) 231

RNA, transfer
Influence of modified nucleosides in *E. coli* transfer RNA on chromatographic mobilities of transfer RNA (137) 93

RNA tumor virus
Rapid purification of an RNA tumor virus a proteins by high-performance steric exclusi chromatography on porous glass bead colum (131) 383

Rodenticides
Biochemical applications of a quantitative HPLC assay of warfarin and its metabolites (131) 365

Rodenticides
Determination of the rodenticide difenacou in biological materials by HPLC with confirmation of identity by MS (139) 321

Rotenoids
Separation of rotenoids by HPLC (134) 207

Rotenoids
Determination of rotenone in pesticide formulations and the separation of six rotenoids by reversed-phase HPLC (134) 21

Rotenone
Determination of rotenone in pesticide formulations and the separation of six rotenoids by reversed-phase HPLC (134) 21

Rubidium bromide thermionic detector
Significance of the rubidium bromide thermionic detector equipped with a gate electrode in the analysis of halogenated dithiocarbamate derivatives (140) 86

harides
ultaneous separation of oligomeric sugars
oligomers with a terminal aldonic acid
p on anion-exchange resins (134) 195

harides
ration of hexosamines, hexosaminitols
hexosamine-containing di- and
ccharides on an amino acid analyser
199

harides
tu reactions on silica gel thin layers in
es on plant oligosaccharides (134) 242

harides
of trimethylsilylated disaccharide oximes
411

harides
itive determination of derivatized
ohydrates by HPLC (136) 279

pran
tification and quantitation of impurities
benorilate (Salipran) by HPLC (in
ch) (138) 193

effects
effects in reversed-phase TLC on silica
(133) 355

ple introduction system
matic sample introduction system for
analysis of amino acids (133) 203

pling device
ple device for sampling from vacuum
ems to gas chromatographs (136) 306

dwich complexes
ulated tetraphenylporphyrin-zinc
phenylporphyrin sandwich complex
131

uinarine
ction and quantitative analysis of
uinarine in edible oils (132) 359

genins
ysis of Fenugreek sapogenins by GLC
222

ff bases, tetradentate
matographic separation of isomeric forms
tetradentate Schiff base derived from
trifluoro-5,5-dimethylhexane-2,4-dione
1,2-diaminoethane (134) 477

T columns
ntitative GC analysis on support-coated
tubular capillary columns. I. Analysis of
eric ethylphenols (140) 245

Secoiridoid glucosides
HPLC of iridoid and secoiridoid glucosides (138) 453

Selected ion monitoring
Mass spectrometer as a substance-selective detector in chromatography (134) 147

Selenium
Determination of selenium in biological samples by GLC with electron-capture detection (136) 73

Selenium
Some 1,2-diaminobenzene derivatives as reagents for GC determination of selenium with an electron-capture detector (136) 85

Selenocysteine
Usefulness of N-ethylmaleimide in the identification of ^{75}Se-labeled selenocysteine (139) 391

Selenoproteins
Usefulness of N-ethylmaleimide in the identification of ^{75}Se-labeled selenocysteine (139) 391

Sensitivity
Sensitivity and the dimensions of the separating medium in TLC (133) 199

Separation mechanisms in high-performance liquid chromatography
Mechanisms of separation using the ternary mixture dichloromethane-ethanol-water in HPLC (132) 421

Sepharose derivatives
Hydrophobic interaction chromatography on uncharged Sepharose derivatives. Effects of neutral salts on the adsorption of proteins (131) 99

Serine
Separation of ^{14}C-labeled glycolate pathway metabolites from higher plant photosynthate (133) 396

Serum albumin
Protein binding of rifampicin to bovine serum albumin as measured by gel filtration (135) 25

Serum albumin
Protein binding of a series of rifamycins to bovine serum albumin as measured by the "two-phase partition" technique (135) 37

Serum albumin
Isolation of serum albumin and immunoglobulins by chromatography on Con-A Sepharose and Sephadex G-150 (135) 193

Servalyt carrier ampholyte systems
Comparison of the buffer capacities of Ampholine and Servalyt carrier ampholyte systems used in isoelectric focusing (135) 441

Silica
Comparison of HPLC and TLC data obtained with various types of silica (131) 408

Silica whiskers
Whisker-walled open-tubular glass columns in GC. I. Deactivation (132) 217

Silicon detector
Silicon detector for GC (140) 1

Silymarins
HPLC separation of silymarins and their determination in crude extracts of *Silybum Marianum Gaertn.* (135) 499

Slurry packing
Upward slurry packing of LC columns (131) 57

Small molecules
Solute-gel interactions in GPC of small molecules in organic media (135) 470

Small-scale thin-layer chromatography
Use of plastic foil in small-scale TLC (134) 235

Sodium Valproate
GC determination of valproic acid in human plasma (132) 145

Solanesol
GC method for the determination of free and total solanesol in tobacco (139) 269

Solids, polarity
Estimation of polarity of solids by GC (138) 33

Solute properties
Qualitative GC analysis and determination of solute properties. Study of the relationship between the molecular structure and GC retention of alkenes on squalane (137) 259

Solute properties
Qualitative GC analysis and determination of solute properties. Calculation of the retention indices of benzene homologues on squalane (137) 265

Solvation, preferential
Preferential solvation of poly(dimethylsiloxane) and poly(methyl methacrylate) in benzene-methanol mixtures by GPC (140) 219

Solvent properties
Evaluation of solvent properties. A comparison of esters of 2-ethylhexanol (133) 190

Solvophobic adsorption chromatography
Separation of alkyl derivatives of uracil by solvophobic adsorption chromatography on Spheron (138) 47

Sorbents
Properties and use of the sorbent Spheron SDA in GC (133) 91

Sorbents
LC of nucleic acid components and their analogues on hydroxyethyl methacrylate gels (133) 127

Sorbents
Use of the sorbent Spheron SE in the analysis of trace amounts of impurities in water (139) 15

Spectinomycin
Chromatography of the reduction products spectinomycin (136) 432

Spheron SDA
Properties and use of the sorbent Spheron SDA in GC (133) 91

Spheron sorbents
LC of nucleic acid components and their analogues on hydroxyethyl methacrylate g (133) 127

Stabilizers
Contribution to the GC analysis of organot stabilizers for polyvinyl chloride (in Germa (131) 317

Standardization of results
Contribution to the standardization of resu in PC and TLC (in German) (139) 85

Stationary phase film thickness
Measurement of the average thickness of t film of stationary phase in dynamically co glass capillary columns for GC (138) 7

Stationary phases
Polarity of phthalate esters in GC (131) 31

Stationary phases
Hydrocarbon stationary phases for GLC (132) 181

Stationary phases
Silar 10 C, Silar 9 CP, SP 2340 and OV-275 the GLC of fatty acid methyl esters on pac columns. Chromatographic characteristics molecular structures (135) 93

Stationary phases
Comparison of chemically bonded and physically coated polyethylene glycol stationary phases in GC (135) 261

Stationary phases
SP 2340 in the glass capillary chromatogra of fatty acid methyl esters (136) 311

Stationary phases
Coordination polymers as adsorbents and stationary phases in GC. I. Polychromium diphenylphosphinatel (138) 337

Stationary phases
GC separation of phenols on a polyphenyl ether with six rings. I (139) 69

Sterigmatocystins
Investigation of the structure of mycotoxi and their quantitative analysis. IX. Sterigmatocystins (in German) (136) 182

Steroid drugs
TLC screening procedure for some drugs in treatment of arthritis: "arthritic cures" prescribed in Mexico (137) 489

oid lactones
LC of derivatives and microbial metabolites
ithaferin-A (137) 465

oids
ntitative determination of phytoecdysones
llustrated by application to species of
leborus (131) 468

oids
sker-walled open-tubular glass columns in
III. Applications (132) 231

oids
C studies of reactions and structural
tionships of steroids. V. Concurrent
stitution in the pregnane side-chain and
tion 11 (133) 107

oids
omatographic separation of androgens,
ogens and progestogens on
roxyalkoxypropyl-Sephadex (Lipidex)
) 412

oids
lication of an ion-cluster technique to the
lysis of endogenous hydroxylated
pounds. I. Preparation of a doublet by use
mixture of trimethylsilylimidazole (TSIM)
TSIM-d_3 (135) 109

oids
aration of estrogen glucuronides, sulphates
phosphates on ion-exchange cellulose by
LC (135) 305

oids
C of fecal neutral steroids (135) 341

oids
roved separation of some isomers and
ners of the pregnane series by TLC with
eated development (135) 481

oids
C system for the semi-quantitative analysis
ne ratio of α- and β-dihydroequilin in the
fraction of equine estrogen conjugates
) 523

oids
ylphenyl tetrazolium chloride as a location
gent for thiolsteroids on paper
omatograms (135) 527

oids
ultaneous determination of Trenbolone
ate and ethynyl estradiol in food by
bined TLC-GC (in French) (136) 165

oids
ection of bile salts with Komarowsky's
gent and group specific dehydrogenases
) 348

oids
oids and related studies. XL. TLC of some
oidal ketones, oximes and lactams (137) 202

Steroids
Nickel GC columns: An alternative to glass for biological samples (140) 9

Steroids
Analysis of $C_{19}O_3$ steroids by TLC and GLC and MS (140) 229

Steroids, hydroxylated
Use of silylating agents for the identification of hydroxylated steroids by GC and GC-MS. Discrimination between phenolic and alcoholic hydroxyl groups (133) 311

Sterols
Analysis of sponge sterols as the trimethylsilyl ethers and as the corresponding 5α- and Δ^4-3-ketosteroids using open-tubular GC-MS. Application of selective enzymic oxidation (133) 372

Sterols
Relationship between the structure of plant sterols and their retention behaviour in GC on several stationary phases (in German) (139) 77

Styrene
GC determination of styrene as its dibromide (136) 95

Styrylphenyl tetrazolium chloride
Styrylphenyl tetrazolium chloride as a location reagent for thiolsteroids on paper chromatograms (135) 527

Substituent effects
Application of a Taft-type equation to retention data. Additivity of substituent effects (in French) (140) 143

Sudan dyes
TLC of Sudan dyes (136) 353

Sugars
Direct spectrophotometric TLC for determining malondialdehyde and β-formyl pyruvate produced by the periodate oxidation of some deoxy sugars (131) 464

Sugars
TLC of the principal ketoses (in French) (132) 339

Sugars
Simultaneous separation of oligomeric sugars and oligomers with a terminal aldonic acid group on anion-exchange resins (134) 195

Sugars
Separation of hexosamines, hexosaminitols and hexosamine-containing di- and trisaccharides on an amino acid analyser (134) 199

Sugars
In situ reactions on silica gel thin layers in studies on plant oligosaccharides (134) 242

Sugars
GLC of trimethylsilylated disaccharide oximes (135) 411

Sugars
Sensitive determination of derivatized carbohydrates by HPLC (136) 279

Sugars
Simple procedure for combined GC analysis of neutral sugars, hexosamines and alditols. Determination of degree of polymerization of oligo- and polysaccharides and chain weights of glycosaminoglycans (139) 303

Sugars, reducing
Dansyl hydrazine as a fluorimetric reagent for TLC analysis for reducing sugars (139) 343

Sulindac
Determination of various drugs in rodent diet mixtures (131) 357

Sulphadiazine
GLC determination of sulphadiazine and its major metabolite in human plasma and urine (139) 181

Sulphamates
GC determination of cyclic amines, ketones and alcohols, possible metabolites of sweet sulphamates (136) 318

Sulphates
Use of complex formation equilibria in the analytical isotachophoresis of strong electrolyte ions. Separation of halides and sulphates (137) 83

Sulphinylamines
Separation of aromatic sulphinylamines by TLC. II (137) 228

Sulphinylamines
GC analysis of aromatic sulphinylamines. II (139) 177

Sulphinylamines, aromatic
Separation of aromatic sulphinylamines by TLC (132) 168

Sulphonamides
GLC determination of sulphadiazine and its major metabolite in human plasma and urine (139) 181

Sulphonamides
Pyrolysis GC-MS study of medicinal sulphonamides (139) 364

Sulphonic acids
Ion-pair phase systems for the separation of carboxylic acids, sulphonic acids and phenols by HPLC (138) 245

Sulphur compounds
GC determination of sulphur compounds in town gas (134) 423

Sulphur compounds
Optimisation of the performance of a three-electrode thermionic detector for the detection of phosphorus, sulphur and nitrogen compounds by GC (136) 199

Sulphur hexafluoride
Improvement in the determination of sulph hexafluoride for use as a blood tracer (133)

Support-coated open tubular capillary columns
Quantitative GC analysis on support-coated open tubular capillary columns. I. Analysis isomeric ethylphenols (140) 245

Support material, geometry
Influence of the geometry of support materi on the capacity of an extraction chromatographic system. III. Influence of th exchange kinetics and the flow inhomogeneities on the height equivalent to theoretical plate (in German) (135) 273

Supports
Application of high-pressure GC with colum packed with small particles (132) 1

Supports
Improvements in GC columns formed by *in situ* polymerization (134) 170

Surface heterogeneity
Effects of surface heterogeneity in non-line and non-equilibrium gas-adsorption chromatography (137) 1

Surfactants
Chromatographic studies on the extraction polyoxyethylene alkylphenyl ether non-ioni surfactants from water at trace levels (131)

Surfactants
Preparation and TLC of sulfate conjugates the component oligomers of Triton X-100 (137) 397

Surfactants
Isolation of natural surface-active materials crude oils by adsorption chromatography (139) 135

Sympathomimetic central nervous stimula
Detection of sympathomimetic central nerv stimulants with special reference to doping. Comparative study of a conventional extraction procedure and adsorption chromatography using XAD-2 resin (133) 21

Sympathomimetic central nervous stimula
Detection of sympathomimetic central nerv stimulants with special reference to doping. Comparative study of two adsorption chromatography methods using different X resins (136) 385

Synthetases
Use of ω-aminohexyl-Sepharose in the fractionation of *Escherichia coli* B aminoac tRNA synthetases (139) 331

Synthetic chemistry
Use of TLC systems in HPLC separations. Procedure for systematization and design o the separation process in synthetic chemist (137) 41

nic acids
MS analysis of tannin hydrolysates from ink of ancient manuscripts (XIth to XVIth tury) (134) 433

nperature control system
xpensive temperature control system for LC. Application to carbofuran analysis and perature programming for LC analysis) 321

nperature gradients
gitudinal temperature gradients in LC a binary mobile phase (138) 329

rachloroethane
sampling methods for *s*-tetrachloroethane other related chlorinated hydrocarbons) 283

racyclines
ple method for the quantitative analysis of acyclines by direct fluorimetry after TLC cellulose plates (132) 105

racyclines
chromatography of tetracycline antibiotics) 223

racyclines
ersed-phase HPLC determination of acyclines in urine and plasma (134) 441

racyclines
ersed-phase HPLC of doxycycline (140) 293

raethylthiuram disulfide
ntitative analysis of disulfiram and its abolites in human blood by GLC (133) 167

rahydroisoquinolines
omatographic behaviour of diastereomers. TLC behaviour of diastereomeric 4-stituted 6,7-dialkoxy-3-aryl-ahydroisoquinolines and -isochromans) 73

raphenylporphyrin-zinc
aphenylporphyrin sandwich complex
culated tetraphenylporphyrin-zinc aphenylporphyrin sandwich complex) 131

anol isobutyrate
tification and determination of 1,3-obutyrate-2,2,4-trimethylpentane (Texanol utyrate) in polyvinyl chloride plastisol ing formulations (139) 395

baine
ntitative determination of thebaine in *aver bracteatum* by HPLC (140) 65

ophylline
ention behaviour of a bonded reversed phase in a HPLC assay of serum theophylline (135) 419

Thermal conductivity detector
Fast and sensitive thermal conductivity detector for use with capillary columns (in German) (137) 13

Thermionic detector
Optimisation of the performance of a three-electrode thermionic detector for the detection of phosphorus, sulphur and nitrogen compounds by GC (136) 199

Thermionic rubidium silicate detector
Study of the nitrogen response mode of the thermionic rubidium silicate detector (133) 37

Thiamine
Separation of thiamine and its derivatives on a Sephadex column (140) 316

Thiamphenicol
Preparation of trimethylsilyl derivatives of thiamphenicol (134) 365

Thin-layer chromatograms, evaluation
Fluorescence photometry of thin-layer chromatograms and electropherograms (133) 49

Thin-layer chromatograms, optical analysis
Effect of non-uniform concentration distribution with depth upon quantitative optical analysis of chromatograms (133) 195

Thin-layer chromatography
Location of TLC spots using UV light and tracing paper (132) 130

Thin-layer chromatography
Use of plastic foil in small-scale TLC (134) 235

Thin-layer chromatography
Contribution to the standardization of results in PC and TLC (in German) (139) 85

Thin-layer chromatography, continuous
Simple device for continuous TLC (138) 443

Thin-layer chromatography, quantitative
Modification of quantitative TLC by elution (140) 263

Thin-layer plates
Chromatography of Dns derivatives on pre-coated HPTLC plates (131) 109

Thin-layer plates
Preparation of plates with a permanent adsorbent layer and their application in the analytical TLC of lipids (132) 195

Thio compounds
TLC analysis of oxo and thio compounds (140) 109

Thiocyanate
Determination of thiocyanate in tissues and body fluids of animals by GC with electron-capture detection (138) 131

Thiolsteroids
Styrylphenyl tetrazolium chloride as a location reagent for thiolsteroids on paper chromatograms (135) 527

Thiopurines
Quantitative determination of metabolites of 6-mercaptopurine in biological materials. II. Advantages of a variable-wavelength HPLC spectrophotometric detector for the determination of 6-thiopurines (137) 61

Thyroid-inhibiting substances
GC determination of methylthiouracil residues in meat and organs of slaughtered animals (140) 266

TMB-4
Determination of N,N'-trimethylene-bis(pyridinium-4-aldoxime) dibromide by ion-pair HPLC (138) 449

Tobacco alkaloids
Rapid determination of certain alkaloids, other than nicotine, in tobacco (133) 378

Tobacco mosaic virus
High-pressure chromatography of tobacco mosaic virus on Spheron gels (135) 435

Town gas
GC determination of sulphur compounds in town gas (134) 423

Trace enrichment techniques
Trace enrichment techniques in reversed-phase HPLC (136) 63

Transfer RNA
Rapid, quantitative separation by HPLC of methylated bases in transfer RNA (133) 231

Transfer RNA
Influence of modified nucleosides in *E. coli* transfer RNA on chromatographic mobilities of transfer RNA (137) 93

Transition metal ions
GPC of transition metal ions using Bio-Gels (135) 173

Tranxene
Determination of clorazepate and its major metabolites in blood and urine by electron capture GLC (135) 123

Trenbolone acetate
Simultaneous determination of Trenbolone acetate and ethynyl estradiol in food by combined TLC-GC (in French) (136) 165

Trialkylamines
Thermodynamics of molecular association. Tri-*n*-alkylamine-chloroalkane systems (139) 1

Triazine herbicides
Detection of triazine herbicides in soil by a Hill-reaction inhibition technique after TLC (133) 420

Tricobalt tetroxide-hydrogen system
GC investigations of the system tricobalt tetroxide-hydrogen (139) 349

Trifluoperazine
TLC screening procedure for some drugs us in treatment of arthritis: "arthritic cures" prescribed in Mexico (137) 489

Trinitrotoluene
Vapor pressure of 2,4,6-trinitrotoluene by a headspace technique (133) 83

Tritiated substances
TLC measurement of low activities of tritiat substances mixed with non-radioactive quenching plant pigments (139) 376

Triton X-100
Preparation and TLC of sulfate conjugates the component oligomers of Triton X-100 (137) 397

U

Uracil
Detection reagent for adenine, guanine, ura cytosine and their alkylated bases, nucleoti and nucleosides on thin-layer plates (132) 1

Uracil derivatives
Separation of alkyl derivatives of uracil by solvophobic adsorption chromatography on Spheron (138) 47

Uracils
Separation of alkylated guanines, adenines, uracils and cytosines by TLC (131) 265

Urea herbicides
Identification of eleven urea herbicides by TLC and GLC. I. Application to natural wat (in French) (134) 483

V

Valium
Analysis of benzodiazepines and their hydrolysis products, benzophenones, by reversed-phase HPLC and its application t biological material (in German) (132) 83

roic acid
etermination of valproic acid in human
ıa (132) 145

roic acid
itive GLC method for determination of
oic acid in biological fluids (137) 188

dium pentoxide
dium pentoxide in sulphuric acid, a
ral chromogenic spray reagent for
ohydrates (134) 467

l chloride monomer
rmination of vinyl chloride monomer by
132) 495

alizing agents
idine substitute visualizing agents for
porphyrins (138) 220

min A
ltaneous determination of *cis-trans*
eric retinals by HPLC (134) 331

min B_1
ration of thiamine and its derivatives on
phadex column (140) 316

min B_6
reagent for vitamin B_6 derivative
ation in GC (135) 489

min K_3
etermination of the purity of vitamin K_3
adione) (139) 195

mins
ration of naphthoquinones and lipophilic
mins by gel chromatography and TLC
345

mins
C separation of pharmaceutical
ounds using a mobile phase containing
nitrate (136) 337

W

arin
nemical applications of a quantitative
C assay of warfarin and its metabolites
365

arin
ysis of warfarin in plasma by HPLC
149

r, trace impurities
f the sorbent Spheron SE ... the analysis
ce amounts of impurities in water
15

Withaferin-A
HPLC of derivatives and microbial metabolites of withaferin-A (137) 465

Wool fibres
Pyrolysis GC analysis of some toxic compounds from nitrogen-containing fibres (137) 210

Z

Zinc chelates
Chromatography of metal chelates. VII. HPLC of metal 1,2-diketobisthiobenzhydrazones, metal dialkyldithiocarbamates and metal 1,2-diketobisthiosemicarbazones (137) 153

Zinc chelates
Chromatography of metal chelates. VIII. HPLC of metal dithizonates (137) 165

Zinc-EDTA complexes
Electrophoretic investigations of the complexing of cadmium and zinc with EDTA (132) 323

Zirconium phosphate
Crystalline insoluble acid salts of tetravalent metals. XXVII. Ion exchange of trivalent cations on ionic forms of crystalline zirconium phosphate with large interlayer distances (132) 477

Zone spreading correction
Simple and efficient method of zone spreading correction in GPC (139) 225

Order your desk copy of:

Cumulative Author and Subject Indexes of the Journal of Chromatography

covering **Volumes 1-50**

1972 282 pages
Price: US $23.75/Dfl..58.00 Paperback

covering **Volumes 51-100**

1975 354 pages
Price: US $36.75/Dfl. 90.00 Paperback

covering **Volumes 101-110**

1975 126 pages
Price: US $14.50/Dfl. 35.00 Paperback

covering **Volumes 111-120**

1976 128 pages
Price: US $15.50/Dfl. 38.00 Paperback

covering **Volumes 121-130**

1977 84 pages
Price: US $14.50/Dfl. 35.00 Paperback

One copy of the Cumulative Author and Subject Index is supplied free of charge to subscribers of the Journal of Chromatography. Additional copies can be purchased.



ELSEVIER

P.O. Box 211, Amsterdam, The Netherlands

The Dutch guilder price is definitive. US $ prices are subject to exchange rate fluctuations.

7051

Liquid Chromatograp Detectors

by R. P. W. SCOTT, *Chemical R Dept., Hoffmann-La Roche, Nutley, N.*

JOURNAL OF CHROMATOGR LIBRARY - Volume 11

The rapid development of liquid chro raphy over the past decade has be to the introduction of highly sensitiv liquid chromatography detectors. Th provides a comprehensive treatmen function and optimal working condi liquid chromatography detectors. into four parts, the book gives deta scriptions of the general characteri liquid chromatography, bulk proper solute property detectors, as well a use in liquid chromatography. The ne detector specifications are define will permit a rational comparison of formance of one detector with that of

CONTENTS: Introduction. **Parts: 1.** **Characteristics of Liquid Chromato Detectors.** History, function and classi of detectors. Performance criteria of tectors. Detector characteristics tha column performance. Summary of c criteria. Ancillary equipment. **2. Bulk Detectors.** General characteristics property detectors. The refractive in tector. The dielectric constant detec electrical conductivity detector. Ad bulk property detecting systems. **3. Property Detectors.** Principles of de The ultraviolet absorption detector. T ometric detector. The polarographic d The heat of adsorption detector. Th impact detector. The radioactivity d The electron capture detector. Tr detectors. **4. The Use of Detectors i Chromatography.** The selection of th priate detector. Quantitative and qu analysis. Practical hints on detector op Special detector techniques. Spectr detectors. **Subject Index.**

1977 x + 248 pp. US $34.50/Df ISBN 0-444-41580-7



ELSEVI

P.O. Box 211, Amsterdam 52 Vanderbi
The Netherlands New York, N

The Dutch guilder price is definitive. US $ prices to exchange rate fluctuations.

GENERAL INFORMATION

(A leaflet *Instructions to Authors* can be obtained by application to the publisher.)

Contributions. The following types of papers are published in the *Journal of Chromatography* and tion on *Biomedical Applications:* Regular research papers (full-length papers), short communications tes. Short communications are preliminary announcements of important new developments and nenever possible, be published with maximum speed. Notes are usually descriptions of short investi- and reflect the same quality of research as full-length papers, but should preferably not exceed inted pages. For reviews, see page 2 of cover under Submission of Papers.

ipts. Manuscripts should be typed in double spacing on consecutively numbered pages of uniform ne manuscript should be preceded by a sheet of manuscript paper carrying the title of the paper name and full postal address of the person to whom the proofs are to be sent. Authors of papers ch or German are requested to supply an English translation of the title of the paper. As a rule, should be divided into sections, headed by a caption (e.g., Summary, Introduction, Experimental, , Discussion, etc.). All illustrations, photographs, tables, etc. should be on separate sheets.

e title of the paper should be concise and informative. Since titles are widely used in information al systems, care should be taken to include the key words. The title should be followed by the ' full names, academic or professional affiliations, and the address of the laboratory where the work ried out. If the present address of an author is different from that mentioned, it should be given in ote. Acknowledgements of financial support are *not* to be made in a footnote to the title or name uthor, but should be included in the Acknowledgements at the end of the paper.

y. Full-length papers and review articles should have a summary of 50–100 words which clearly and ndicates what is new, different and significant. In the case of French or German articles an additional y in English, headed by an English translation of the title, should also be provided. (Short com- ions and Notes are published without a summary.)

ons. The figures should be submitted in a form suitable for reproduction, drawn in Indian ink on or tracing paper. One original and two photocopies are required. Attention should be given to tering (which should be kept to a minimum) and to spacing on axes of graphs in order to ensure mbers etc. remain legible after reduction. Axes of a graph should be clearly labelled. The figures preferably be of such a size that the same degree of reduction can be applied to all of them. Photo- should have good contrast and intensity. Sharp, glossy photographs are required to obtain good es. References to the illustrations should be included in appropriate places in the text using arabic ls. Each illustration should have a legend, all the *legends* being typed (with double spacing) together *parate sheet.* If structures are given in the text, the original drawings should be supplied. Coloured ions are reproduced at the authors' expense, the cost being determined by the number of pages he number of colours needed. The written permission of the author and publisher must be obtained use of any figure already published. Its source must be indicated in the legend.

es. References should be numbered in the order in which they are cited in the text, and listed in al sequence on a separate sheet at the end of the article. The numbers should appear in the text ppropriate places in square brackets. In the reference list, periodicals [1], books [2], multi-author 3] and proceedings [4] should be cited in accordance with the following examples:

A. T. James and A. J. P. Martin, *Biochem. J.*, 50 (1952) 679.
. R. Snyder, *Principles of Adsorption Chromatography*, Marcel Dekker, New York, 1968, p. 201.
H. C. S. Wood and R. Wrigglesworth, in S. Coffey (Editor), *Rodd's Chemistry of Carbon Compounds*, *Vol. IV, Heterocyclic Compounds*, Part B, Elsevier, Amsterdam, Oxford, New York, 2nd ed., 1977, Ch. 11, p. 201.
. C. Horning, J.-P. Thenot and M. G. Horning, in A. P. De Leenheer and R. R. Roncucci (Editors), *roc. 1st Int. Symp. Quantitative Mass Spectrometry in Life Sciences, Ghent, June 16–18, 1976*, Elsevier, Amsterdam, Oxford, New York, 1977, p. 1.

ations for the titles of journals should follow the system used by *Chemical Abstracts.* Articles not lished should be given as "in press", "submitted for publication", "in preparation" or "personal ication". The *Journal of Chromatography; Journal of Chromatography, Biomedical Applications* and *ographic Reviews* should be cited as *J. Chromatogr.*

ne set of proofs will be sent to the author to be carefully checked for printer's errors. Corrections restricted to instances in which the proof is at variance with the manuscript. "Extra corrections" nserted at the author's expense.

Fifty reprints of Full-length papers, Short communications and Notes will be supplied free of Additional reprints can be ordered by the authors. An order form containing price quotations ent to the authors together with the proofs of their article.

ews releases of new products and developments, and information leaflets of meetings should be d to: The Editor of the News Section, Journal of Chromatography/Journal of Chromatography, cal Applications, Elsevier Scientific Publishing Company, P.O. Box 330, Amsterdam, The Nether-

ments. Advertisement rates are available from the publisher on request. The Editors of the ccept no responsibility for the contents of the advertisements.

BIBLIOGRAPHIES IN CHROMATOGRAPHY

BIBLIOGRAPHY OF LIQUID COLUMN CHROMATOGRAPHY 1971-1973

And Survey of Applications

edited by Z. DEYL, *Physiological Institute, Czecholslovak Academy of Science 5, Prague and* J. KOPECKÝ, *Institute of Hygiene and Epidemiology, Prague.*

Supplementary Volume No. 6, 1976
Published in conjunction with the Journal of Chromatography

1976. xx + 1136 pages.
US $103.70/Dfl. 259.00.
Paperback
Subscription Price:
US $57.50/Dfl. 150.00.
ISBN 0-444-41469-x

This book provides ready access to information on papers dealing with all types of liquid column chromatography from 1971 to 1973. Together with the other Bibliography supplements in the series it completes the survey on chromatographic and electromigration separation procedures.

Individual items are classified according to the chemical nature of the compounds separated, as in the Journal of Chromatography, so both sources can be used side by side. Short notices attached to most of the entries refer to the sorbent or ion-exchange material used.

The Bibliography will serve workers in many different fields of science and technology by enabling them to find, in the shortest possible time, full details on the applications of the LC technique to a particular compound or group of compounds. It also provides information about current instrumentation and sorbents used. The bibliography contains an author index and an extensive list of 20,000 compounds chromatographed.

BIBLIOGRAPHY OF PAPER AND THIN-LAYER CHROMATOGRAPHY 1970-1973

And Survey of Applications

edited by K. MACEK, et al.

Supplementary Volume No. 5,

1976. xviii + 744 pages.
US $79.95/Dfl. 200.00.
Paperback
ISBN 0-444-41229-9

BIBLIOGRAPHY OF ELECTROPHORESIS 1968-1972

And Survey of Applications

edited by Z. DEYL, et al.

Supplementary Volume No. 4,

1975. xvi + 862 pages.
US $79.95/Dfl. 200.00.
Paperback.
ISBN 0-444-41225-5

BIBLIOGRAPHY OF COLUMN CHROMATOGRAPHY 1967-1970

And Survey of Applications

edited by Z. DEYL, et al.

Supplementary Volume No.

1973. xix + 1067 pages.
US $71.95/Dfl. 180.00.
Paperback.
ISBN 0-444-41008-2

BIBLIOGRAPHY OF PAPER AND THIN-LAYER CHROMATOGRAPHY 1966-1969

And Survey of Applications

edited by K. MACEK, et al.

Supplementary Volume No.

1972. xvi + 992 pages.
US $79.95/Dfl. 200.00.
ISBN 0-444-40953-X

BIBLIOGRAPHY OF PAPER AND THIN-LAYER CHROMATOGRAPHY 1961-1965

And Survey of Applications

Supplementary Volume No.

1968. only available in micro
US $59.95/Dfl. 150.00.
ISBN 0-444-40676-x

ELSEVIER SCIENTIFIC PUBLISHING COMPANY

P.O. Box 211, Amsterdam, The Netherlands

Distributor in the U.S.A. and Canada:
ELSEVIER/NORTH-HOLLAND INC.,
52 Vanderbilt Avenue, New York, N.Y. 10017

The Dutch guilder price is definitive. US $ prices are subject to exchange rate fluctuations

1925 Ea